

HIMACHAL PRADESH GOVERNMENT



**ANNUAL SEASON
AND
CROP REPORT

FOR 2016-17**

Issued by:-

DIRECTOR LAND RECORDS, H.P.

CONTENTS

| | Pages |
|---|---------|
| Foreword | |
| Introduction | i-xvi |
| Explanatory Note | 1-2 |
| SUMMARY TABLES | |
| A- Classification of Area | 3 |
| B- Sources of Water Supply and Area irrigated there from | 4-5 |
| C- Area of Crops irrigated | 6-10 |
| D- Area under all crops | 11-15 |
| E- Average yield per hectare, condition of the crop and the total out-turn of crops. | 16-21 |
| F- Farm prices. | 22 |
| G- Agricultural Wages | 23 |
| H- Number of Livestock and Poultry. | 24-30 |
| DETAILED TABLES:- | |
| I- Rain-Fall | 32-35 |
| II- Classification of Area | 36-37 |
| III- A. Sources of Water Supply and Area Irrigated there from | 38-41 |
| B. Area of crops irrigated. | 42-56 |
| IV- A. Area under Food Crops. | 57-78 |
| B. Area under Non-Food Crops | 79-85 |
| C. Details of cropped area. | 86-87 |
| V - A. Standard yield per hectare and actual yield per hectare. | 88-110 |
| B. Total out-turn of crops. | 111-126 |
| VI- A. Farm Prices. | 127-139 |
| VII- Agricultural Wages. | 140-147 |
| VIII- No. of Livestock and Poultry | 148-177 |
| IX- Agricultural Census. Number and area of operational holdings by size classes & type of holding for all different social groups. | 178-186 |
| Instructions and Explanations for filling up the tables. | 187-189 |

FOREWORD

The present issue of State Annual Season and Crop Report for the agricultural year, (1st July to 30th June) 2016-2017 attempts to highlight the main agricultural statistics of Himachal Pradesh and contains statistical data on important variables *viz.*; Rainfall, Land Utilization, area irrigated by different sources, net/gross irrigated area, Crop-wise area irrigated, Cropping pattern, the rate of productivity per hectare of major and some other crops, total production of all major crops, the farm harvest prices and Agricultural Wages. Besides this, the report also includes concise data on Livestock and Agricultural Census. The Report has been delayed due to administrative reason.

The report can be distinctly divided into two parts *i.e.* (I) Summary Tables giving a quinquennial birds eye-view of broad state aggregates, and (II) the Detailed Tables delineating a comprehensive picture of district-wise data on the aforesaid variables for the year under review *i.e.* for the Agriculture year 2016-2017. In brief, the report has been prepared to serve as a ready compendium on basic data on Agricultural Sector.

I would like to place on record my feeling of satisfaction for the collective team-work done by the Deputy Commissioners, Sub-Divisional Officers (Civil), District Revenue Officers, Tehsildars, Naib-Tehsildars, Office/Field Kanungos and the Patwaris and, infact, the entire Revenue Agency whose inputs have gone into the making of various field reports from which the various statistics have been culled-out for presentation in the present State Report. My appreciation is also due to the Statistical Assistants/officials holding the charge of Statistical Assistants posted in the Deputy Commissioner's offices, who are directly associated with this work and have taken the responsibility of preparing the district report.

I hope the report would prove useful for various plan formulations of the Govt. as well as constitute an important source of secondary data for research workers.


HANS RAJ CHAUHAN (IAS)
Director of Land Records,
Himachal Pradesh.

INTRODUCTION

The Annual Season and Crop Report, as the name itself suggests, is an annual publication of State Government, attempting to reflect the land-use pattern, district-wise, as well as corresponding data on production structure of agriculture, month-wise and season wise rainfall data, Irrigation infrastructure, source -wise net irrigated area, crop -wise gross irrigated area, detailed cropping pattern, Productivity of various crops, farm harvest prices & agricultural wages. This report also incorporates concise data on quinquennial Live Stock Census 2012 and holdings-wise agrarian structure as observed during Agricultural Census 2015-16. The report commences with summary tables of the aforesaid statistics for the proceeding four years and with the current year *i.e.* 2016-17. as the concluding year of the quinquennial survey. In a nutshell this report is a compendium of Agricultural Statistics already supplied as per time schedule and instructions mentioned in HPLRM 1992 to the different departments of Centre as well as State Govt. in the form of various reports and returns. This report contains the data for the Agricultural year which starts from 1st July and ends on 30th June.

This report presents all the Statistical data in metric units *i.e.* area in hectares and production in metric tonnes.

GEOGRAPHICAL AND PHYSICAL FEATURES:-

Himachal literally means mountain of snow. It is situated in the heart of the Western Himalayas. Himachal Pradesh is a small world in itself, which is entered from the plains of Punjab or Shivalik hills or through the hills of Shimla, through beautiful "meandering valleys" covered with pine and typical temperate mountain flora. Agriculture is the main occupation of the people of H.P. as about 76% population depends directly on it. It has an important place in the economy of the State. It provides direct employment to 69% of the total workers of the State. Agriculture happens to be the premier source of state income (GSDP). About 16 % of the total GSDP comes from Agriculture and its allied sectors. Most of the area in H.P. is not available for cultivation due to the difficult hilly terrain and is only available for raising forest, pastures and grazing lands. Only 12% of the total geographical area is available for cultivation. Taking into account those people also who directly depend upon agriculture, 92% of the rural population thus derives its livelihood from this primary sector.

Representing a fascinating part of the mightiest mountain ranges on the Globe, Himachal Pradesh continues to be the "abode of gods" with peace and tranquility, which made it the "Tapasthali" of saints and sages, largely intact. The State with its mountain ranges and passes, magnificent attractive valleys, white and pink, the lofty peaks, some perennially covered in snow, fresh water lakes, mighty rivers, hot water springs, temples, gompas, gurdwaras, monasteries, various varieties of flora & fauna and its simple living inhabitants rearing flock, Serene atmosphere, munificent people, salubrious climate growing horticultural crops and the massive deodar forests and the beautiful winding roads that snake through forests, over high passes and into high altitude deserts offers a captivating panorama for the tourists. Besides, its undulating terrain varying within altitudes from 350 meters to 7000 meters above the mean sea-level is situated in the lap of Himalayan ranges in the North-West of India. Geographically, it is bordered by State of Haryana in the South, Uttar Pradesh in the South East & Jammu & Kashmir in North, Punjab in the West & South West and Tibet in the East. It is situated between 30°-22'-40" to 33°-12' -40" North latitude and 75°-47'-55" to 79°-04'-22" East longitude, thereby giving rise to agro-climatic conditions suited specially for raising Horticulture crops.

Himachal Now known as “the country’s Orchard’, nature’s paradise and abode of peace, represented in ancient times the Himalayas itself, with Nepal, Koormachal, Kedar, Jalandhara and Kashmir as its five natural divisions. Himachal is a hilly and mountainous tract. It forms part of the Punjab Himalayas, and thus presents an intricate pattern of mountain ranges, hills and valleys. Its altitude varies from 350 meters to 7000 meters above the mean sea level. There is a general increase in elevation from West to East and from South to North. From South to North, physiographic ally, or topographically, the territory of H.P. can be divided into three zones, as followings:—

(a) Outer Himalaya or the Shivalik hills or the southern zone or the lower hills:-

The Lower hills, comprising the districts Kangra, Hamirpur, Una Bilaspur and lower parts of Mandi, Solan and Sirmour. The annual rainfall in this zone varies from 1500mm to 1800mm. The altitude of this zone varies from 350 meters to 1500 meters above mean sea level. This area is suitable for the cultivation of Maize, Wheat, Ginger Sugarcane, Paddy, Potatoes and Citrus fruits.

(b) The lesser Himalaya or the Central zone or the inner Himalaya or Mid-Himalaya:-

In this zone falls upper area or the Tehsils of Pachhad and Renuka in Sirmour district, Chichot and Karsog Tehsils of Mandi district, upper part of Dharmshala, Shahpur and Palampur Tehsils of Kangra district, Upper Shimla Hills and upper parts of Churah tehsil of Chamba District. The altitude of this Zone varies from 1500 meters to 4500 meters above mean sea level. The Zone is useful for seed Potatoes, temperate fruits, stone fruits and soft fruits. The rainfall in the second zone varies annually from 700mm to 1000mm.

(c) The Greater Himalaya and Zaskar, or Zaskar, or Northern Zone or Alpine Zone:-

The Alpine zone remains under snow for about 5 to 6 months in a year. This Zone comprises Kinnaur district and soil is best suited for the cultivation of dry fruits.

Soils:-

Himachal Pradesh has wide variety of soils found in its valleys and tracts. Soil changes from place to place and with it changes the nature and type of vegetation it supports. Soil found in H.P. vary from rich deep alluvial soils of the dun type valleys to the thin and bare soils of the high mountains and most deserts like soils of the cold desert.

The type of soils found in this State are (a) Himalayan Alluvial soils (b) Red and black soils (c) Ferruginous Red soils (d) Brown soils (e) Forest soils (g) Himalayan foothill/Terai soils (h) Mountain and hill soils and (i) High altitude meadow soils.

Classification of soils in H.P. has been made according to the five under mentioned Zones:-

(i) Low Hill Soil Zone:- (up to an Altitude of 1000mts above sea level):-

The soils are not very deep and are embedded with stones. The area under the zone is suitable for cultivation of Wheat Maize, Sugarcane, Ginger Paddy and Citrus fruits.

(ii) Mid- Hill Soil Zone:- (Area between 1000mts to 1500 Mts above sea level.

The soils are loam to clay, Loam in texture with grayish brown color and drained earth. These areas are suited for growing table Potatoes, Maize and Stone Fruits.

(iii) High Hill Soil Zone:- (Area between 1500 Mts to 3000Mts above mean sea level)

Soil texture ranges from silty loam to clay loam of dark brown color. These soils are quite deep. The soil is good for seed Potatoes and temperate fruits.

(iv) Mountainous Soil zone: - (Area between 3000Mts. To 6000Mts. above the sea level)

These soils are not of much agricultural use. The soils are shallower in depth than high-hill soil and its texture is silty loam of dark brown color.

(iv) Dry Hill Zone:- The soil is of high texture with variable soil fertility. The area suited for dry fruits cultivation.

Climate:-

The climate of H.P. varies at different altitudes. The climatic conditions here accordingly vary from the semi-tropical to the semi-arctic. The average rainfall for the year under report is 120 cms. The highest rainfall is in Kangra district at Dharmshala and lowest in Lahaul-Spiti at place spiti.

The State can aptly be divided into four climatic region on the climatic conditions like temperature, precipitation, latitude and altitude:-

Arctic:- Over 4500 meters.

Sub-Arctic:- 3500-4500 meters.

Temperate: - 2000-3500 meters.

Tropical: - below 2000 meters.

CONSTITUTIONAL BACKGROUND, ADMINISTRATIVE SET- UP AND PRESENT CONDITION :-

Himachal Pradesh first came into being as a centrally administered territory on April 15, 1948, by the integration of some thirty erstwhile small princely States. These states were Keonthal, Kunihar, Mehlog, Beja, Baghat, Bhajji, koti, Bharoli, Kuthar Dhami, Mangal, Baghal, Jubbal, Sari, Rewingarh, Balsan, Kumarsain Khaneti, Delath, Karanhla, Kotkhai, Kotgarh, Ratesh, Ghund, Madhan, Theog, Daroti, Tharoch, Dhadi, Sangri and Dodra-Kawar. Only five of these States had some size, while thirteen of them were less than 100 Square Miles, three were even less than 10 square miles in area. At that time the State had only four district viz. Chamba, Mahasu, Mandi and Sirmour with a total area of 27169 Sq. Km. In 1951 it was made apart "C" State. On July 1, 1954, the neighbouring 31st State of Bilaspur was integrated with H.P. thereby one more district was added to its territory raising the total geographical area of the State to 28237 Sq. Kms. Further, in May, 1960 a new border district of Kinnaur was carved- out of Mahasu district on account of administrative reasons. With the reorganization of State on November 1, 1966, Punjab hill areas of the districts of Kangra, Shimla, Kullu and Lahaul-Spiti, Nalagarh of area of Ambala district, parts of Una tehsil of Hoshiarpur district and of Pathankot tehsil of Gurdaspur district were integrated with Pradesh thereby increasing the geographical area to 55673 Sq. Kms. The act to provide State hood to H.P. was passed on December 18th, 1970 and the state of Himachal Pradesh attained full statehood on January 25, 1971 and Mrs. Indira Gandhi the then Prime Minister of India inaugurated the same. On 1st September, 1972 two more districts of Una and Hamirpur were carved- out of Kangra districts and the then district Mahasu was reorganized in the form of new districts of Shimla & Solan. In this reorganization, Shimla city was reorganized with the erstwhile Mahasu district to form Shimla district. Areas of Nalagarh Kandaghat were tagged with Solan District.

Thus at present, the State of Himachal Pradesh is spread over an area of 55673 Sq. Kms. as per the Survey General of India, comprises of 12 administrative districts namely Bilaspur, Chamba, Hamirpur, Kangra, Kinnaur, Kullu, Lahaul-Spiti, Mandi, Shimla, Sirmour, Solan and Una. 69 Sub-

Division (Civil), 102 Tehsils and 54 Sub-Tehsils. For the development cum administration is Panchayat which are 3243 in number. Numbers of Revenue Villages are 21151 out of which 18512 are inhabited and 2639 are uninhabited. The State Headquarter located at Shimla. Which has unique existence on the National as well as international map due to its scenic beauty and historicity. The State's rapid March on the road to development has not diluted its cultural identity and the people still have abiding respect for their rich traditions. The "Devbhoomi" has come a long way from an amalgamation of little known feudal Kingdoms to a modern State. The rugged "uncultivable" hill slopes have been transformed into money spinning orchards; roads have penetrated the mountains in all directions, opening the nature's hidden splendors to the world. Numerous turbulent rivers and nullahs criss-crossing the hills have been bridged and some of the big rivers have already been impounded to generate electricity. Efforts are on to harness the vast hydel potential to make the hill state a "powerhouse" of the country. The spectacular achievements of the State, with a difficult topography and varied climate conditions, have belied the general belief that the people of hills were destined to live in misery and poverty. Almost Four decades of Statehood have seen tremendous development on all front mainly due to the fact that Himachal Pradesh has remained political a highly stable entity.

CLIMATIC AND AGRO-CLIMATIC ZONES:

Himachal Pradesh, as its names suggests, lies in the lap of the Himalayas. Its climatic, flora and fauna, the life and outlook of the people are largely conditioned by that one single factor; nature has a rugged beauty here. The typical geographical location of the Pradesh gives rise to variegated climatic and agro-climatic Zones which give it distinct advantages in terms of horticultural crops and off-season vegetables. Due to its varying altitudes the climate also varies from mild to cold. Another factor which also changes the climate from place to place is that the five major rivers criss-cross the State viz; the river Beas traversing through Kullu, Mandi and Kangra, the river Satluj meandering through Kinnaur, Shimla and Bilaspur districts, the river Ravi passing Chamba town, and the river Yamuna having its major tributaries in districts of Shimla & Sirmour, and finally, the 5th river Chenab flows through the district Lahaul-Spiti and parts of Chamba districts.

All these factors and geographical locations of the State provide suitable climate and varying agro-climate Zones for growing horticultural and off-season vegetables which will certainly changes the economic standards of rural people in the times to come.

The terrain varies as one move from South to North & from West to East. Due to its varying altitude, the climate also varies from mild to cold. From the stand-point of production potential, the State can be geographically divided into the following five categories:-

(i) Valleys upto an elevation of 1000 meters:-

These are fertile lands and can be subjected to intensive cultivation.

(ii) Low Hills:-

These have an altitude of 1000 meters to 2000 meters above the mean sea level and these lands are suitable for horticulture crops.

(iii) High Hills:

These areas lie between 2000 meters and 3500 meters above the mean sea level and are sparsely populated. They are good for raising forests.

(iv) Alpine Zones:-

Above 3500 meters. These zones are good for grazing.

The Land of Perpetual Snows:-

These lie above the perpetual snow line and are without any vegetation.

PRECIPITATION AND ITS SPREAD:-

Land use Profile (Table-II) of the State is preceded by detailed season-wise information on rainfall statistics (Table No. 1) for the year 2016-2017. It is a fact that precipitation is most important input not only for the germination of crops but also for its subsequent growth and maturity. The quantum of rainfall and proper distribution are the most crucial variables for a State like Himachal Pradesh where the development of irrigation infrastructure is severely restricted by its topography. The extent of assured irrigation during the year under review is 23.00% percent of the total cropped area and 77.00 % percent area is still un-irrigated. The following considerations are also important while talking about the concept of assured irrigation:-

1. The dominant share of net irrigated area is attributable to the common source of irrigation *viz.*, Kuhls, which is nearly 67.00 percent. These Kuhls are water channels led from the source of water to the fields.
2. The production of crops depends upon the quantum of timely rainfall and its proper distribution during the crop seasons. The distribution & descriptions of rainfall is indicated by the number of rainy days shown against each district in Table-1 of the Report.

The Pradesh has four seasons in the year *viz.*; Winter Pre-Monsoon to Monsoon proper and post monsoon. The winter season spread over January to February, monsoon is from March to May, monsoon extends from June to September and post monsoon from October to December. Interestingly, as the conditions prevail in other parts of the country, 50 to 70% amount of the rainfall occurs during the monsoon period which is from June to September.

About 80% of the total cropped area depends upon rains and only a meager area constituting 22% is under assured irrigation. The detailed Table No. 1 of this report displays district-wise, season-wise current and normal rainfall and rainy days. Average/current rainfall during the year under report is 967.6 mm. Where as normal rainfall is 1378.1 mm Similarly number of current rainy days is 51.5 and normal rainy days 71.1.

As per meteorological department -19% to 19% departure from normal is considered "Normal Rainfall", 20% and above "Excess Rainfall", -20% to -59% "Deficient Rainfall" and 60% to -99% "Scanty Rainfall".

Land Utilization:-

Land is the basic resource of a rural society. Its utilization shows a reciprocal relationship between the prevailing ecological conditions of a particular region and man. The term land utilization is also used for varied utilization of land viz.; Forest, Barren and unculturable lands, land put to non-agricultural uses, permanent pastures and other grazing lands, culturable waste, other fallow land, current fallow and net area sown etc. The systematic utilization of land can contribute to the promotion of economic and cultural advancement. It would be difficult to think of progress in the absence of utilization of land. Thus, study of land Utilization is of immense value in tracing out the past of land and the future trend. Only through the study of the past land utilization, can one be able to predict its future and evolve land use planning for a particular region.

An important aspect of land utilization is the quantum of land used for cultivation. This is indicated by the net cultivated area which is the sum of net area sown plus the area under current fallows. Total cropped area during the year under report is 931304 hectares. Out of this area 547556 is net cultivated area which is 58.79 % of gross cropped area and 11.96 % of total geographical area by village papers.

In H.P. due to its hilly terrain, land holdings are very small, scattered and fragmented. The net sown area per cultivator in the state is less than one hectare as against about two hectares in the rest of country. To step up agricultural production, the State has under taken operations to consolidate land holding in semi-hilly under both plan and non-plan strategies.

CLASSIFICATION OF AREA UNDER LAND UTILIZATION:-

Land use classification is the systematic arrangements of various types of available land on the basis of certain defined characteristics, mainly to identify and understand their fundamental utility. Thus, land must be carefully preserved & utilized so that it may fulfill our multifarious requirements. The Table-II (Detailed Tables) of this report reveals the district Wise land use profile of the State. The total geographical area of the State according to Surveyor General, of India is 55, 67,300 hectares or 55,673 Sq. Kms. In comparison to this geographical area, the total cadastral surveyed area by village papers in the State during the year under review comes to 45,77,742 hectares revealing thereby that 9, 89, 558 hectares of area is unsurveyed and is not appearing in revenue records. The magnitude of such area in the aforesaid year was 17.77 percent of the total geographical area, a major part of which falls into the Districts of Kullu, Lahaul-Spiti and Sirmour. The accompanying Table-I depicts the break-up of the reporting area during the year 2015-2016 *vis-a-vis* the preceding year 2016-2017.

However, from the stand point of detailed analysis, the nine fold classifications are enumerated and defined as hereunder:-

1. FORESTS:-

All actually forested area on the lands classed or administered as forests, under any legal enactment dealing with forests, whether State owned or private and whether wooded or maintained as potential forest land, comes under the category of "Forest".

If any portion of private forest land is not actually wooded but is put to some agricultural uses then that portion of land shall be included under the appropriate heading of cultivated or uncultivated land. However, this will not apply to the State owned forests.

A glance at Table-I shows that the area under forest is 11, 26,745 hectares during the year 2016-2017 as against 11, 45,360 hectares for 2015-16. This accounts for 24.62 % of the total area.

TABLE-1 – CLASSIFICATION OF REPORTING AREA 2014-15 AND 2015-16.

| Sr. No | Category | 2015-16 | | 2016-17 | |
|--------|--|----------------|--------|----------------|--------|
| | | Area (hectare) | % | Area (hectare) | % |
| 1 | Forests | 1126831 | 24.62 | 1145360 | 25.02 |
| 2 | Barren & Unculturable land | 773781 | 16.91 | 760341 | 16.61 |
| 3 | Land put to non-agricultural uses. | 358714 | 07.84 | 351068 | 07.67 |
| 4 | Permanent pastures and other grazing lands | 1502078 | 32.82 | 1507995 | 32.94 |
| 5 | Land under Misc. tree crops and groves not included in area sown | 68748 | 01.50 | 66617 | 01.46 |
| 6 | Culturable waste | 119488 | 02.61 | 121714 | 02.66 |
| 7 | Other fallow land | 22306 | 00.49 | 21377 | 00.47 |
| 8 | Current fallow land | 53897 | 01.18 | 55754 | 1.22 |
| 9 | Net area shown | 551317 | 12.04 | 547556 | 11.96 |
| 10 | Total reporting area by village papers (1 to 9) | 4577160 | 100.00 | 4577742 | 100.00 |
| 11 | Total cropped area | 932496 | 20.37 | 931304 | 20.34 |
| 12 | Area sown more than once. | 381179 | 08.33 | 383748 | 08.38 |

II. BARREN AND UNCULTURABLE LANDS:-

This category of land-use classification includes all barren and unculturable lands like mountains, deserts. etc. Land which cannot be brought under cultivation except at an exorbitant cost shall be classed as unculturable whether such land is in isolated blocks or within cultivated holdings.

This category of land accounts for only 16.61 percent of the total reporting area during the year under report. In absolute terms it is 7, 60,341 hectares.

III. LAND PUT TO NON-AGRICULTURAL USES:-

This includes all lands occupied by buildings, roads and railways or under water *e.g.* rivers and canals and other lands put to uses other than agriculture.

During the year under review, the total area under this category accounts for 7.67 percent of the total reported area. In absolute terms, the total area under the category is 3, 51,068 hectares during 2016-2017 as against 3, 58, 714 hectares for 2015-2016.

IV. PERMANENT PASTURES AND OTHER GRAZING LANDS:-

This includes all grazing lands whether they are permanent pastures and meadows or not. The village common and grazing lands are also included under this head. The land under this category forms the largest chunk of the reporting area and is 32.94 percent. In absolute terms such area is to the extent of 15, 07,995 hectares during 2016-17 as against 15, 02,078 hectares during preceding year 2015-16.

V. LAND UNDER MISC. TREE, CROPS AND GROVES NOT INCLUDED IN NET AREA SOWN:-

This includes all cultivable land which is not included in "Net Area Sown but it is put to some agricultural uses. It includes the land under misc. trees etc. *i.e.* land under casurina trees, thatching grasses, bamboo bushes and other groves for fodder/fuel purposes. The area under this head is 66,617 hectares which is only 01.46 % of the reporting area during the year under review. Lands which are not included under "orchards" shall be classed under this category.

VI. CULTURABLE WASTE LANDS:-

This includes all lands available for cultivation, whether not taken up for cultivation or taken up for cultivation once but not cultivated during the current year and the last five years or more in succession for one reason or the other. Such lands may be either fallow or covered with shrubs or jungles, which are not put to any use. They may be assessed or unassessed and may lie in isolated blocks or within cultivated holdings. Land once cultivated but not cultivated for five years in succession shall also be included in this category at the end of five years. In the parlance of revenue department such lands are also categorized as **Banjar Kadim**. The land under this category forms 02.66 % of the total reporting area. The area during the year under report is 1, 21,714 hectares as against 1, 19,488 hectares in the year 2015-16.

VII. OTHER FALLOW LANDS:-

This includes all lands which were taken up for cultivation but are temporarily out of cultivation for a period of not less than one year and not more than five years. The reasons for keeping such land fallow may be one or more of the following:-

- I Poverty of the cultivators.
- II Inadequate supply of water.
- III Unfavourable weather conditions/Malarial climate
- IV Silting of Canals and rivers.
- V Unremunerative nature of farming.

Such lands are also classified as "Banjar Jaded" in the parlance of the Revenue Department. The extent of such lands during the year 2016-2017 is only 0.5 percent of the total reporting area.

VIII. CURRENT FALLOWS:-

This represents cropped area which is kept fallow during the current year. For example if any seeding area is not cropped again in the same year, it may be treated as current fallows. The land under this category also forms 1.22 percent of the total reporting area for the year 2016-2017. There is increase of 1857 hectares under this category of land as compared to the last year.

IX. NET AREA SOWN:-

This represents the net area sown under crops and orchards, counting area sown more than once in the same year only once. The net area sown during the year 2016-17 was 5, 47,556 hectares as against 5, 51,317 hectares during the preceding year 2015-16. It constituted 11.96 % percent of the reporting area during the year under report.

X. TOTAL CROPPED AREA:-

This represents the total area covered with crops, i.e the sum of total areas covered by all the individual crops, areas sown with crops more than once during the year being counted as separate area of each crop. This area during the year 2016-17 was 9, 31,304 hectares as against 9, 32,496 hectares during the preceding year 2015-16.

XI. AREA SOWN MORE THAN ONCE:-

This represents the areas on which crops are cultivated more than once during the each agricultural year. This is obtained by deducting the "Net Area Sown" from a "Total Cropped Area". This area during the year 2016-17 was 3, 83,748 hectares as against 3, 81,179 hectares during the preceding year 2015-16.

Irrigation:-

Irrigation plays a decisive role in the cropping pattern, intensity of cropping, Crop combination, extent of yield and to a certain extent the season of sowing. Besides this, the adoption of improved agricultural practices especially, the use of new and high yield varieties of seeds and of Chemical fertilizers are also closely associated with the irrigation facilities.

In Himachal Pradesh the fields are terraced, sloppy and small in size. In view of hilly topography of the Pradesh, the possibilities of executing major irrigation practices are severely limited. Therefore the minor irrigation practices are most suited in these conditions. The water channels called kuhls are the main source of irrigation in all the district except Una where most of area is irrigated by tubewells. Percentage share of net irrigated area by kuhls in Bilaspur, Chamba, Hamirpur, Kangra Kinnaur, Kullu, Lahaul-Spiti, Mandi, Shimla, Sirmour, Solan and Una is 61.1%, 98.80%, 70.20%, 83.70%, 100.00%, 84.10%, 96.60%, 96.50%, 96.90%, 52.30%, 47.10% & 0.0 % respectively.

Districts like Sirmour, Solan and Una have some flat valley areas where sinking of wells and tubewells is feasible. The use of tubewells is relatively more significant in Una, Sirmour and Solan districts. The Table III-A of this report reveals the district-wise sources of water and net area irrigated therefrom.

Out of the 1,15,325 hectares of net irrigated area 67.00% is irrigated by Kuhls, 4.54% by lift irrigation Schemes, 21.08 % by Tube wells, 02.83% by Cannels, 3.57 % by wells, 00.69 % by Tanks, 00.25 % by other sources. From above it is obvious that Kuhls are the main method of irrigation in the State. Small water channels, known as kuhls in common parlance, are constructed along the mountain sides carrying water from the streams springs or nallahs to the terraced fields. Lahaul-Spiti is an exception where the entire net area sown is wholly irrigated by kuhls. Similar is the case with Pangi tehsil of Chamba district and the dry temperate zone of Kinnaur and other districts where even grass fails to grow without irrigation owing to very scanty rainfall.

INTENSITY OF CROPPING:-

Intensity of cropping means the index of intensive cultivation and is expressed as a ratio of gross area sown to net area sown. It is conveniently expressed as percentage and is calculated as under:-

$$R = \frac{\text{Gross Cropped Area}}{\text{Net Area Sown}} \times 100$$

Table-II depicts the said ratio district-wise for the year 2016-17 and for the State it is 170.08 percent. The district-wise position is also given hereunder:-

TABLE-II DISTRICT WISE INTENSITY OF CROPPING FOR THE YEAR 2015-16 VIS-À-VIS 2016-17.

| Sr. No. | District | Year 2015-16 | | | Year 2016-17 | | |
|---------|--------------|---------------|--------------------|-----------|---------------|--------------------|-----------|
| | | Net area sown | Total cropped area | intensity | Net area sown | Total cropped area | intensity |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Bilaspur | 29815 | 51789 | 173.70 | 29815 | 55664 | 186.70 |
| 2 | Chamba | 41354 | 70090 | 169.49 | 41864 | 72102 | 172.23 |
| 3 | Hamirpur | 35206 | 70132 | 199.20 | 34841 | 69021 | 198.10 |
| 4 | Kangra | 117742 | 212176 | 180.20 | 116800 | 209270 | 179.17 |
| 5 | Kinnaur | 8170 | 10586 | 129.57 | 8256 | 11112 | 134.59 |
| 6 | Kullu | 37930 | 54194 | 142.88 | 36471 | 55545 | 152.30 |
| 7 | Lahaul-Spiti | 3397 | 3435 | 101.12 | 3397 | 3397 | 100.00 |
| 8 | Mandi | 92555 | 159076 | 171.87 | 90806 | 161891 | 178.28 |
| 9 | Shimla | 70333 | 86292 | 122.69 | 70524 | 86880 | 123.19 |
| 10 | Sirmour | 40135 | 75372 | 187.80 | 40068 | 74889 | 186.90 |
| 11 | Solan | 35905 | 63664 | 177.31 | 35905 | 56172 | 156.45 |
| 12 | Una | 38775 | 75680 | 195.18 | 38809 | 75361 | 194.18 |
| TOTAL | | 551317 | 932496 | 169.14 | 547556 | 931304 | 170.08 |

TABLE-III CROPPING INTENSITY DURING THE LAST FIVE YEARS:-

Intensity of cropping

| Sr.No. | District | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|--------|--------------|---------|---------|---------|---------|---------|
| 1 | Bilaspur | 179.84 | 179.29 | 174.54 | 173.70 | 186.70 |
| 2 | Chamba | 185.35 | 167.12 | 173.51 | 169.49 | 172.23 |
| 3 | Hamirpur | 197.48 | 197.42 | 198.65 | 199.20 | 198.10 |
| 4 | Kangra | 173.26 | 175.46 | 171.57 | 180.20 | 179.17 |
| 5 | Kinnaur | 116.67 | 128.05 | 127.33 | 129.57 | 134.59 |
| 6 | Kullu | 151.60 | 135.61 | 148.77 | 142.88 | 152.30 |
| 7 | Lahaul-Spiti | 104.28 | 102.27 | 111.55 | 101.12 | 100.00 |
| 8 | Mandi | 175.77 | 175.92 | 177.65 | 171.87 | 178.28 |
| 9 | Shimla | 123.36 | 124.35 | 125.94 | 122.69 | 123.19 |
| 10 | Sirmour | 188.68 | 186.68 | 166.33 | 187.80 | 186.90 |
| 11 | Solan | 164.70 | 209.33 | 171.88 | 177.31 | 156.45 |
| 12 | Una | 191.62 | 193.49 | 193.28 | 195.18 | 194.18 |
| TOTAL | | 169.04 | 170.44 | 167.45 | 169.14 | 170.08 |

Table-II reveals that ratio of cropping intensity was highest in Hamirpur district *i.e.* 198.10% for the year 2016-2017. Similar trend can be seen in Table-III, during the last 5 years. The cropping intensity was

lowest in tribal districts of H.P. namely Lahaul-Spiti (100.00%), Shimla (123.19). and Kinnaur (134.59%) The logical conclusions emerge from Table-II and Table-III as follows:-

- (i) Comparatively, the cropping intensity is greater in low lying areas as compared to higher altitude areas because low lying areas can be subjected to more intensive tillage cultivation.
- (ii) The ratio of cropping intensity is low in Tribal districts of H.P. namely Lahaul-Spiti 100.00%, and Kinnaur 134.59%. The reasons for low intensity can be attributed to these district that these districts are single cropped zones and not viable for repeated cropping owing to mountainous and snow bound areas, mostly for 5 to 6 months. The intensity of cropping ratio, besides being influenced by terrain, is also conditioned by a number of other factors such as irrigation infrastructure, agro-climatic conditions and source of finance of the farmers at the time of sowing and harvesting season. The table-III, which immediately follows Table-II, gives a quinquennial survey of cropping intensity since 2012-2013 to 2016-17.

IRRIGATION INTENSITY:-

The concept of irrigation intensity is analogous to cropping intensity and symbolizes as follows:-

$$R = \frac{\text{Gross Irrigated Area}}{\text{Net Area irrigated}} \times 100$$

Table:-IV DISTRICT-WISE IRRIGATION INTENSITY FOR THE YEAR 2015-16 & 2016-17

(Area in Hectares)

| Sr. No. | District | Year 2015-16 | | | Year 2016-17 | | |
|--------------|--------------|--------------------|----------------------|-----------|--------------------|----------------------|-----------|
| | | Net Area irrigated | Gross Area Irrigated | Intensity | Net Area irrigated | Gross Area Irrigated | Intensity |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Bilaspur | 3824 | 8169 | 213.62 | 3824 | 6824 | 178.45 |
| 2 | Chamba | 4306 | 6840 | 158.85 | 4306 | 6816 | 158.29 |
| 3 | Hamirpur | 1996 | 3606 | 180.66 | 1734 | 3476 | 200.46 |
| 4 | Kangra | 35697 | 71166 | 199.36 | 35697 | 67612 | 189.41 |
| 5 | Kinnaur | 5401 | 6275 | 116.18 | 5474 | 6631 | 121.14 |
| 6 | Kullu | 2633 | 3346 | 127.08 | 2679 | 2953 | 110.23 |
| 7 | Lahaul-Spiti | 3398 | 3435 | 101.09 | 3397 | 3397 | 100.00 |
| 8 | Mandi | 13816 | 25933 | 187.70 | 12693 | 25634 | 201.95 |
| 9 | Shimla | 2144 | 3271 | 152.57 | 2558 | 3464 | 135.42 |
| 10 | Sirmour | 15772 | 27934 | 177.11 | 14812 | 28273 | 190.88 |
| 11 | Solan | 12845 | 19928 | 155.14 | 12845 | 32220 | 250.84 |
| 12 | Una | 17949 | 26279 | 146.41 | 15306 | 23393 | 152.84 |
| TOTAL | | 119781 | 206182 | 172.13 | 115325 | 210693 | 182.69 |

The **table IV** exhibits the ratio of irrigation intensity for the State 182.69%. It can be seen from the table that it is highest in District Solan 250.84 %, and lowest in district Lahaul-Spiti 100.00% and of other districts are Bilaspur 178.45 Chamba 158.29 %, Hamirpur 200.46%, Kangra 189.41 %, Kinnaur 121.14%, Kullu 110.23 %, Mandi 201.95%, Shimla 135.42%, Sirmour 190.88%, and Una 146.41%.

The scope for the increase in irrigation intensity is limited due to hilly terrain of the State, but promising system such as conserving the water through watershed schemes, drip and sprinkler irrigation is being introduced by the Government so as to increase the extent of irrigation intensity. These new systems can be harnessed by the growers to improve the agricultural practices and individual economy.

PRODUCTIVITY OF CROPS:-

Productivity or yield per unit hectare is one of the major indicator of production possibilities, two types of methods are currently practiced in determining the production per hectare of crops in the State :

- (i) Random sampling Method to estimates the yield per hectare in respect of five major crops viz; Maize, Paddy, Wheat, Barley and potato is being applied in the State and Ginger crop has also been covered by the said method. The crop cutting experiments by random sampling methods are being conducted jointly by the field staff of Revenue and of Agriculture Departments. The results of crop-cutting experiments so obtained are being used to estimate the yield rates and production thereof.
- (ii) The productivity in respect of all remaining crops is being estimated on the basis of crop cutting experiments by traditional method of Anawari method. These experiments at the field level are also being conducted jointly by the Departments of Revenue & Agriculture. The yield /hectare in respect of four major crops for the year 2015-16 *vis-a-vis* 2016-2017 is tabulated in Table-V is as under:-

TABLE-V PRODUCTIVITY OF MAJOR CROPS:-

| S.No. | Crop | Yield/hectare in Kgs | |
|-------|--------|----------------------|---------|
| | | 2015-16 | 2016-17 |
| 1 | Maize | 2404 | 2618 |
| 2 | Paddy | 1771 | 1835 |
| 3 | Wheat | 1830 | 1789 |
| 4 | Barley | 1578 | 1471 |

CROPPING PATTERN:-

The table –VI shows the crop-wise percentage distribution of total cropped area i.e. area sown under food and non-food crops. This table also indicates total out-put for the year 2016-2017 as against the preceding year 2015-2016. An analytical study of this table gives following results:-

- (i) As usual it shows that the economy of the State is Agricultural based and majority of the population is sustaining on the agricultural output. 97.28 % of the total area sown under all crops is covered by food crops and 02.82% by non-food crops. The food crops constitute 99.58% & non-food about 00.47% of the total out-turns of the crops grown. From above it is evident that the Himachal economy is essentially a food crops economy. The non-food crops are negligible

- (ii) Under food crops, it is the cereal crops viz. Wheat, Barley, Maize, Paddy and other Cereals which accounts for major share of area as well as production of the crops sown. The cereal crops contribute 78.07% of the total cropped area and 77.37% to the total output. Keeping in mind the peculiar physical & Agro-climatic conditions of the State, the scope to bring more area under cultivation is severely limited and available land is exhaustively used for raising cereal crops for the purpose of self-subsistence of the rural masses.

TABLE-VI PERCENTAGE DISTRIBUTION OF AREA AND OUTPUT FOR THE YEAR 2015-16 AND 2016-17.

| S. No | Crop | Year 2015-16 | | | | Year 2016-17 | | | |
|-------|---|--------------|------|--------------|------|--------------|-------|--------------|-------|
| | | Area (hect.) | % | Output (MTs) | % | Area (hect.) | % | Output (MTs) | % |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 1 | Maize | 287780 | 30.9 | 550237 | 30.5 | 277064 | 29.75 | 726743 | 36.85 |
| 2 | Paddy | 75734 | 8.12 | 135894 | 7.54 | 75110 | 08.07 | 139748 | 07.09 |
| 3 | Wheat | 347587 | 37.3 | 637659 | 35.4 | 347254 | 37.29 | 623044 | 31.60 |
| 4 | Barley | 20373 | 2.18 | 32112 | 1.78 | 20611 | 02.21 | 30066 | 01.52 |
| 5 | Other Cereals | 6371 | 0.68 | 6289 | 0.35 | 7010 | 00.75 | 6106 | 00.31 |
| 6 | Total Cereals | 737845 | 79.1 | 1362191 | 75.6 | 727049 | 78.07 | 1525708 | 77.37 |
| 7 | Total Pulses | 23233 | 2.49 | 29730 | 1.65 | 25888 | 02.78 | 37080 | 01.88 |
| 8 | Total food grains | 761078 | 81.6 | 1391921 | 77.3 | 752937 | 80.85 | 1562788 | 79.25 |
| 9 | Total fruits | 91702 | 9.83 | | | 97921 | 10.51 | | |
| 10 | Total Vegetables | 41555 | 4.46 | 352732 | 19.6 | 42609 | 04.58 | 352639 | 17.88 |
| 11 | Other food Crops including Condiments & Sugarcane | 9547 | 1.02 | 47136 | 2.62 | 11609 | 01.25 | 48168 | 02.44 |
| 12 | Total Food Crops | 903882 | 96.9 | 1791790 | 99.5 | 905076 | 97.28 | 1963595 | 99.58 |
| 13 | Total Non Food Crops | 28614 | 3.07 | 9654 | 0.53 | 26228 | 02.82 | 8356 | 00.47 |
| 14 | Total Food & Non Food Crops | 932496 | 100 | 1801444 | 100 | 931304 | 100 | 1971950 | 100 |

- (iii) A look at pulses crops would reveal that area under these crops is just 02.78 percent of the total cropped area with a corresponding share of 01.88 percent in total production.
- (iv) The total area under fruits and vegetables during the year 2016-2017 aggregates 15.09 percent of total cropped area. The vegetables crops account for 17.88 % of the total output. It is mentioned here that methodology for estimating production under fruit crops in the State is yet to be finalized and for this reason production statistics for such crops have not been included in the tabular data of Table-VI of the report. However, area under horticulture crops is increasing continuously.
- (v) The total output for the year 2016-2017 is 19.71 lacs metric tonnes which is a increase as compared to corresponding figures of 18.01 lacs metric tonnes for the year 2015-2016. The decrease in the total cropped area in absolute terms is due to unfavorable weather conditions at the time of sowing and the increase in output is due to normal Yield/ favorable weather conditions during the year under review.

- (vi) The present production estimates do not depict the output statistics of fruit and some vegetables crops & one has to concede that for want of this production estimates do not give actual picture. However, this department is presently involved in implementing a Centrally Sponsored Scheme on fruit and vegetables so that a comprehensive survey on area and production of fruits and vegetables is completed at the earliest and such production and estimates are subsequently generated.
- (vii) Of late, the State is making headway in augmenting area under the crops of Apple, Potatoes, Ginger, Peas, Hops, Kuth and Cabbage etc. Though the scope for increasing area under these crops is limited yet in view of their cash earning potential, it is hoped that these crops are bound to induce some welcome change in the economic position of peasantry class.

FARM HARVEST PRICES:-

The data appended in **Table-VII** given below provides a comparative position of farm harvest prices for the year 2016-17 as against the preceding year 2015-16. The Farm Harvest Prices indicate the wholesale prices per quintal of the produce at the farm site which is exclusive of transport and other cartage costs etc. It is defined as the average wholesale price at the village site during the specified harvest period and is arrived at on the basis of prevalent prices at the pre-selected centers.

TABLE VII – FARM HARVEST PRICES OF MAJOR CROPS FOR THE YEAR 2015-2016 AND 2016-2017
(Prices in Rupees per Quintal)

| S. No. | Crop | 2015-16 | 2016-17 |
|--------|------------------|---------|---------|
| 1 | Paddy | 2114 | 2216 |
| 2 | Maize | 1762 | 1830 |
| 3 | Wheat | 1923 | 1981 |
| 4 | Barley | 1972 | 2075 |
| 5 | Gram | 7107 | 7703 |
| 6 | Groundnut | 7665 | 8338 |
| 7 | Rapeseed/Mustard | 6175 | 6730 |
| 8 | Black gram | 9594 | 10064 |
| 9 | Potatoes | 2086 | 1986 |
| 10 | Peas | 3900 | 4780 |
| 11 | Ginger | 6252 | 5834 |

AGRICULTURAL WAGES:

The accompanying **Table-VIII** indicates the position of agricultural wages per day in respect of skilled and un-skilled workers for the year 2015-2016 and 2016-17. The data appearing in the Table exhibits the position of the State, as a whole.

The increase in daily wages of all categories of labour that is skilled or unskilled was due to general price-rise and scarcity of labour.

TABLE VIII- AGRICULTURAL WAGES FOR THE YEAR, 2015-2016 AND 2016-2017

| Sr. No. | Category of Labour | 2015-16 | 2016-17 |
|---------|--------------------------|---------|---------|
| 1 | Carpenter | 407 | 417 |
| 2 | Blacksmith | 390 | 396 |
| 3 | Cobblers | 386 | 392 |
| 4 | Field Labour | 258 | 260 |
| 5 | Other agriculture Labour | 258 | 260 |
| 6 | Herdsmen | 258 | 260 |

Land Holding:-

In Himachal Pradesh scattered and uneconomic land holding pose an in surmountable problem which seems beyond control and is out of context with the modern approach of mechanized agriculture. There are 9, 96,809 holding in the state with an aggregate area of 9, 44,227 hectare whereas in Census 2010-11 it was 9, 60,765 holdings with an aggregate area of 9, 54,650 hectare. Distribution of land holdings according to 2015-16 Agricultural Census shows that 88.8% of the total holdings are of small and marginal farmers as against 87.9% during preceding Census 2010-11. **Table IX** shows the distribution of Land holdings for each social group. Table IX exhibits the distribution of land is very inequitable. Large and medium holding continue to hold large area out of proportion to their population and the opposite is true to small and marginal holdings.

The increasing population has led to accelerated sub-division of land holdings, a much skewed distribution of ownership and a phenomenal rise in number of marginal and small holdings.

Table IX - Distribution of Land Holdings

| Size of Holdings (Hect.) | Category (Farmers) | No. of Holdings | | Area (Lakh hectares) | | Average size of Holdings |
|------------------------------|-----------------------|-----------------|--------|----------------------|--------|-----------------------------|
| | | Number | %age | Number | %age | |
| For all Social Groups | | | | | | |
| Below 1.0 | Marginal | 712204 | 71.45% | 285428 | 30.23% | 00.40 |
| 1.0-2.0 | Small | 173456 | 17.40% | 242313 | 25.66% | 01.40 |
| 2.0-4.0 | Semi-Medium | 82265 | 08.25% | 223343 | 23.65% | 02.71 |
| 4.0-10.0 | Medium | 25920 | 02.60% | 146157 | 15.48% | 05.64 |
| 10.0 above | Large | 2964 | 00.30% | 46986 | 04.98% | 15.85 |
| Total | | 996809 | | 944227 | | 00.95 |
| For Scheduled Caste | | | | | | |
| Below 1.0 | Marginal | 186010 | 84.87% | 68833 | 52.51% | 00.37 |
| 1.0-2.0 | Small | 24273 | 11.07% | 33469 | 25.53% | 01.38 |
| 2.0-4.0 | Semi-Medium | 7345 | 03.35% | 19527 | 14.90% | 02.66 |
| 4.0-10.0 | Medium | 1453 | 00.66% | 7983 | 06.09% | 05.49 |
| 10.0 above | Large | 95 | 00.04% | 1266 | 00.97% | 13.33 |
| Total | | 219176 | | 131078 | | 00.60 |

For Scheduled Tribe

| | | | | | | |
|--------------|-------------|--------------|--------|--------------|--------|--------------|
| Below 1.0 | Marginal | 41593 | 72.75% | 16667 | 33.99% | 00.40 |
| 1.0-2.0 | Small | 10190 | 17.82% | 14263 | 29.09% | 01.40 |
| 2.0-4.0 | Semi-Medium | 4381 | 07.66% | 11768 | 24.00% | 02.69 |
| 4.0-10.0 | Medium | 942 | 01.65% | 5092 | 10.38% | 05.41 |
| 10.0 above | Large | 70 | 00.12% | 1248 | 02.55% | 17.83 |
| Total | | 57176 | | 49038 | | 00.86 |

For Others

| | | | | | | |
|--------------|-------------|---------------|--------|---------------|--------|--------------|
| Below 1.0 | Marginal | 484186 | 67.28% | 199764 | 26.33% | 00.41 |
| 1.0-2.0 | Small | 138902 | 19.30% | 194443 | 25.63% | 01.40 |
| 2.0-4.0 | Semi-Medium | 70432 | 09.79% | 191750 | 25.28% | 02.72 |
| 4.0-10.0 | Medium | 23400 | 03.25% | 132304 | 17.44% | 05.65 |
| 10.0 above | Large | 2708 | 00.38% | 40347 | 05.32% | 14.90 |
| Total | | 719628 | | 758608 | | 01.05 |

For Institutional

| | | | | | | |
|--------------|-------------|------------|--------|-------------|--------|--------------|
| Below 1.0 | Marginal | 415 | 50.06% | 164 | 02.97% | 00.39 |
| 1.0-2.0 | Small | 91 | 10.98% | 138 | 02.25% | 01.51 |
| 2.0-4.0 | Semi-Medium | 107 | 12.91% | 298 | 05.42% | 02.79 |
| 4.0-10.0 | Medium | 125 | 50.08% | 778 | 14.13% | 06.22 |
| 10.0 above | Large | 91 | 10.98% | 4125 | 74.97% | 45.33 |
| Total | | 829 | | 5502 | | 06.64 |

The increasing population has led to accelerated sub-division of land holdings, a much skewed distribution of ownership and a phenomenal rise in number of marginal and small holdings.

The impressive growth rate in the state has been largely due to improvement in the method of productivity rather on account of any increase in area. But, development in agriculture on whole has been moving at a slower pace than the all India level. This is mainly due to the preponderance of the cropping pattern in favor of food crops.

SEASON AND CROP REPORT

EXPLANATORY NOTE

This should be a comprehensive report of the main agricultural features of the year and should explain and comment upon the figures in the main tables. In this note all topics on which tables are given in the Report should be covered one by one and discussed with reference to the conditions prevailing in the year as compared to the conditions prevailing in the previous years. The heading and a brief outline of each item to be covered is given below:-

- I. Introduction-**
- (i) General characteristics of the year to which the Report relates.
 - (ii) the geographical area,
 - (iii) total number of villages,
 - (iv) extent of reporting and non-reporting areas etc.
- II. Rainfall-**
- (i) One paragraph on each of the main rainfall seasons of the State.
 - (ii) rainfall and other weather conditions in the different regions of the State, their effects on the different agricultural operations- especially on the area sown, growth and yield of the crops.
 - (iii) any damages caused to the crops.
- III Classification of Area**
- (i) Utilization of land during the year, any marked departures from the normal and their causes.
- IV Irrigation:-**
- (i) Source of Irrigation, any additions during the year,
 - (ii) area irrigated, total crop-wise and source-wise any- departures from normals
 - (iii) proportion of irrigated area to total sown area.
- V Crop acreages-**
- (i) Total area sown as compared with normal,
 - (ii) total area under different crops their comparison with normals,
 - (iii) any other changes in crop acreages,
 - (iv) any increase in area sown due to new reclamations or use of improved methods of classification.
- VI Yield per hectare of crops :-**
- (i) The normal yields
 - (ii) the condition factor,
 - (iii) causes affecting favourably or adversely on the yields of crops,
 - (iv) any increase in yield per hectare due to use of improved seeds or fertilizers.
- VII. Total Out-turn of crops:-**
- (i) The total production of different crops compared to normals, causes for significant departures

VIII. Farm prices:-

- (i) Important changes in the farm prices due to:-
 - (a) Change in the total out-turn of the crop,
 - (b) Change in the general price level,
- (ii) general comments on the level of agricultural prices,
- (iii) Value of agricultural produce.

IX. Agricultural wages:-

- (i) The general trend of agricultural wages during the year.
- (ii) Scarcity or a abundance of labour.
- (iii) number of working hours.

X. Livestock, Poultry, Agricultural, Machinery and implements:-

- (i) Diseases affecting livestock and poultry and their mortality during the year,
- (ii) Steps taken to check the livestock diseases,
- (iii) any development work done in this direction.

XI. Conclusion:-

- (i) General condition of the agriculturist during the year,
- (ii) any legislative measures taken to ameliorate the condition of agriculturist or agricultural labour.
- (iii) any remission in land revenue or other concessions,
- (iv) any other important point.

The explanations regarding the tables that follow are given towards the end of the Report.

SUMMARY TABLES

A. Classification of Area

(in Hectares)

| Heads of Classification | | 2012-13 | | 2013-14 | | 2014-15 | | 2015-16 | | 2016-17 | |
|-------------------------|--|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|
| | | Area | %to Total | Area | %to Total | Area | %to Total | Area | %to Total | Area | %to Total |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Total Geographical Area | By Professional Survey | 5567300 | | 5567300 | | 5567300 | | 5567300 | | 5567300 | |
| | By Village Papers | 4575571 | 100 | 4575580 | 100 | 4576945 | 100 | 4577160 | 100 | 4577742 | 100 |
| CLASSIFICATION | Forests | 1124228 | 24.6 | 1126187 | 24.61 | 1126745 | 24.61 | 1126831 | 24.62 | 1145360 | 25.02 |
| | Barren and Unculturable Land. | 775712 | 17 | 773169 | 16.89 | 773150 | 16.89 | 773781 | 16.90 | 760341 | 16.61 |
| | Land put to non-agricultural uses. | 348232 | 7.4 | 348095 | 07.34 | 353617 | 7.73 | 358714 | 07.84 | 351068 | 07.67 |
| | Permanent pasture sand other grazing lands. | 1514378 | 33 | 1517580 | 33.17 | 1514435 | 33.08 | 1502078 | 32.82 | 1507995 | 32.94 |
| | Land under misc. tree crops and groves not included in net area sown | 62981 | 1.4 | 62568 | 1.37 | 63257 | 1.38 | 68748 | 01.50 | 66617 | 01.48 |
| | Culturable waste | 121284 | 2.7 | 120888 | 2.64 | 122551 | 2.68 | 119488 | 02.61 | 121714 | 02.66 |
| | Other fallow land | 21861 | 0.5 | 21787 | 0.48 | 20705 | 0.46 | 22306 | 00.48 | 21337 | 00.47 |
| | Current fallows | 58959 | 1.3 | 57165 | 1.25 | 54089 | 1.19 | 53897 | 01.18 | 55754 | 01.22 |
| | Net area sown | 547936 | 12 | 548141 | 11.98 | 548396 | 11.98 | 551317 | 12.04 | 547556 | 11.96 |
| | Area sown more than once | 378298 | 8.3 | 386119 | 08.44 | 369887 | 8.08 | 381179 | 8.33 | 383748 | 08.38 |
| | Total cropped area | 926234 | 20.2 | 934260 | 20.42 | 918283 | 20.06 | 932496 | 20.37 | 931304 | 20.34 |

B. Sources of Water Supply and Area Irrigated there from

| Name of District/State: H.P. | | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|---|------------------------------------|--------|---------|---------|---------|---------|---------|
| Canals | Govt. | Number | 12 | 12 | 7 | 9 | 6 |
| | Private | Number | 0 | 0 | 0 | 0 | 0 |
| Wells or Tubewells specify the source. | Govt. | Number | 1342 | 1342 | 1193 | 1197 | 1331 |
| | Private | Number | 4744 | 4744 | 5253 | 5273 | 5522 |
| | Total | | 6086 | 6086 | 6446 | 6470 | 6853 |
| No. of other wells used for irrigation purpose only | | | | | | | |
| Govt. | Masonry | | 117 | 117 | 61 | 155 | 159 |
| | Non-Masonry | | 87 | 87 | 74 | 96 | 45 |
| Pvt. | Masonry | | 929 | 929 | 573 | 576 | 634 |
| | Non-Masonry | | 410 | 410 | 366 | 357 | 301 |
| | | Total | 1543 | 1543 | 1074 | 1184 | 1139 |
| No. of wells used for domestic purpose only | | | 2252 | 2252 | 2870 | 3118 | 3697 |
| No. of wells not in use. | | | 354 | 354 | 717 | 767 | 780 |
| Reservoirs | | | 66 | 66 | 66 | 87 | 70 |
| Tanks | With ayacut 100 Hectares or more | | 7 | 7 | 7 | 7 | 7 |
| | With ayacut less than 100 Hectares | | 879 | 879 | 1427 | 749 | 1136 |
| | Total | | 886 | 886 | 1434 | 756 | 1143 |
| Number of Oil Engines | | | 810 | 810 | 694 | 707 | 766 |
| No. of Kuhls in use. | Govt. | | 4166 | 4166 | 5178 | 4569 | 4620 |
| | Private | | 7542 | 7542 | 7648 | 7886 | 7997 |
| | Total | | 11708 | 11708 | 12826 | 12455 | 12617 |

Note:- Figures are to be entered for the last five years including the current year in question.

Table (B) contd.

| | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|--|--------------------------|---------|---------|---------|---------|---------|
| No. of Lift irrigation Schemes | Govt. | 292 | 292 | 221 | 290 | 264 |
| | Pvt. | 139 | 139 | 166 | 336 | 182 |
| | Total | 431 | 431 | 387 | 626 | 446 |
| Net area irrigated by (in Hect.) | Govt. Canals | 4036 | 4036 | 3631 | 4008 | 3251 |
| | Pvt. Canals | 7 | 7 | 7 | 7 | 7 |
| | Govt. Tube wells | 14705 | 14705 | 16893 | 17056 | 16987 |
| | Pvt. Tube wells | 8549 | 8549 | 10680 | 10311 | 7323 |
| | Tanks | 62 | 62 | 1073 | 911 | 798 |
| | Govt. Kuhls | 30828 | 30828 | 32439 | 33475 | 31065 |
| | Pvt. Kuhls | 43489 | 43489 | 45061 | 45116 | 46249 |
| | Govt. Lift Irri. Schemes | 7230 | 7230 | 6074 | 5545 | 4537 |
| | Pvt.. Lift Irri. Schemes | 452 | 452 | 877 | 763 | 702 |
| | Govt. Wells | 186 | 186 | 278 | 617 | 657 |
| | Pvt. Wells | 1811 | 1811 | 736 | 1687 | 3458 |
| | Others(specify) | 433 | 433 | 292 | 285 | 291 |
| | Total | 111788 | 111788 | 118041 | 119781 | 115325 |
| %age of net area irrigated to net area sown | | 20% | 20% | 22% | 22% | 21% |
| Area irrigated more than once in the same year (in hectares) | | 89478 | 85488 | 73823 | 86401 | 95368 |
| Total gross irrigated area (in hect.) | | 201266 | 197276 | 191864 | 206182 | 210693 |
| %age of total irrigated area to total/gross cropped area | | 22% | 21% | 21% | 22% | 23% |
| No. of wells having independent Ayacut | | 0 | 0 | 0 | 0 | 0 |
| No. of wells supplementing recognised sources of irrigation | | 0 | 0 | 0 | 0 | 0 |
| %age irrigated area by wells having independent Ayacut to the total area irrigated | | 0 | 0 | 0 | 0 | 0 |

C. Irrigated Area Under Crop (Unit-Hect.)

| Crops | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 | |
|-------------------------|---|---------|---------|---------|---------|---------|--------|
| 1 | | 2 | 3 | 4 | 5 | 6 | |
| 1. Food Crops | | | | | | | |
| Paddy/Rice | | 48951 | 45615 | 37928 | 54097 | 52123 | |
| Maize | | 28552 | 36026 | 31806 | 31192 | 31149 | |
| Jowar or Cholam | | 0 | 0 | 0 | 0 | 0 | |
| Bajra or Cumbu | | 5 | 294 | 34 | 31 | 170 | |
| Wheat | | 84525 | 78972 | 84797 | 79264 | 86205 | |
| Barley | | 3346 | 2924 | 3231 | 2914 | 3074 | |
| Ragi or Marua | | 282 | 128 | 201 | 101 | 15 | |
| Italian Millets | | 0 | 0 | 0 | 0 | 0 | |
| Kodo or Varagu | | 0 | 0 | 409 | 26 | 0 | |
| Little millets or Kutki | | 553 | 541 | 199 | 493 | 429 | |
| Common millets | | 199 | 198 | 194 | 303 | 352 | |
| Others Cereal (specify) | | 0 | 92 | 0 | 0 | 0 | |
| Total Cereals | | 166413 | 164790 | 158799 | 168421 | 173517 | |
| Pulses | Gram | 40 | 39 | 40 | 40 | 59 | |
| | Green gram or Moong | 13 | 16 | 49 | 20 | 23 | |
| | Red Gram, Tur or Arhar but not Rajmash | 2 | 21 | 49 | 88 | 94 | |
| | Black gram or Urd (Mash) | 563 | 473 | 365 | 308 | 560 | |
| | Peas | Kharif | 0 | 0 | 0 | 0 | 1494 |
| | | Rabi | 1833 | 324 | 265 | 336 | 99 |
| | Horse-gram (Kulth) | 76 | 68 | 42 | 84 | 99 | |
| | Masur | 110 | 114 | 71 | 75 | 78 | |
| | Other pulses(specify) | Kharif | 499 | 494 | 498 | 555 | 651 |
| | | Rabi | 0 | 0 | 48 | 1 | 0 |
| | Total | 499 | 494 | 546 | 556 | 651 | |
| | Total Pulses | 3136 | 1549 | 1427 | 1507 | 3058 | |
| | Total Cereals and Pulses (Total Foodgrains) | | 169549 | 166339 | 160226 | 169928 | 176575 |

Table (C) contd.

| Crops | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|--------------------|-------------------------------------|---------|---------|---------|---------|---------|
| 1 | | 2 | 3 | 4 | 5 | 6 |
| Sugar crops | Sugarcane | 1095 | 908 | 876 | 997 | 928 |
| Fruits | Fresh Fruits | | | | | |
| Apple | Bearing trees with No. and Area | 4452 | 4422 | 4676 | 4869 | 4467 |
| | Non-bearing trees with No. and Area | 451 | 345 | 413 | 276 | 351 |
| Grapes | Bearing trees with No. and Area | 19 | 42 | 19 | 3 | 8 |
| | Non-bearing trees with No. and Area | 0 | 2 | 0 | 0 | 0 |
| Peaches | Bearing trees with No. and Area | 106 | 205 | 76 | 126 | 115 |
| | Non-bearing trees with No. and Area | 85 | 4 | 18 | 1 | 2 |
| Plum | Bearing trees with No. and Area | 149 | 116 | 112 | 134 | 111 |
| | Non-bearing trees with No. and Area | 9 | 37 | 7 | 1 | 5 |
| Lichi | Bearing trees with No. and Area | 142 | 698 | 140 | 46 | 47 |
| | Non-bearing trees with No. and Area | 12 | 5 | 12 | 12 | 0 |
| Pear | Bearing trees with No. and Area | 89 | 58 | 27 | 45 | 74 |
| | Non-bearing trees with No. and Area | 157 | 10 | 3 | 8 | 9 |
| Kinnu and Orange | Bearing trees with No. and Area | 98 | 123 | 88 | 783 | 114 |
| | Non-bearing trees with No. and Area | 4 | 4 | 2 | 28 | 1 |
| Lemon | Bearing trees with No. and Area | 48 | 59 | 18 | 44 | 80 |
| | Non-bearing trees with No. and Area | 5 | 5 | 3 | 16 | 6 |
| Mango | Bearing trees with No. and Area | 1712 | 1330 | 1619 | 969 | 1314 |
| | Non-bearing trees with No. and Area | 172 | 34 | 26 | 42 | 66 |
| Guava | Bearing trees with No. and Area | 4 | 108 | 49 | 18 | 132 |
| | Non-bearing trees with No. and Area | 0 | 4 | 0 | 2 | 26 |
| Others (specify) | Bearing trees with No. and Area | 142 | 260 | 130 | 393 | 186 |
| | Non-bearing trees with No. and Area | 10 | 113 | 30 | 100 | 67 |
| Total Fresh Fruits | Bearing trees with No. and Area | 6961 | 7421 | 6954 | 7430 | 6648 |
| | Non-bearing trees with No. and Area | 905 | 563 | 514 | 486 | 533 |
| Total Fresh Fruits | | 7866 | 7984 | 7468 | 7916 | 7181 |
| Dry Fruits | | | | | | |
| Walnuts | Bearing trees with No. and Area | 2 | 29 | 3 | 5 | 7 |
| | Non-bearing trees with No. and Area | 0 | 4 | 0 | 0 | 0 |
| Almonds | Bearing trees with No. and Area | 156 | 73 | 73 | 43 | 54 |
| | Non-bearing trees with No. and Area | 6 | 87 | 6 | 0 | 0 |
| Chilgoza | Bearing trees with No. and Area | 0 | 10 | 0 | 0 | 0 |
| | Non-bearing trees with No. and Area | 0 | 0 | 0 | 0 | 0 |

Table (C) contd.

| Crops | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|-----------------------------|-------------------------------------|---------|---------|---------|---------|---------|
| 1 | | 2 | 3 | 4 | 5 | 6 |
| Other dry fruit(Specify) | Bearing trees with No. and Area | 0 | 9 | 0 | 0 | 1 |
| | Non-bearing trees with No. and Area | 0 | 6 | 0 | 0 | 0 |
| Total fruits (dry) | Bearing trees with No. and Area | 271 | 121 | 76 | 48 | 62 |
| | Non-bearing trees with No. and Area | 188 | 97 | 6 | 0 | 0 |
| Total fruits(dry) | | 459 | 218 | 82 | 48 | 62 |
| Total fruits(fresh & dry) | Bearing trees with No. and Area | 7232 | 7542 | 7030 | 7478 | 6710 |
| | Non-bearing trees with No. and Area | 1093 | 660 | 520 | 486 | 533 |
| Total fresh & dry fruits | | 8325 | 8202 | 7550 | 7964 | 7243 |
| Vegetables | | | | | | |
| Potatoes | Kharif | 1726 | 1650 | 1432 | 1815 | 1774 |
| | Rabi | 1999 | 1542 | 2446 | 1952 | 2061 |
| | Total | 3725 | 3192 | 3878 | 3767 | 3835 |
| Peas | Kharif | 128 | 434 | 472 | 680 | 452 |
| | Rabi | 2269 | 2702 | 3368 | 3234 | 2814 |
| | Total | 2397 | 3136 | 3840 | 3914 | 3266 |
| | Sweet potatos | 10 | 10 | 10 | 12 | 29 |
| | Onion | 511 | 550 | 479 | 528 | 558 |
| | Tomato | 2703 | 2858 | 2095 | 3397 | 3188 |
| | Lady finger | 63 | 82 | 70 | 221 | 96 |
| Cauliflower and Cabbage | Kharif | 166 | 365 | 893 | 1074 | 1448 |
| | Rabi | 551 | 927 | 384 | 565 | 610 |
| | Total | 717 | 1292 | 1277 | 1639 | 2058 |
| | Turnip | 47 | 16 | 6 | 14 | 130 |
| | Radish | 61 | 67 | 103 | 46 | 135 |
| | Carrot | 23 | 9 | 9 | 14 | 37 |
| | Brinjal | 52 | 63 | 62 | 72 | 71 |
| Other Vegetables(specify) | Winter (Rabi) | 520 | 495 | 599 | 476 | 442 |
| | Summer (Kharif) | 771 | 987 | 836 | 1456 | 1352 |
| | Total | 1291 | 1482 | 1435 | 1932 | 1794 |
| Total Vegetables | | 11600 | 12757 | 13264 | 15556 | 15197 |
| Total Fruits and Vegetables | | 19925 | 20959 | 20814 | 23520 | 22440 |
| Condiments and Spices | Chillies | 138 | 126 | 96 | 128 | 120 |
| | Ginger | 934 | 899 | 798 | 904 | 1028 |
| | Zeera | 54 | 45 | 44 | 46 | 46 |
| | Turmaric | 60 | 71 | 43 | 46 | 63 |

Table (C) contd.

| Crops | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|---|----------------------------|----------------|----------------|----------------|----------------|----------------|
| 1 | | 2 | 3 | 4 | 5 | 6 |
| Condiments and Spices | Garlic | 1401 | 1364 | 1462 | 1497 | 1680 |
| | Coriander | 33 | 38 | 40 | 43 | 40 |
| | Others(Specify) | 25 | 6 | 18 | 16 | 19 |
| Total Condiments and Spices | | 2645 | 2549 | 2501 | 2680 | 2996 |
| Others miscellaneous Food-Crops (Specify) | | 10 | 0 | 10 | 3 | 20 |
| Total Food-Crops | | 193224 | 190755 | 184427 | 197128 | 202959 |
| 2. Non Food-Crops | | | | | | |
| Cotton | Desi | 2 | 4 | 2 | 4 | 0 |
| | American | 0 | 0 | 0 | 0 | 0 |
| | Total | 2 | 4 | 2 | 4 | 0 |
| Hemp | | 0 | 1 | 0 | 0 | 0 |
| Other Fibres | | 0 | 0 | 0 | 52 | 62 |
| Total Fibres | | 2 | 5 | 2 | 56 | 62 |
| Edible Oilseeds | Groundnut | 4 | 2 | 3 | 8 | 3 |
| | Sesamum | 203 | 128 | 84 | 163 | 87 |
| | Rape (Toriya seed) | 24 | 51 | 19 | 26 | 44 |
| | Mustard | 2079 | 858 | 1990 | 1601 | 1149 |
| | Soyabean | 190 | 186 | 243 | 200 | 58 |
| | Others(Specify) | 0 | 0 | 0 | 4 | 7 |
| Total Edible Oilseeds | | 2500 | 1225 | 2339 | 2002 | 1348 |
| Non-Edible Oilseeds | Linseed | 397 | 368 | 428 | 694 | 733 |
| | Taramira | 135 | 105 | 67 | 214 | 136 |
| | Other(Specify) | 0 | 135 | 28 | 0 | 0 |
| | Total Non-Edible Oil seeds | 532 | 608 | 523 | 908 | 869 |
| Total Oilseeds | | 3032 | 1833 | 2862 | 2910 | 2217 |
| Dyes and Tanning materials | Acacia | 0 | 0 | 0 | 0 | 0 |
| | others | 0 | 0 | 0 | 0 | 0 |
| | Total | 0 | 0 | 0 | 0 | 0 |

Table (C) contd.

| Crops | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|--|----------------------|----------------|----------------|----------------|----------------|----------------|
| 1 | | 2 | 3 | 4 | 5 | 6 |
| Drugs & Narcotics | Tobacco | 0 | 0 | 0 | 0 | 0 |
| | Tea | 1030 | 284 | 1030 | 1191 | 1305 |
| | Others (Specify) | 162 | 133 | 96 | 104 | 90 |
| | Total | 1192 | 417 | 1126 | 1295 | 1395 |
| Total (Drugs & Narcotics) | | 1192 | 417 | 1126 | 1295 | 1395 |
| Fodder Crops | Berseem and Lucrene | 1856 | 2119 | 1584 | 2323 | 1922 |
| | Chari | 1831 | 1894 | 1637 | 1867 | 2081 |
| | Others (Specify) Jai | 129 | 148 | 134 | 469 | 73 |
| | Total Fodder Crops | 3816 | 4161 | 3355 | 4659 | 3804 |
| Other Misc. Non-food Crops (Nursery, Flowers, Harbal/ Medicinal and aromatic plants). | | 0 | 105 | 92 | 134 | 256 |
| Total Non-Food Crops | | 8042 | 6521 | 7437 | 9054 | 7734 |
| Total Food Crops | | 193224 | 190755 | 184427 | 197128 | 202959 |
| Total Food & Non-Food Crops | | 201266 | 197276 | 191864 | 206182 | 210693 |

N.B.

1. Other Drugs and Narcotics includes Kuth, Mannu, Hops and Kaliziri etc.
2. Other Misc. Non-food Crops includes Nursery, Flowers, Harbal/Medicinal and aromatic plants etc.

D. Area Under All Crops

(Unit Hects.)

| Crops | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 | |
|--|---------|---------|---------|---------|---------|------|
| 1 | 2 | 3 | 4 | 5 | 6 | |
| 1. Food Crops | | | | | | |
| Paddy/Rice | 75762 | 92243 | 71237 | 75734 | 75110 | |
| Maize | 286009 | 293509 | 277997 | 287780 | 277064 | |
| Jowar or Cholan | 0 | 8 | 793 | 16 | 4 | |
| Bajra or Cumbu | 60 | 1532 | 1140 | 183 | 460 | |
| Wheat | 356527 | 334881 | 347008 | 347587 | 347254 | |
| Barley | 20525 | 20025 | 21852 | 20373 | 20611 | |
| Ragi or Marua | 1616 | 1200 | 1214 | 979 | 884 | |
| Italian Millets | 0 | 0 | 369 | 0 | 41 | |
| Kodo or Varagu | 808 | 825 | 913 | 934 | 829 | |
| Little millets or Kutki, Kodra, Gagari, kathu, sival, Bharesa, Chinne, Kangni (Kharif) | 2373 | 4339 | 2143 | 2163 | 1837 | |
| Common millets | 2849 | 1304 | 1984 | 2096 | 2250 | |
| Others Cereal (specify) | Kharif | 0 | 190 | 26 | 0 | 700 |
| | Rabi | 0 | 0 | 8 | 0 | 5 |
| | Total | 0 | 190 | 34 | 0 | 705 |
| Total Cereals | 746529 | 750056 | 726684 | 737845 | 727049 | |
| Pulses | | | | | | |
| Gram | 420 | 782 | 509 | 372 | 581 | |
| Green gram or Moong | 205 | 361 | 206 | 390 | 100 | |
| Red Gram, Tur or Arhar but not Rajmash | 4531 | 3848 | 4152 | 4223 | 4080 | |
| Black gram or Urd (Mash) | 8357 | 8492 | 7498 | 7552 | 6551 | |
| Peas | Kharif | 161 | 0 | 118 | 159 | 177 |
| | Rabi | 6076 | 5424 | 5632 | 5153 | 8080 |
| | Total | 6248 | 5425 | 5750 | 5312 | 8257 |
| Horse-gram (Kulth) | 1740 | 1854 | 1844 | 1879 | 1743 | |
| Masur | 656 | 509 | 515 | 469 | 492 | |
| Other pulses(specify) | Kharif | 3439 | 2574 | 4191 | 3035 | 4084 |
| | Rabi | 3 | 6 | 21 | 1 | 0 |
| | Total | 3442 | 2580 | 4212 | 3036 | 4084 |
| Total Pulses | 25599 | 23851 | 24686 | 23233 | 25888 | |
| Total Cereals and Pulses (Total Foodgrains) | 772128 | 773907 | 751370 | 761078 | 752937 | |

Table (D) contd.

| Crops | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|--------------------------|-------------------------------------|---------|---------|---------|---------|---------|
| 1 | | 2 | 3 | 4 | 5 | 6 |
| Sugar crops | Sugarcane | 1821 | 1790 | 2246 | 1585 | 1499 |
| Fruits | Fresh Fruits | | | | | |
| Apple | Bearing trees with No. and Area | 59545 | 62440 | 63001 | 66886 | 67338 |
| | Non-bearing trees with No. and Area | 9892 | 10065 | 12180 | 9860 | 12311 |
| Grapes | Bearing trees with No. and Area | 15 | 16 | 17 | 12 | 15 |
| | Non-bearing trees with No. and Area | 44 | 48 | 9 | 2 | 0 |
| Peaches | Bearing trees with No. and Area | 814 | 1156 | 476 | 948 | 971 |
| | Non-bearing trees with No. and Area | 166 | 100 | 37 | 17 | 29 |
| Plum | Bearing trees with No. and Area | 1335 | 1133 | 1203 | 1044 | 905 |
| | Non-bearing trees with No. and Area | 317 | 196 | 222 | 158 | 226 |
| Lichi | Bearing trees with No. and Area | 158 | 605 | 146 | 65 | 73 |
| | Non-bearing trees with No. and Area | 39 | 130 | 18 | 18 | 9 |
| Pear | Bearing trees with No. and Area | 297 | 210 | 191 | 165 | 220 |
| | Non-bearing trees with No. and Area | 63 | 80 | 49 | 49 | 40 |
| Kinno and Orange | Bearing trees with No. and Area | 1404 | 1611 | 1064 | 1290 | 604 |
| | Non-bearing trees with No. and Area | 1949 | 1023 | 1922 | 41 | 7 |
| Lemon | Bearing trees with No. and Area | 392 | 339 | 311 | 285 | 317 |
| | Non-bearing trees with No. and Area | 203 | 65 | 3675 | 2230 | 1307 |
| Mango | Bearing trees with No. and Area | 3101 | 3592 | 4349 | 2138 | 5495 |
| | Non-bearing trees with No. and Area | 502 | 473 | 524 | 356 | 294 |
| Guava | Bearing trees with No. and Area | 8 | 181 | 47 | 76 | 284 |
| | Non-bearing trees with No. and Area | 2 | 143 | 0 | 2 | 41 |
| Others(specify) | Bearing trees with No. and Area | 1574 | 3252 | 4681 | 4610 | 5474 |
| | Non-bearing trees with No. and Area | 153 | 526 | 493 | 186 | 769 |
| Total Fresh Fruits | Bearing trees with No. and Area | 68643 | 74525 | 75486 | 77519 | 81696 |
| | Non-bearing trees with No. and Area | 13330 | 12849 | 19129 | 12919 | 15033 |
| | Total Fresh Fruits | 81973 | 87374 | 94615 | 90438 | 96729 |
| Dry Fruits | | | | | | |
| Walnuts | Bearing trees with No. and Area | 54 | 230 | 39 | 43 | 90 |
| | Non-bearing trees with No. and Area | 7 | 18 | 8 | 54 | 8 |
| Almonds | Bearing trees with No. and Area | 867 | 517 | 584 | 631 | 705 |
| | Non-bearing trees with No. and Area | 98 | 236 | 56 | 88 | 94 |
| Chilgoza | Bearing trees with No. and Area | 285 | 191 | 274 | 276 | 271 |
| | Non-bearing trees with No. and Area | 0 | 1 | 0 | 0 | 0 |
| Other dry fruit(Specify) | Bearing trees with No. and Area | 92 | 29 | 23 | 164 | 24 |
| | Non-bearing trees with No. and Area | 12 | 0 | 0 | 8 | 0 |
| Total fruits (dry) | Bearing trees with No. and Area | 1298 | 967 | 920 | 1114 | 1090 |
| | Non-bearing trees with No. and Area | 117 | 255 | 64 | 150 | 102 |
| | Total fruits(dry) | 1415 | 1222 | 984 | 1264 | 1192 |

Table (D) contd.

| Crops | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|---|-------------------------------------|---------|---------|---------|---------|---------|
| 1 | | 2 | 3 | 4 | 5 | 6 |
| Total fruits (fresh & dry) | Bearing trees with No. and Area | 69941 | 75502 | 76406 | 78633 | 82786 |
| | Non-bearing trees with No. and Area | 13447 | 13104 | 19193 | 13069 | 15135 |
| Total fresh & dry fruits | | 83388 | 88606 | 95599 | 91702 | 97921 |
| Vegetables | | | | | | |
| Potatoes | Kharif | 7385 | 6911 | 5926 | 6245 | 6688 |
| | Rabi | 3691 | 2730 | 4054 | 3705 | 3816 |
| | Total | 11076 | 9641 | 9980 | 9950 | 10504 |
| Peas | Kharif | 2892 | 3517 | 3132 | 3071 | 4233 |
| | Rabi | 5532 | 7320 | 7457 | 7141 | 6709 |
| | Total | 8424 | 10837 | 10589 | 10212 | 10942 |
| | Sweet potatoes | 10 | 11 | 10 | 43 | 41 |
| | Onion | 827 | 783 | 832 | 890 | 937 |
| | Tomato | 5561 | 5702 | 5108 | 7331 | 6566 |
| | Lady finger | 161 | 183 | 147 | 301 | 208 |
| Cauliflower and Cabbage | Kharif | 1569 | 2122 | 2303 | 2717 | 3171 |
| | Rabi | 1747 | 1733 | 1642 | 1902 | 2340 |
| | Total | 3316 | 3855 | 3945 | 4602 | 5511 |
| | Turnip | 85 | 32 | 64 | 37 | 242 |
| | Radish | 188 | 186 | 219 | 292 | 255 |
| | Carrot | 65 | 26 | 12 | 36 | 58 |
| | Brinjal | 194 | 169 | 103 | 132 | 146 |
| Other Vegetables(specify) | Winter (Rabi) | 2186 | 3157 | 2914 | 3083 | 2278 |
| | Summer (Kharif) | 3480 | 3171 | 3093 | 4629 | 4921 |
| | Total | 5666 | 6328 | 6007 | 7712 | 7199 |
| Total Vegetables | | 35573 | 37753 | 37016 | 41555 | 42609 |
| Total Fruits and Vegetables | | 118961 | 126359 | 132615 | 133257 | 140530 |
| Condiments and Spices | Chillies | 630 | 571 | 466 | 578 | 1908 |
| | Ginger | 2356 | 2241 | 1906 | 2223 | 2214 |
| | Zeera | 66 | 59 | 58 | 59 | 62 |
| | Turmeric | 281 | 321 | 213 | 274 | 290 |
| | Garlic | 4384 | 4438 | 4718 | 4661 | 5391 |
| | Coriander | 142 | 154 | 193 | 128 | 171 |
| | Others(Specify) | 59 | 24 | 30 | 25 | 41 |
| | Total Condiments and Spices | 7918 | 7808 | 7584 | 7948 | 10077 |
| Others miscellaneous Food-Crops (Specify) | | 22 | 21 | 16 | 14 | 33 |
| Total Food-Crops | | 900850 | 909885 | 893831 | 903882 | 905076 |

Table (D) contd.

| Crops | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|----------------------------|--|---------|---------|---------|---------|---------|
| 1 | | 2 | 3 | 4 | 5 | 6 |
| 2. Non Food-Crops | | | | | | |
| Cotton | Desi | 3 | 12 | 2 | 7 | 36 |
| | American | 0 | 0 | 0 | 0 | 0 |
| | Total | 3 | 12 | 2 | 7 | 36 |
| Hemp | | 0 | 0 | 3 | 0 | 0 |
| Other Fibres | | 0 | 0 | 0 | 74 | 146 |
| Total Fibres | | 3 | 12 | 5 | 81 | 182 |
| Edible Oilseeds | Groundnut | 25 | 50 | 45 | 35 | 15 |
| | Sesamum | 2021 | 2004 | 2038 | 1818 | 2204 |
| | Rape (Toriya seed) | 265 | 86 | 836 | 292 | 54 |
| | Mustard | 9788 | 7970 | 8869 | 9241 | 8235 |
| | Soyabean | 627 | 601 | 807 | 528 | 301 |
| | Others (Specify) | 0 | 0 | 20 | 4 | 7 |
| Total Edible Oilseeds | | 12726 | 10711 | 12615 | 11918 | 10816 |
| Non-Edible Oil-seeds | Linseed | 430 | 867 | 464 | 837 | 860 |
| | Taramira | 1772 | 1998 | 1114 | 1531 | 1072 |
| | Other (Specify) | 0 | 0 | 6 | 0 | 0 |
| | Total Non-Edible Oil seeds | 2202 | 2865 | 1584 | 2368 | 1932 |
| Total Oilseeds | | 14928 | 13576 | 14199 | 14286 | 12748 |
| Dyes and Tanning materials | Acacia (Kikar) | 0 | 0 | 0 | 0 | 0 |
| | Other dyes and tanning materials (specify) | 0 | 0 | 1 | 0 | 0 |
| | Total | 0 | 0 | 1 | 0 | 0 |

Table (D) contd.

| Crops | | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 | |
|--|----------------------|----------------|---------|---------|---------|---------|--------|
| 1 | | 2 | 3 | 4 | 5 | 6 | |
| Drugs Narcotics | Tobacco | 1 | 0 | 0 | 1 | 1 | |
| | Tea | 1462 | 1901 | 1462 | 2654 | 2305 | |
| | Others (Specify) | 370 | 172 | 220 | 245 | 227 | |
| Total (Drugs & Narcotics) | | 1833 | 2073 | 1682 | 2900 | 2533 | |
| Fodder Crops | Berseem and Lucrene | 3736 | 3033 | 3348 | 3524 | 3617 | |
| | Chari | 4380 | 4249 | 4510 | 5813 | 6378 | |
| | Others (Specify) Jai | 184 | 808 | 522 | 1736 | 290 | |
| | Total Fodder Crops | 8300 | 8090 | 8380 | 11073 | 10285 | |
| Other Misc. Non-food Crops. | | 184 | 292 | 185 | 274 | 480 | |
| Total Non-Food Crops | | 25248 | 24375 | 24452 | 28614 | 26228 | |
| Gross Cropped Area | Kharif | Food Crops | 483724 | 510008 | 495141 | 503847 | 529942 |
| | | Non-Food Crops | 8582 | 9574 | 9227 | 12182 | 11615 |
| | Rabi | Food Crops | 417126 | 399877 | 398690 | 400035 | 375134 |
| | | Non-Food Crops | 16802 | 14801 | 15225 | 16432 | 14613 |
| Total | Food Crops | | 900850 | 909885 | 893831 | 903882 | 905076 |
| | Non-Food Crops | | 25384 | 24375 | 24452 | 28614 | 26228 |
| | Grand Total | | 926234 | 934260 | 918283 | 932496 | 931304 |
| Area cropped more than once | | 378298 | 386119 | 370142 | 381179 | 383748 | |
| Net Cropped Area | | 547936 | 548141 | 548141 | 551317 | 547556 | |
| Cropped area of Forecast Reports | Matured | 912964 | 934260 | 903795 | 921648 | 920613 | |
| | Failed | 13270 | – | 14488 | 10838 | 10691 | |
| Total gross unadjusted area under various mixtures | | – | – | – | – | – | |

E. Average Yield (kgs) per Hectare Condition of the Crops and the Total Outturn of Crops

| Crops | Standard yield | 2012-13 | | | 2013-14 | | |
|---|----------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | Average yield | Condn. Factor | Total Outturn | Average yield | Condn. Factor | Total Outturn |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| Food Crops | | | | | | | |
| Paddy | | 1634 | | 123738 | 1736 | | 160007 |
| Maize | | 2239 | | 640510 | 2324 | | 176519 |
| Jowar or Chalam | | 0 | | 0 | 0 | | 0 |
| Bajra or Cumbu | | 550 | | 33 | 557 | | 853 |
| Wheat | | 1899 | | 677100 | 1957 | | 666592 |
| Barley | | 1725 | | 35412 | 1739 | | 34818 |
| Ragi or Marua | | 834 | | 1347 | 765 | | 878 |
| Italian Millets | | 0 | | 0 | 0 | | 0 |
| Koda or Varagu | | 1230 | | 994 | 1541 | | 992 |
| Little millets | | 856 | | 2032 | 936 | | 3950 |
| Common Millets | | 931 | | 2651 | 936 | | 1221 |
| Total others Cereals (sfy.) | | 0 | | 0 | 0 | | 0 |
| Total Cereals | | | | 1483817 | | | 1545829 |
| Pulses | | | | | | | |
| Gram | | 1500 | | 630 | 1550 | | 1130 |
| green Gram or Moong | | 488 | | 100 | 490 | | 172 |
| Red Gram Tur or Arhar | | 1279 | | 5793 | 1550 | | 4818 |
| Black Gram, (Urd) Mash | | 720 | | 6017 | 766 | | 5975 |
| Peas | | 2314 | | 14458 | 3139 | | 9394 |
| Horse Gram (Kulth) | | 726 | | 1263 | 824 | | 1333 |
| Masur | | 1207 | | 792 | 1179 | | 562 |
| Other Pulses (specify) | | 1309 | | 4507 | 1224 | | 3441 |
| Total Pulses | | 1311 | | 33560 | | | 26825 |
| Total Foodgrains & pulses | | 1605 | | 1517377 | | | 1572654 |
| Sugarcane | | 11919 | | 21705 | 12170 | | 21529 |
| Other Miscellaneous Foods crops (specify) | | | | | | | |

Table-(E) Contd.

| Crops | Standard yield | 2012-13 | | | 2013-14 | | |
|---|----------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | Average yield | Condn. Factor | Total Outturn | Average yield | Condn. Factor | Total Outturn |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| Fruits | | | | | | | |
| Apple | | | | | | | |
| Grapes | | | | | | | |
| Peaches | | | | | | | |
| Plum | | | | | | | |
| Lichi | | | | | | | |
| Kinnu or Oranges | | | | | | | |
| Lemon | | | | | | | |
| Mango | | | | | | | |
| Gauva | | | | | | | |
| Other Fresh Fruits | | | | | | | |
| Walnut | | | | | | | |
| Almonds | | | | | | | |
| Chilgoja | | | | | | | |
| Other dry fruits | | | | | | | |
| Total Fruits (fresh & dry) | | | | | | | |
| Vegetables | | | | | | | |
| Potato | | 9157 | | 101423 | 9033 | | 90432 |
| Peas | | 2729 | | 22993 | 3139 | | 30126 |
| Sweet potatoes | | 0 | | | 0 | | 0 |
| Onion | | 5696 | | 4711 | 5538 | | 4426 |
| Tomato | | 18047 | | 100359 | 18046 | | 99204 |
| Cabbage/ Cauliflower | | 12004 | | 39806 | 12010 | | 43995 |
| Other Vegetables (Turnip, Radish, Carrot & Ladyfinger, Brinjal etc. | | 3648 | | 22610 | 4009 | | 24965 |
| Total vegetables | | | | 291902 | | | 293146 |
| Condiments & Spices | | | | | | | |
| Chillies | | 552 | | 348 | 484 | | 323 |
| Ginger | | 7011 | | 16517 | 7012 | | 15378 |
| Other Condiments and Spices | | 1424 | | 84 | 1430 | | 32 |

Table-(E) Contd.

| Crops | 2014-15 | | | 2015-16 | | | 2016-17 | | |
|---|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | Average yield | Condn. Factor | Total Outturn | Average yield | Condn. Factor | Total Outturn | Average yield | Condn. Factor | Total Outturn |
| | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| Fruits | | | | | | | | | |
| Apple | | | | | | | | | |
| Grapes | | | | | | | | | |
| Peaches | | | | | | | | | |
| Plum | | | | | | | | | |
| Lichi | | | | | | | | | |
| Kinno or Oranges | | | | | | | | | |
| Lemon | | | | | | | | | |
| Mango | | | | | | | | | |
| Gauva | | | | | | | | | |
| Other Fresh Fruits | | | | | | | | | |
| Walnut | | | | | | | | | |
| Almonds | | | | | | | | | |
| Chilgoja | | | | | | | | | |
| Other dry fruits | | | | | | | | | |
| Total Fruits (fresh & dry) | | | | | | | | | |
| Vegetables | | | | | | | | | |
| Potato | 10380 | | 97036 | 10380 | | 98201 | 10380 | | 102625 |
| Peas | 3139 | | 30347 | 3140 | | 29016 | 3140 | | 29849 |
| Sweet potatoes | 10380 | | 104 | 10380 | | 446 | 10380 | | 376 |
| Onion | 5538 | | 4928 | 5538 | | 5183 | 5539 | | 5419 |
| Tomato | 18046 | | 92184 | 18047 | | 132303 | 18047 | | 118497 |
| Cabbage/Cauliflower | 12010 | | 47379 | 12010 | | 55459 | 12010 | | 66179 |
| Other Vegetables (Turnip, Radish, Carrot & Ladyfinger, Brinjal etc. | 4009 | | 24671 | 4009 | | 32124 | 4009 | | 29695 |
| Total vegetables | | | 296649 | | | 352732 | | | 352639 |
| Condiments & Spices | | | | | | | | | |
| Chillies | 484 | | 265 | 484 | | 325 | 484 | | 972 |
| Ginger | 7012 | | 14553 | 7689 | | 17116 | 7689 | | 16973 |
| Other Condiments and Spices | 1430 | | 42 | 1430 | | 35 | 1430 | | 56 |

Table-(E) Contd.

| Crops | Standard yield | 2012-13 | | | 2013-14 | | |
|-------------------------------|----------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | Average yield | Condn. Factor | Total Outturn | Average yield | Condn. Factor | Total Outturn |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| Zeera | | 1424 | | 94 | 1431 | | 84 |
| Turmaric | | 1630 | | 458 | 1631 | | 514 |
| Garlic | | 2135 | | 9362 | 2030 | | 8882 |
| Coriander | | 1387 | | 197 | 1430 | | 209 |
| Total condiments & Spices | | 3418 | | 27060 | | | 25421 |
| Total Food Crops | | | | 1858044 | | | 1912751 |
| Non-Food Crops | | | | | | | |
| Cottan (Desi) | | | | 0 | | | 0 |
| Hemp | | | | | | | 0 |
| Other Fibre (Specify) | | | | | | | 0 |
| Total Fibres | | 0 | | 0 | | | 0 |
| Oil Seeds | | | | | | | |
| Ground-nut | | 960 | | 24 | 960 | | 41 |
| Sesamum | | 323 | | 652 | 319 | | 648 |
| Rape (Toriya) | | 966 | | 256 | 733 | | 83 |
| Mustard | | 751 | | 7346 | 733 | | 6005 |
| Soyabean | | 871 | | 546 | 877 | | 529 |
| Other (Specify) | | 0 | | 0 | | | 0 |
| Linseed | | 321 | | 138 | 372 | | 244 |
| Taramira | | 721 | | 1278 | 663 | | 1440 |
| Total Oil Seeds | | 686 | | 10240 | | | 8991 |
| Total Dyes & Tanning Material | | | | 0 | | | 0 |
| Drugs & Narcotics | | | | | | | |
| Tobacco | | 1000 | | 1 | | | 0 |
| Tea | | 0 | | 0 | | | 0 |
| Other Drugs & Narcotics | | 0 | | 0 | | | 0 |
| Total Drugs & Narcotics | | 0 | | 0 | | | 0 |
| Total Fodder Crops (specify) | | | | | | | 0 |
| Total Non-food Crops | | 403 | | 10240 | | | 8991 |
| Total Food Crops | | 2063 | | 1858044 | | | 1912751 |
| Total Food & Non-food Crops | | 2017 | | 1868284 | | | 1921742 |

Table-(E) Contd.

| Crops | 2014-15 | | | 2015-16 | | | 2016-17 | | |
|-------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | Average yield | Condn. Factor | Total Outturn | Average yield | Condn. Factor | Total Outturn | Average yield | Condn. Factor | Total Outturn |
| | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| Zeera | 1431 | | 83 | 1430 | | 84 | 1430 | | 89 |
| Turmaric | 1631 | | 347 | 1631 | | 447 | 1631 | | 473 |
| Garlic | 2030 | | 10060 | 2030 | | 9946 | 2031 | | 11483 |
| Coriander | 1430 | | 264 | 1430 | | 180 | 1430 | | 240 |
| Total condiments & Spices | | | 25614 | | | 28133 | | | 30286 |
| Total Food Crops | | | 1937335 | | | 1791790 | | | 1963595 |
| Non-Food Crops | | | | | | | | | |
| Cotton (Desi) | | | 0 | 392 | | 3 | 369 | | 16 |
| Hemp | | | 0 | | | 0 | 0 | | 0 |
| Other Fibre (Specify) | | | 0 | | | 0 | 0 | | 0 |
| Total Fibres | | | 0 | | | 0 | 0 | | 16 |
| Oil Seeds | | | | | | | | | |
| Groundnut | 960 | | 26 | 960 | | 34 | 960 | | 14 |
| Sesamum | 319 | | 659 | 319 | | 579 | 319 | | 713 |
| Rape (Toriya) | 733 | | 937 | 733 | | 279 | 733 | | 58 |
| Mustard | 733 | | 6684 | 733 | | 6950 | 733 | | 6252 |
| Soyabean | 877 | | 694 | 877 | | 465 | 877 | | 267 |
| Other (Specify) | 733 | | 15 | 732 | | 3 | 733 | | 5 |
| Linseed | 372 | | 152 | 372 | | 241 | 372 | | 251 |
| Taramira | 663 | | 810 | 663 | | 1099 | 663 | | 779 |
| Total Oil Seeds | | | 9977 | | | 9650 | | | 8339 |
| Total Dyes & Tanning Material | | | | | | | | | |
| Drugs & Narcotics | | | | | | | | | |
| Tobacco | | | 0 | | | 0 | 1044 | | 1 |
| Tea | | | 0 | | | 0 | | | 0 |
| Other Drugs & Narcotics | | | 0 | | | 0 | | | 0 |
| Total Drugs & Narcotics | | | 0 | | | 0 | | | 0 |
| Total Fodder Crops (specify) | | | 0 | | | 0 | | | 0 |
| Total Non-food Crops | | | 9977 | | | 9654 | | | 8356 |
| Total Food Crops | | | 1937335 | | | 1791790 | | | 1963595 |
| Total Food & Non-food Crops | | | 1947312 | | | 1801444 | | | 1971950 |

F. Farm Harvest Prices of Principal Crops (In Rs./Qtl.)

| Crops | 2012-13 | 2013-14 | 2014-15 | 2015-16 | 2016-17 |
|-----------------|---------|---------|---------|---------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| Rice (Paddy) | 1872 | 1951 | 2086 | 2114 | 2216 |
| Maize | 1422 | 1510 | 1642 | 1762 | 1830 |
| Jowar | – | 1844 | – | – | 3118 |
| Bajra | 3750 | – | – | – | 3600 |
| Wheat | 1617 | 1682 | 1863 | 1923 | 1981 |
| Barley | 1571 | 1701 | 1829 | 1972 | 2075 |
| Gram | 4800 | 5547 | 5890 | 7107 | 7703 |
| Moong | 6206 | 7925 | 8548 | 8508 | 7902 |
| Tur or Arhar | 7225 | 6510 | 9014 | 9745 | 10215 |
| Mash | 6772 | 7137 | 7905 | 9594 | 10064 |
| Peas | 3643 | 2931 | 5078 | 5266 | 5403 |
| Kulth | 6781 | 7739 | 7770 | 8267 | 8982 |
| Masur | 5574 | 5983 | 6667 | 6466 | 7213 |
| Sugar raw | 1444 | – | 270 | 295 | 1635 |
| Apple | – | – | – | – | – |
| Grapes | – | – | – | – | – |
| Peaches | – | – | – | – | – |
| Plum | – | – | – | – | – |
| Lichi | – | – | – | – | – |
| Pears | – | – | – | – | – |
| Kinnu or Orange | – | – | – | – | – |
| Lemon | – | – | – | – | – |
| Mango | – | – | – | – | – |
| Guava | – | – | – | – | – |
| Walnut | – | – | – | – | – |
| Almonds | – | – | – | – | – |
| Chilgoza | – | – | – | – | – |
| Potatoes | 1190 | 1917 | 2106 | 2086 | 1986 |
| Peas Vegetables | 3557 | 3850 | 4380 | 3900 | 4780 |
| Sweet Potatoes | – | – | – | – | – |
| Onion | 1525 | 1975 | 2367 | 1947 | 1831 |
| Tomato | 2036 | 1987 | 2158 | 2827 | 2837 |
| Lady Finger | 2010 | 2239 | 2401 | 2633 | 2850 |
| Cabbage | 1200 | 1990 | 1792 | 1928 | 2013 |
| Cauli-flower | 1318 | 1703 | 1902 | 1809 | 2294 |
| Brinjal | 2000 | – | 1100 | 1100 | – |
| Chillies Dry | 9164 | 9968 | 11484 | 12769 | 13167 |
| Ginger | 3656 | 4908 | 5552 | 6252 | 5834 |
| Zeera | – | – | – | – | – |
| Turmeric | 9898 | 11700 | 11719 | 11619 | 12985 |
| Garlic | 4665 | 5292 | 6321 | 6173 | 5737 |
| Coriander | 7237 | 7871 | 12648 | 10377 | 6974 |
| Cotton | – | – | – | – | – |
| San-hemp | – | – | – | – | – |
| Groundnut | 6533 | 7363 | 7048 | 7665 | 8338 |
| Sesamum | 7182 | 8134 | 8801 | 10646 | 11511 |
| Rape (Toriya) | 4250 | 4250 | 4975 | 7000 | 7000 |
| Mustard | 5826 | 6396 | 6128 | 6175 | 6730 |
| Soyabean | 5668 | 5696 | 5442 | 5334 | 5654 |
| Linseed | 4476 | 6397 | 7514 | 7364 | 7658 |
| Sunflower | – | – | – | – | – |
| Taramira | 4086 | 4268 | 4570 | 5090 | 5419 |
| Tabacoo | – | – | 3667 | 3825 | – |
| Tea | – | – | – | – | – |

G. Agricultural Wages

(In Rs./Per Day)

| Month and Year | SKILLED LABOUR | | | Field Labour | Other Agri. Labour | Herdsmen | Remarks |
|------------------------------|----------------|-------------|------------|--------------|--------------------|------------|---------|
| | Carpenter | Black Smith | Cobblers | | | | |
| 2015-16 | | | | | | | |
| July, 2015 | 404 | 387 | 383 | 255 | 255 | 255 | |
| August | 404 | 387 | 383 | 255 | 255 | 255 | |
| September | 404 | 387 | 383 | 255 | 255 | 255 | |
| October | 408 | 391 | 387 | 259 | 259 | 259 | |
| November | 408 | 391 | 387 | 259 | 259 | 259 | |
| December | 408 | 391 | 387 | 259 | 259 | 259 | |
| January, 2016 | 408 | 391 | 387 | 259 | 259 | 259 | |
| February | 408 | 391 | 387 | 259 | 259 | 259 | |
| March | 408 | 391 | 387 | 259 | 259 | 259 | |
| April | 408 | 391 | 387 | 259 | 259 | 259 | |
| May | 408 | 391 | 387 | 259 | 259 | 259 | |
| June, 2015 | 408 | 391 | 387 | 259 | 259 | 259 | |
| Average of the Year, 2015-16 | 407 | 390 | 386 | 258 | 258 | 258 | |
| 2016-17 | | | | | | | |
| July, 2016 | 414 | 393 | 389 | 259 | 259 | 259 | |
| August | 414 | 393 | 389 | 259 | 259 | 259 | |
| September | 414 | 393 | 389 | 259 | 259 | 259 | |
| October | 418 | 398 | 393 | 260 | 260 | 260 | |
| November | 418 | 398 | 393 | 260 | 260 | 260 | |
| December | 418 | 398 | 393 | 260 | 260 | 260 | |
| January, 2017 | 418 | 398 | 393 | 260 | 260 | 260 | |
| February | 418 | 398 | 393 | 260 | 260 | 260 | |
| March | 418 | 398 | 393 | 260 | 260 | 260 | |
| April | 418 | 398 | 393 | 260 | 260 | 260 | |
| May | 418 | 398 | 393 | 260 | 260 | 260 | |
| June, 2016 | 418 | 398 | 393 | 260 | 260 | 260 | |
| Average of the Year, 2016-17 | 417 | 396 | 392 | 260 | 260 | 260 | |

H. Summary Tables
Total Livestock in 2003 to 2012

(in Thousands)

| CATEGORY | 2003 | 2007 | 2012 | % Change from 2007 to 2012 |
|------------------------|------|---------|---------|-------------------------------|
| 1 | 2 | 3 | 4 | 5 |
| Cattle | | | | |
| Exotic/Crossbred | | | | |
| Male | 139 | 141.07 | 158.66 | 12.47 |
| Female | 538 | 651.92 | 825.27 | 26.59 |
| Total Exotic/Crossbred | 677 | 792.98 | 983.93 | 24.08 |
| Indigenous | | | | |
| Male | 800 | 742.28 | 569.96 | -23.21 |
| Female | 759 | 733.92 | 595.37 | -18.88 |
| Total Indigenous | 1559 | 1476.2 | 1165.33 | -21.06 |
| Total Cattle# | 2236 | 2269.18 | 2149.26 | -5.28 |
| Buffalo | | | | |
| Male | 47 | 58.18 | 60.18 | 3.43 |
| Female | 727 | 703.41 | 655.84 | -6.76 |
| Total Buffalo | 774 | 761.59 | 716.02 | -5.98 |
| Yaks | | | | |
| Male | 1 | 1.05 | 2 | 90.48 |
| Female | 0 | 0.65 | 0.86 | 31.8 |
| Total Yaks | 2 | 1.71 | 2.92 | 71.32 |
| Mithuns | | | | |
| Male | 0 | 0.01 | 0.43 | 5312.5 |
| Female | 0 | 0.01 | 0.49 | 7983.33 |
| Total Mithuns | 0 | 0.01 | 0.92 | 6457.14 |
| Bovine | | | | |
| Male | 986 | 942.58 | 791.29 | -16.05 |
| Female | 2026 | 2089.9 | 2077.82 | -0.58 |
| Total Bovines | 3012 | 3032.49 | 2869.11 | -5.39 |
| Sheep | | | | |
| Exotic/Crossbred | | | | |
| Male | 43 | 58.22 | 86.85 | 49.19 |
| Female | 100 | 141.56 | 218.34 | 54.23 |
| Total Exotic/Crossbred | 143 | 199.78 | 305.19 | 52.77 |
| Indigenous | | | | |
| Male | 237 | 207.75 | 143.8 | -30.78 |
| Female | 546 | 493.77 | 355.88 | -27.93 |
| Total Indigenous | 783 | 701.52 | 499.68 | -28.77 |
| Total Sheep | 926 | 901.3 | 804.87 | -10.7 |

| | | | | |
|----------------------------|-------------|----------------|----------------|--------------|
| Goat | | | | |
| Male | 290 | 332.04 | 309.93 | -6.66 |
| Female | 835 | 908.8 | 809.56 | -10.92 |
| Total Goat | 1125 | 1240.84 | 1119.49 | -9.78 |
| Horses & Ponies | | | | |
| Male | 10 | 7.36 | 9.38 | 27.47 |
| Female | 8 | 5.79 | 5.7 | -1.66 |
| Total Horses & Ponies | 18 | 13.16 | 15.08 | 14.64 |
| Mules | | | | |
| Total Mules | 24 | 18.99 | 23.32 | 22.81 |
| Donkey | | | | |
| Male | 4 | 4.48 | 4.34 | -3.04 |
| Female | 4 | 2.9 | 3.01 | 3.76 |
| Total Donkeys | 9 | 7.38 | 7.35 | -0.37 |
| Camels | | | | |
| Male | 0 | 0.05 | 0.16 | 196.23 |
| Female | 0 | 0 | 0.02 | 566.67 |
| Total Camels | 0 | 0.06 | 0.18 | 216.07 |
| Pigs | | | | |
| Exotic/Crossbred | | | | |
| Male | 1 | 0.19 | 1.07 | 474.73 |
| Female | 0 | 0.18 | 0.87 | 377.6 |
| Total Exotic/Crossbred | 1 | 0.37 | 1.94 | 426.56 |
| Indigenous | | | | |
| Male | 1 | 1.03 | 2.22 | 116.88 |
| Female | 1 | 1.1 | 0.87 | -21.11 |
| Total Indigenous | 2 | 2.12 | 3.09 | 45.48 |
| Total Pigs | 3 | 2.49 | 5.03 | 101.89 |
| TOTAL LIVESTOCK | 5116 | 5216.69 | 4844.43 | -7.14 |
| Dogs | | | | |
| Male | 173 | 181.62 | 152.5 | -16.04 |
| Female | 39 | 30.28 | 22.51 | -25.65 |
| Total Dogs | 212 | 211.9 | 175.01 | -17.41 |
| Rabbit | | | | |
| Male | 1 | 2.09 | 2.49 | 19.56 |
| Female | 4 | 4.53 | 3.35 | -26.16 |
| Total Rabbits | 4 | 6.62 | 5.84 | -11.75 |
| Elephants | | | | |
| Male | | | 0.02 | |
| Female | | | 0.1 | |
| Total Elephants | | | 0.12 | |
| POULTRY | | | | |
| Fowls | 767 | 724.8 | 968.52 | 33.63 |
| Ducks | 0 | 0.29 | 0.7 | 138.01 |
| Turkeys & Other Poultry | 0 | 84.46 | 135.26 | 60.16 |
| Total Poultry | 767 | 810 | 1104.48 | 36.36 |

Note:- Live stock Census is now conducted by Animal Husbandry Department of H.P.

| Number of Livestock in State of (H.P.) according to per Livestock Census, 2012 | | | |
|--|---|--|----------------|
| CATEGORY | 19th All India Livestock Census 2012 | | |
| Total Number of Livestock and Poultry | 1 | Livestock | 4844431 |
| | 2 | Poultry | 1104476 |
| Details of Bovines by Sex | 3 | Male | 791290 |
| | 4 | Female | 2077824 |
| | 5 | Total Bovine | 2869114 |
| Details of Cattle by Age, Sex and Use in Rural and Urban Combined (Exotic / Crossbred Cattle) Male | 6 | Upto 1.5 Years | 73896 |
| Details of Cattle by Age, Sex and Use in Rural and Urban Combined (Exotic / Crossbred Cattle) Male (Over 1.5 Years) | 7 | Used for Breeding Only | 2496 |
| | 8 | Used for Draught Only | 75175 |
| | 9 | Used for both Draught and Breeding | 2681 |
| | 10 | Others | 4414 |
| | 11 | Total Male | 158662 |
| Details of Cattle by Age, Sex and Use in Rural and Urban Combined (Exotic / Crossbred Cattle)Female | 12 | Under 1 Year | 156510 |
| Details of Cattle by Age, Sex and Use in Rural and Urban Combined (Exotic / Crossbred Cattle)Female | 13 | 1 to 2.5 Years | 120102 |
| Details of Cattle by Age, Sex and Use in Rural and Urban Combined (Exotic / Crossbred Cattle)Female (Over 2.5 Years) | 14 | In Milk | 411300 |
| | 15 | Dry | 109563 |
| | 16 | Not Calved Once | 24505 |
| | 17 | Others | 3286 |
| | 18 | Total Female | 825266 |
| | 19 | Total Exotic / Crossbred | 983928 |
| Details of Cattle by Age and Sex and Use in Rural and Urban Combined (Indigenous Cattle) Male | 20 | Upto 2 Years | 85243 |
| Details of Cattle by Age and Sex and Use in Rural and Urban Combined (Indigenous Cattle) Male(Over 2 Years) | 21 | Used for Breeding Only | 4885 |
| | 22 | Used for Draught Only | 428165 |
| | 23 | Used for both Draught and Breeding | 36021 |
| | 24 | Others | 15647 |
| | 25 | Total Male | 569961 |
| Details of Cattle by Age and Sex and Use in Rural and Urban Combined (Indigenous Cattle)Female | 26 | Under 1 Year | 101945 |
| Details of Cattle by Age and Sex and Use in Rural and Urban Combined (Indigenous Cattle)Female | 27 | 1 to 3 Years | 90414 |
| Details of Cattle by Age and Sex and Use in Rural and Urban Combined (Indigenous Cattle)Female(Over 3 Years) | 28 | In Milk | 237932 |
| | 29 | Dry | 134393 |
| | 30 | Not Calved Once | 26791 |
| | 31 | Others | 3895 |
| | 32 | Total Female | 595370 |
| | 33 | Total Indigenous Cattle | 1165331 |
| | 34 | Total Cattle (Male & Female) | 2149259 |

| | | | |
|--|--|---------------------------------------|---------------|
| Details of Buffaloes by Age,Sex and Use in Rural and Urban Combined For Male | 35 | Upto 2 Years | 53139 |
| Details of Buffaloes by Age,Sex and Use in Rural and Urban Combined For Male (Over 2 Years) | 36 | Used for Breeding Only | 3601 |
| | 37 | Used for Draught Only | 345 |
| | 38 | Used for both Draught and Breeding | 312 |
| | 39 | Others | 2778 |
| | 40 | Total Male | 60175 |
| Details of Buffaloes by Age,Sex and Use in Rural and Urban Combined For Female | 41 | Under 1 Year | 115843 |
| Details of Buffaloes by Age,Sex and Use in Rural and Urban Combined For Female | 42 | 1 to 3 Years | 116821 |
| Details of Buffaloes by Age,Sex and Use in Rural and Urban Combined For Female (Over 3 Years) | 43 | In Milk | 296863 |
| | 44 | Dry | 99632 |
| | 45 | Not Calved Once | 23439 |
| | 46 | Others | 3243 |
| | 47 | Total Female | 655841 |
| | 48 | Total Buffaloes | 716016 |
| | Details of Mithun by Age and Sex in Urban and rural combined(Under 3 Years) | 49 | Male |
| 50 | | Female | 203 |
| 51 | | Total | 441 |
| Details of Mithun by Age and Sex in Urban and rural combined (3 Years and Above) | 52 | Male | 195 |
| | 53 | Female | 282 |
| | 54 | Total | 477 |
| | 55 | Total Mithuns | 918 |
| Details of Yaks by Age and Sex Rural and Urban Combined (Under 3 Years) | 56 | Male | 594 |
| | 57 | Female | 247 |
| | 58 | Total | 841 |
| Details of Yaks by Age and Sex Rural and Urban Combined (3 Years and Above) | 59 | Male | 1465 |
| | 60 | Female | 615 |
| | 61 | Total | 2080 |
| | 62 | Total Yaks | 2921 |
| Details of Sheep by Age and Sex in Rural and Urban Combined For Exotic Crossbred (Exotic / Crossbred Sheep) Male | 63 | Under 1 year | 33260 |
| | 64 | 1 Year and Above | 53593 |
| | 65 | Total | 86853 |
| Details of Sheep by Age and Sex in Rural and Urban Combined For Exotic Crossbred (Exotic / Crossbred Sheep) FeMale | 66 | Under 1 year | 55755 |
| | 67 | 1 Year and Above | 162583 |
| | 68 | Total | 218338 |
| | 69 | Total Exotic / Crossbred Sheep | 305191 |
| Details of Sheep by Age and Sex in Rural and Urban Combined For Indigenous (Male) | 70 | Under 1 year | 56725 |
| | 71 | 1 Year and Above | 87075 |
| | 72 | Total Indigenous Sheep | 143800 |
| Details of Sheep by Age and Sex in Rural and Urban Combined For Indigenous (FeMale) | 73 | Under 1 year | 98996 |
| | 74 | 1 Year and Above | 256884 |
| | 75 | Total | 355880 |
| | 76 | Total Indigenous Sheep | 499680 |
| | 77 | Total Sheep | 804871 |

| | | | |
|--|-----|--------------------------------------|----------------|
| Details of Goats by Age, Sex and Use in Rural and Urban Combined (Male) | 78 | Under 1 Year | 132251 |
| | 79 | 1 Year and Above | 177681 |
| | 80 | Total | 309932 |
| Details of Goats by Age, Sex and Use in Rural and Urban Combined (Female) | 81 | Under 1 Year | 176689 |
| Details of Goats by Age, Sex and Use in Rural and Urban Combined (Female)(1 Year and Above) | 82 | In Milk | 235931 |
| | 83 | Dry | 327016 |
| | 84 | Not Calved Once | 69923 |
| | 85 | Total | 809559 |
| | 86 | Total Goats | 1119491 |
| Details of Pigs by age and sex in Rural and Urban Combined For Exotic Crossbred (Exotic / Crossbred Pigs) Male | 87 | Under 6 Months | 382 |
| | 88 | 6 Months & Above | 687 |
| | 89 | Total | 1069 |
| Details of Pigs by age and sex in Rural and Urban Combined For Exotic Crossbred (Exotic / Crossbred Pigs) Female | 90 | Under 6 Months | 360 |
| | 91 | 6 Months & Above | 514 |
| | 92 | Total | 874 |
| | 93 | Total Exotic / Crossbred Pigs | 1943 |
| Details of Pigs by age and sex in Rural and Urban Combined For Indigenous (Male) | 94 | Under 6 Months | 831 |
| | 95 | 6 Months & Above | 1392 |
| | 96 | Total | 2223 |
| Details of Pigs by age and sex in Rural and Urban Combined For Indigenous (Female) | 97 | Under 6 Months | 325 |
| | 98 | 6 Months & Above | 542 |
| | 99 | Total | 867 |
| | 100 | Total Indigenous Pigs | 3090 |
| | 101 | Total Pigs | 5033 |
| Details of Horses & Ponies by Age, Sex and Use in Rural and Urban Combined | 102 | Under 3 Year | 1580 |
| Details of Horses & Ponies by Age, Sex and Use in Rural and Urban Combined (3 Year and Above)(Male) | 103 | Used for Cart and Carriage | 7335 |
| | 104 | Used for Sport | 469 |
| | 105 | Total | 9384 |
| Details of Horses & Ponies by Age, Sex and Use in Rural and Urban Combined (Female) | 106 | Under 3 Year | 1035 |
| | 107 | 3 Year and Above | 4662 |
| | 108 | Total | 5697 |
| | 109 | Total Horses & Ponies | 15081 |
| Details of Mules and Donkeys by age and sex in Rural and Urban Combined Areas (Mules) | 110 | Under 3 year | 2601 |
| | 111 | 3 Year and Above | 20714 |
| | 112 | Total Mules | 23315 |
| Details of Mules and Donkeys by age and sex in Rural and Urban Combined Areas (Donkeys)Male | 113 | Under 3 year | 797 |
| | 114 | 3 Year and Above | 3547 |
| | 115 | Total | 4344 |
| Details of Mules and Donkeys by age and sex in Rural and Urban Combined Areas (Donkeys) Female | 116 | Under 3 year | 585 |
| | 117 | 3 Year and Above | 2420 |
| | 118 | Total | 3005 |
| | 119 | Total Donkeys | 7349 |

| | | | |
|---|-----|----------------------------|---------------|
| Details of Camels by Age and Sex in Rural and Urban Combined (Male) | 120 | Under 4 Years | 104 |
| | 121 | 4 Years and Above | 53 |
| | 122 | Total | 157 |
| Details of Camels by Age and Sex in Rural and Urban Combined (FeMale) | 123 | Under 4 Years | 17 |
| | 124 | 4 Years and Above | 3 |
| | 125 | Total | 20 |
| | 126 | Total Camel | 177 |
| Details of Dogs, Rabbits and Elephants in Rural and Urban Combined (Dogs) | 127 | Male | 152495 |
| | 128 | Female | 22513 |
| | 129 | Total | 175008 |
| Details of Dogs, Rabbits and Elephants in Rural and Urban Combined (Rabbits) | 130 | Male | 2494 |
| | 131 | Female | 3348 |
| | 132 | Total | 5842 |
| Details of Dogs, Rabbits and Elephants in Rural and Urban Combined (Elephants) | 133 | Male | 22 |
| | 134 | Female | 100 |
| | 135 | Total | 122 |
| Details of Backyard Poultry in Rural and Urban Combined For Fowls (Cocks) | 136 | Desi | 35403 |
| | 137 | Improved | 28901 |
| | 138 | Total | 64304 |
| Details of Backyard Poultry in Rural and Urban Combined For Fowls (Hens) | 139 | Desi | 69165 |
| | 140 | Improved | 45437 |
| | 141 | Total | 114602 |
| Details of Backyard Poultry in Rural and Urban Combined For Fowls under Chickens below 5 Months | 142 | Desi | 20210 |
| | 143 | Improved | 54546 |
| | 144 | Total | 74756 |
| | 145 | Total Fowls | 253662 |
| Details of Backyard Poultry in Rural and Urban Combined For Ducks (Drakes) | 146 | Desi | 7 |
| | 147 | Improved | 19 |
| | 148 | Total | 26 |
| Details of Backyard Poultry in Rural and Urban Combined For Ducks (Ducks) | 149 | Desi | 450 |
| | 150 | Improved | 192 |
| | 151 | Total | 642 |
| Details of Backyard Poultry in Rural and Urban Combined For Ducks under Duckling below 6 Months | 152 | Desi | 5 |
| | 153 | Improved | 7 |
| | 154 | Total | 12 |
| | 155 | Total Ducks | 680 |
| Details of Backyard Poultry in Rural and Urban Combined For Turkeys | 156 | Male | 9 |
| | 157 | Female | 8 |
| | 158 | Total | 17 |
| Details of Backyard Poultry in Rural and Urban Combined For Quails | 159 | Quails | 5 |
| Details of Backyard Poultry in Rural and Urban Combined For Other Poultry Birds | 160 | Other Poultry Birds | 134 |
| | 161 | Total Poultry Birds | 254498 |

| | | | |
|--|-----|--------------------------------------|---------|
| Details of Poultry Birds in Farms / Hatcheries in Rural and Urban Combined | 162 | Layer | 220068 |
| | 163 | Broiler | 494790 |
| | 164 | Duck | 15 |
| | 165 | Others | 135105 |
| Number of Equipments Used in Livestock Sector Rural and Urban Combined | 166 | Milking Machine | 80 |
| | 167 | Mechanized Fodder Cutter | 153011 |
| | 168 | Chopper & Baler | 2593 |
| | 169 | Dung Collection & Disposal Equipment | 16665 |
| Number Of Households And Households Enterprises Owning Animals/Poultry Birds in Rural and Urban Combined | 170 | Cattle | 738705 |
| | 171 | Buffaloes | 346450 |
| | 172 | Goats | 165603 |
| | 173 | Sheep | 77745 |
| | 174 | Pigs | 1151 |
| | 175 | Backyard Poultry | 28941 |
| | 176 | Poultry Farm & Hatcheries | 11830 |
| Number Of Non Households Enterprises and Institutions Owning Animals/Poultry Birds in Rural and Urban Combined | 177 | Cattle | 428 |
| | 178 | Buffaloes | 64 |
| | 179 | Goats | 80 |
| | 180 | Sheep | 82 |
| | 181 | Pigs | 5 |
| | 182 | Poultry Farm & Hatcheries | 720 |
| Number Of Stray Cattle and Dogs | 183 | Stray Cattle | 32160 |
| | 184 | Stray Dogs | 65220 |
| Number Of Cattle, Buffaloes, Sheep, Goats and Pigs Per Thousand Households in Rural and Urban Combined | 185 | Number of Households | 1572067 |
| Number Of Cattle, Buffaloes, Sheep, Goats and Pigs Per Thousand Households in Rural and Urban Combined | 186 | Cattle | 1367 |
| | 187 | Buffaloes | 455 |
| | 188 | Sheep | 512 |
| | 189 | Goats | 712 |
| | 190 | Pigs | 3 |

Detailed Table

Table No. 1

Rainfall in Millimetres

In each District of Himachal Pradesh in 2016-17

Monsoon 1st June to 30th September, 2016

| S. No. | District | June,2016 | | July,2016 | | August,2016 | | Sept.,2016 | | Total for the Season | | |
|----------------------|----------|--------------|-------------|--------------|--------------|--------------|--------------|-------------|--------------|----------------------|----------------------|-------------------|
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Total rainfall | Corresponding Normal | No. of rainy days |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 1 | Bilaspur | 352.0 | 92.9 | 149.0 | 380.5 | 20.0 | 313.3 | 0.0 | 188.1 | 521.0 | 974.8 | 16.0 |
| 2 | Chamba | 55.0 | 91.1 | 172.1 | 318.7 | 270.9 | 277.9 | 13.1 | 155.3 | 511.1 | 843 | 31.5 |
| 3 | Hamirpur | 82.6 | 92.7 | 230.1 | 406.4 | 327.9 | 414.7 | 90.9 | 160.9 | 731.5 | 1074.7 | 33.7 |
| 4 | Kangra | 117.1 | 145.5 | 343.4 | 713.5 | 515.8 | 772.1 | 100.8 | 284.3 | 1077.1 | 1915.4 | 40.1 |
| 5 | Kinnaur | 18.0 | 30.0 | 13.0 | 72.0 | 18.2 | 66.3 | 2.2 | 68.2 | 51.4 | 236.5 | 5.5 |
| 6 | Kullu | 73.5 | 72.4 | 113.5 | 186.4 | 312.0 | 180.3 | 33.2 | 91.8 | 532.2 | 530.9 | 31.0 |
| 7 | L/Spiti | 11.5 | 62.3 | 15.3 | 43.1 | 38.1 | 35.1 | 3.5 | 125.5 | 68.4 | 266.0 | 10.2 |
| 8 | Mandi | 150.5 | 160.7 | 281.2 | 466.9 | 345.1 | 389.0 | 79.7 | 170.5 | 856.5 | 1187.1 | 41.5 |
| 9 | Shimla | 114.0 | 106.7 | 203.7 | 324.1 | 218.6 | 277.5 | 28.0 | 154.3 | 564.3 | 862.6 | 40.3 |
| 10 | Sirmour | 146.0 | 145.5 | 367.8 | 578.7 | 311.1 | 599.8 | 67.8 | 250.2 | 892.7 | 1574.2 | 38.0 |
| 11 | Solan | 223.9 | 108.6 | 310.8 | 395.1 | 279.1 | 373.0 | 47.8 | 185.9 | 861.6 | 1062.6 | 34.4 |
| 12 | Una | 172.4 | 86.7 | 203.1 | 338.4 | 265.6 | 284.9 | 109.5 | 150.6 | 750.6 | 860.6 | 39.2 |
| State Average | | 126.4 | 99.6 | 200.3 | 352.0 | 243.5 | 332.0 | 48.0 | 165.5 | 618.2 | 949.0 | 30.1 |

Table No. 1 Contd.

**Rainfall in Millimetres
In each District of Himachal Pradesh in 2016-17**

Post Monsoon 1st October to 31st December, 2016

| Sr. No. | District | October, 2016 | | November, 2016 | | December, 2016 | | Total for the Season | | |
|----------------------|----------|---------------|-------------|----------------|-------------|----------------|-------------|----------------------|----------------------|-------------------|
| | | Current | Normal | Current | Normal | Current | Normal | Total rainfall | Corresponding Normal | No. of rainy days |
| | | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| 1 | Bilaspur | 0.0 | 36.4 | 0.0 | 13.6 | 0.0 | 34.8 | 0.0 | 84.8 | 0.0 |
| 2 | Chamba | 0.0 | 69.2 | 0.0 | 36.0 | 0.0 | 72.9 | 0.0 | 178.1 | 0.0 |
| 3 | Hamirpur | 0.0 | 27.0 | 0.0 | 8.0 | 0.0 | 32.8 | 0.0 | 67.8 | 0.0 |
| 4 | Kangra | 3.7 | 46.2 | 0.0 | 13.4 | 3.7 | 50.5 | 7.4 | 110.1 | 1.6 |
| 5 | Kinnour | 0.5 | 36.4 | 0.0 | 13.0 | 2.0 | 57.0 | 2.5 | 106.4 | 0.4 |
| 6 | Kullu | 2.5 | 31.4 | 0.0 | 13.7 | 0.0 | 41.3 | 2.5 | 86.4 | 1.0 |
| 7 | L/ Spiti | 0.0 | 22.1 | 0.0 | 14.5 | 0.0 | 29.9 | 0.0 | 66.5 | 0.0 |
| 8 | Mandi | 7.1 | 51.9 | 0.0 | 15.3 | 0.0 | 35.0 | 7.1 | 102.2 | 0.4 |
| 9 | Shimla | 1.1 | 49.5 | 0.0 | 13.8 | 2.7 | 46.6 | 3.8 | 109.9 | 0.3 |
| 10 | Sirmour | 10.6 | 70.2 | 0.0 | 9.5 | 4.5 | 32.0 | 15.1 | 111.7 | 1.6 |
| 11 | Solan | 11.1 | 60.9 | 0.0 | 9.3 | 4.8 | 27.5 | 15.9 | 97.7 | 1.6 |
| 12 | Una | 4.9 | 28.1 | 0.0 | 4.7 | 0.8 | 25.2 | 5.7 | 58.0 | 0.3 |
| State Average | | 3.5 | 44.1 | 0.0 | 13.7 | 1.5 | 40.5 | 5.0 | 98.3 | 0.6 |

Table No.1 Contd.

Rainfall in Millimetres

In each District of Himachal Pradesh in 2016-17

Winter From 1st Jan. to 28/29th Feb., 2017

| Sr. No. | District | January, 2017 | | February, 2017 | | Total for the Season | | |
|----------------------|----------|---------------|-------------|----------------|-------------|----------------------|----------------------|-------------------|
| | | Current | Normal | Current | Normal | Total rainfall | Corresponding Normal | No. of rainy days |
| | | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| 1 | Bilaspur | 0.0 | 57.9 | 0.0 | 59.3 | 0.0 | 117.2 | 0.0 |
| 2 | Chamba | 168.5 | 125.0 | 171.1 | 117.5 | 168.5 | 242.5 | 14.0 |
| 3 | Hamirpur | 160.5 | 68.5 | 12.4 | 58.8 | 331.6 | 127.3 | 6.8 |
| 4 | Kangra | 96.6 | 98.9 | 19.1 | 89.2 | 109.0 | 188.1 | 7.1 |
| 5 | Kinnour | 26.5 | 95.3 | 6.0 | 99.0 | 45.6 | 194.3 | 3.2 |
| 6 | Kullu | 424.2 | 88.5 | 79.5 | 95.4 | 430.2 | 183.9 | 12.0 |
| 7 | L/Spiti | 138.3 | 64.7 | 64.2 | 71.7 | 217.8 | 136.4 | 17.3 |
| 8 | Mandi | 102.9 | 70.3 | 16.4 | 65.2 | 119.3 | 135.5 | 7.4 |
| 9 | Shimla | 115.8 | 104.3 | 19.8 | 77.6 | 135.6 | 181.9 | 10.9 |
| 10 | Sirmour | 117.6 | 76.1 | 5.6 | 48.5 | 123.2 | 124.6 | 5.8 |
| 11 | Solan | 270.5 | 83.8 | 7.2 | 61.4 | 277.7 | 145.2 | 6.3 |
| 12 | Una | 90.9 | 51.5 | 13.6 | 48.1 | 104.5 | 99.6 | 6.7 |
| State Average | | 142.7 | 82.1 | 34.6 | 74.3 | 171.9 | 156.4 | 8.1 |

Table No. 1 Contd.

Rainfall in Millimetres
In each District of Himachal Pradesh in 2016-17

Pre-Monsoon 1st March to 31st May, 2017

| S. No. | District | March, 2017 | | April, 2017 | | May, 2017 | | Total for the Season | | | Total for the year June, 2016 to May, 2017 | | | |
|--------|----------------------|-------------|-------------|-------------|-------------|-------------|-------------|----------------------|----------------------|-------------------|--|----------------------|-------------------|--------------------------|
| | | Current | Normal | Current | Normal | Current | Normal | Total rainfall | Corresponding Normal | No. of rainy days | Total rainfall | Corresponding Normal | No. of rainy days | No. of Normal rainy days |
| | | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 |
| 1 | Bilaspur | 26.0 | 64.5 | 110.0 | 19.6 | 104.0 | 33.6 | 240.0 | 117.7 | 9.0 | 761.0 | 1294.5 | 25.0 | 82.7 |
| 2 | Chamba | 64.3 | 139.8 | 229.4 | 87.0 | 80.7 | 77.8 | 374.4 | 304.6 | 17.5 | 1054.0 | 1568.2 | 63.0 | 76.9 |
| 3 | Hamirpur | 29.5 | 53.6 | 5.5 | 25.2 | 27.0 | 28.5 | 62.0 | 107.3 | 8.3 | 1125.1 | 1377.1 | 48.8 | 65.2 |
| 4 | Kangra | 18.5 | 90.3 | 25.5 | 44.7 | 43.3 | 44.6 | 87.3 | 179.6 | 7.5 | 1280.8 | 2393.2 | 56.3 | 84 |
| 5 | Kinnour | 12.0 | 99.1 | 20.3 | 70.7 | 0.0 | 64.4 | 32.3 | 234.2 | 2.2 | 131.8 | 771.4 | 11.3 | 60.2 |
| 6 | Kullu | 13.2 | 111.8 | 157.3 | 73.9 | 130.9 | 57.2 | 301.4 | 242.9 | 22.0 | 1266.3 | 1044.1 | 66.0 | 74.2 |
| 7 | L/Spiti | 39.0 | 112.7 | 88.4 | 82.8 | 27.3 | 64.6 | 154.7 | 260.1 | 16.0 | 440.9 | 729.0 | 43.5 | 83.2 |
| 8 | Mandi | 37.0 | 82.3 | 42.7 | 41.9 | 63.1 | 58.8 | 142.8 | 183.0 | 12.1 | 1125.7 | 1607.8 | 61.4 | 77.3 |
| 9 | Shimla | 50.1 | 78.7 | 81.0 | 44.2 | 128.4 | 58.3 | 259.5 | 181.2 | 20.6 | 963.2 | 1335.6 | 72.1 | 74.8 |
| 10 | Sirmour | 45.4 | 50.4 | 55.3 | 11.7 | 64.9 | 28.3 | 165.6 | 90.4 | 13.4 | 1196.6 | 1900.9 | 58.8 | 63.1 |
| 11 | Solan | 32.9 | 58.8 | 48.5 | 21.1 | 76.1 | 35.0 | 157.5 | 114.9 | 13.0 | 1312.7 | 1420.4 | 55.3 | 63.7 |
| 12 | Una | 19.4 | 41.3 | 27.6 | 18.5 | 44.8 | 16.8 | 91.8 | 76.6 | 10.0 | 952.6 | 1094.8 | 56.2 | 48.1 |
| | State Average | 32.3 | 81.9 | 74.3 | 45.1 | 65.9 | 47.3 | 172.4 | 174.4 | 12.6 | 967.6 | 1378.1 | 51.5 | 71.1 |

Table No. II

Classification of area in each District of Himachal Pradesh (HP) in 2016-17

| Sr. No. | District | Total Geographical Area | | Classification | | | |
|-------------------------|----------|--|--|----------------|-----------------------------|-----------------------------------|---|
| | | Geographical area by professional survey | Reporting area by land utilisation statistics by village paper | Forests | Barren & Unculturable Lands | Land put to non agricultural uses | Permanent Pasture and other grazing Lands |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | BLS | 116700 | 111776 | 14013 | 4437 | 15845 | 39583 |
| 2 | CHM | 651500 | 692419 | 272008 | 4854 | 13649 | 350882 |
| 3 | HMR | 111800 | 110224 | 18232 | 13854 | 12473 | 11451 |
| 4 | KGR | 573900 | 577681 | 231518 | 19758 | 75084 | 84365 |
| 5 | KNR | 655300 | 624199 | 58351 | 111084 | 121856 | 319574 |
| 6 | KLU | 550300 | 65475 | 1627 | 2733 | 7120 | 7081 |
| 7 | LSP | 1369300 | 911195 | 137376 | 541313 | 16857 | 211444 |
| 8 | MND | 395100 | 398888 | 178812 | 2850 | 22156 | 94637 |
| 9 | SML | 513100 | 525327 | 150349 | 12149 | 18717 | 235760 |
| 10 | SRM | 282600 | 224759 | 48220 | 6405 | 12971 | 57506 |
| 11 | SLN | 193700 | 180945 | 20222 | 11236 | 13529 | 79319 |
| 12 | UNA | 154000 | 154854 | 14632 | 29668 | 20811 | 16393 |
| Total H.P. State | | 5567300 | 4577742 | 1145360 | 760341 | 351068 | 1507995 |

Classification of area in each District of Himachal Pradesh (HP) in 2016-17

| | | | Cultivated Area | | Area sown more than once | Total cropped area |
|--------------------------------------|------------------|--------------------|-----------------|---------------|--------------------------|--------------------|
| Land under misc. tree crops & groves | Culturable Waste | Other Fallow Lands | Current fallow | Net area sown | | |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 151 | 5433 | 964 | 1535 | 29815 | 25849 | 55664 |
| 130 | 6628 | 625 | 1779 | 41864 | 30238 | 72102 |
| 0 | 12097 | 1944 | 5332 | 34841 | 34180 | 69021 |
| 7474 | 27187 | 1384 | 14111 | 116800 | 92470 | 209270 |
| 230 | 3180 | 122 | 1546 | 8256 | 2856 | 11112 |
| 3629 | 2210 | 449 | 4155 | 36471 | 19074 | 55545 |
| 111 | 568 | 1 | 128 | 3397 | 0 | 3397 |
| 162 | 5409 | 1650 | 2406 | 90806 | 71085 | 161891 |
| 7644 | 10735 | 7160 | 12289 | 70524 | 16356 | 86880 |
| 38306 | 13797 | 2010 | 5476 | 40068 | 34821 | 74889 |
| 1061 | 12943 | 2804 | 3926 | 35905 | 20267 | 56172 |
| 7719 | 21527 | 2224 | 3071 | 38809 | 36552 | 75361 |
| 66617 | 121714 | 21337 | 55754 | 547556 | 383748 | 931304 |

Table III-A

Sources of Water and Area irrigated there from in each District of H.P. State in 2016-17

| Sr. No. | Name of District/ Tehsil | CANALS | | No. of Tube wells | | | No. of Wells | | | | | No. of wells used for domestic purposes only | No. of wells not in use | Reservoirs | No. of Tanks | | |
|-------------------------|--------------------------|----------|----------|-------------------|-------------|-------------|--|-------------|------------|-------------|-------------|--|-------------------------|------------|---------------------------------|------------------------------------|-------------|
| | | Govt. | Pvt. | | | | No. of other Wells used for irrigation purposes only | | | | | | | | No. of Ayacut 100 Hect. Or more | with Ayacut less than 100 Hectares | Total |
| | | Number | Number | Govt. | Pvt. | Total | Govt. | | Pvt. | | Total | | | | | | |
| | | | | | | | Masonry | Non-Masonry | Masonry | Non-Masonry | | | | | | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | | |
| 1 | BLS | 0 | 0 | 216 | 158 | 374 | 3 | 1 | 0 | 7 | 11 | 91 | 34 | 11 | 0 | 3 | 3 |
| 2 | CHM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 74 | 42 | 80 | 12 | 208 | 1320 | 686 | 53 | 2 | 4 | 6 |
| 4 | KGR | 0 | 0 | 174 | 1469 | 1643 | 0 | 0 | 113 | 280 | 393 | 789 | 46 | 6 | 5 | 0 | 5 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 74 | 74 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 0 | 0 | 14 | 51 | 65 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | SML | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | SRM | 6 | 0 | 207 | 1383 | 1590 | 6 | 2 | 24 | 2 | 34 | 2 | 0 | 0 | 0 | 264 | 264 |
| 11 | SLN | 0 | 0 | 140 | 245 | 385 | 50 | 0 | 72 | 0 | 122 | 9 | 0 | 0 | 0 | 791 | 791 |
| 12 | UNA | 0 | 0 | 580 | 2216 | 2796 | 26 | 0 | 345 | 0 | 371 | 1486 | 14 | 0 | 0 | 0 | 0 |
| Total H.P. State | | 6 | 0 | 1331 | 5522 | 6853 | 159 | 45 | 634 | 301 | 1139 | 3697 | 780 | 70 | 7 | 1136 | 1143 |

Table III-A Contd.

| Sr. No. | Number of Oil Engines | No. of Kuhls in Use | | No. of Lift Irrigation Schemes | | No. of Canals | | Net Area Irrigated by(in hectare) | | | | |
|--------------|-----------------------|---------------------|-------------|--------------------------------|------------|---------------|----------|-----------------------------------|-------------|-----------------|----------------|------------|
| | | Govt. | Pvt. | Govt. | Pvt. | Govt. | Pvt. | Govt. Canals | Pvt. Canals | Govt. Tubewells | Pvt. Tubewells | Tanks |
| | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| 1 | 47 | 233 | 274 | 37 | 52 | 0 | 0 | 0 | 0 | 260 | 219 | 5 |
| 2 | 0 | 268 | 380 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 131 | 23 | 44 | 56 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| 4 | 150 | 326 | 1738 | 51 | 6 | 0 | 0 | 4 | 7 | 1896 | 2504 | 10 |
| 5 | 0 | 294 | 352 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 0 | 149 | 103 | 13 | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 54 |
| 7 | 0 | 102 | 449 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 0 | 1858 | 1450 | 18 | 0 | 0 | 0 | 0 | 0 | 43 | 41 | 0 |
| 9 | 0 | 529 | 325 | 11 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 50 | 96 | 1835 | 19 | 3 | 0 | 0 | 3247 | 0 | 1318 | 542 | 131 |
| 11 | 139 | 440 | 1067 | 33 | 13 | 0 | 0 | 0 | 0 | 1785 | 1331 | 583 |
| 12 | 380 | 194 | 1 | 30 | 1 | 0 | 0 | 0 | 0 | 11685 | 2686 | 0 |
| Total | 766 | 4620 | 7997 | 264 | 182 | 0 | 0 | 3251 | 7 | 16987 | 7323 | 798 |

Table III-A Contd.

| NET IRRIGATED AREA | | | | | | | | | | %age of net area irrigated to net area sown | Area irrigated more than once in the same year (in hectare) |
|-------------------------|--------------------------|--------------|--------------|--------------------------|-------------------------|-------------|-------------|-----------------|----------------------|---|---|
| Sr. No. | Name of District/ Tehsil | Govt. Kuhls | Pvt. Kuhls | Govt. lift Irri. Schemes | Pvt. lift Irri. Schemes | Govt. wells | Pvt. Wells | Other (Specify) | Total (Col.25 to 36) | | |
| | | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
| 1 | BLS | 1434 | 904 | 736 | 217 | 13 | 36 | 0 | 3824 | 13% | 3000 |
| 2 | CHM | 2204 | 2052 | 50 | 0 | 0 | 0 | 0 | 4306 | 10% | 2510 |
| 3 | HMR | 975 | 243 | 295 | 190 | 8 | 8 | 0 | 1734 | 5% | 1742 |
| 4 | KGR | 8026 | 21844 | 1027 | 6 | 0 | 114 | 259 | 35697 | 31% | 31915 |
| 5 | KNR | 2579 | 2895 | 0 | 0 | 0 | 0 | 0 | 5474 | 66% | 1157 |
| 6 | KLU | 1969 | 283 | 180 | 193 | 0 | 0 | 0 | 2679 | 7% | 274 |
| 7 | LSP | 847 | 2536 | 7 | 7 | 0 | 0 | 0 | 3397 | 100% | 0 |
| 8 | MND | 7020 | 5227 | 362 | 0 | 0 | 0 | 0 | 12693 | 14% | 12941 |
| 9 | SML | 1324 | 1154 | 64 | 16 | 0 | 0 | 0 | 2558 | 4% | 906 |
| 10 | SRM | 995 | 6751 | 595 | 3 | 51 | 1147 | 32 | 14812 | 37% | 13461 |
| 11 | SLN | 3692 | 2360 | 1221 | 70 | 534 | 1269 | 0 | 12845 | 36% | 19375 |
| 12 | UNA | 0 | 0 | 0 | 0 | 51 | 884 | 0 | 15306 | 39% | 8087 |
| Total H.P. State | | 31065 | 46249 | 4537 | 702 | 657 | 3458 | 291 | 115325 | 21% | 95368 |

Table III-A Contd.

| Sr. No. | Total / gross irrigated Area (in hectare) | %age of total gross irrigated area to total gross cropped area | No. of wells having an independent Ayacut | No. of wells supplementing recognised sources of irrigation | %age of area irrigated by wells having independent ayacuts to the total area irrigated | No. of Circles | | No. of Villages | | | Total Khasra Numbers |
|--------------|---|--|---|---|--|----------------|-------------|-----------------|-------------|--------------|----------------------|
| | | | | | | Kanungo | Patwari | Inhabited | Uninhabited | Total | |
| | 40 | 41 | 42 | 43 | 44 | 46 | 47 | 48 | 49 | 50 | 51 |
| 1 | 6824 | 12% | 0 | 0 | 0 | 8 | 82 | 1012 | 68 | 1080 | 328440 |
| 2 | 6816 | 9% | 0 | 0 | 0 | 21 | 183 | 1111 | 487 | 1598 | 855390 |
| 3 | 3476 | 5% | 0 | 0 | 0 | 33 | 198 | 1745 | 36 | 1781 | 3817003 |
| 4 | 67612 | 32% | 0 | 0 | 0 | 48 | 519 | 3681 | 227 | 3908 | 3261345 |
| 5 | 6631 | 60% | 0 | 0 | 0 | 11 | 35 | 228 | 432 | 660 | 214679 |
| 6 | 2953 | 5% | 0 | 0 | 0 | 17 | 100 | 425 | 31 | 456 | 582798 |
| 7 | 3397 | 100% | 0 | 0 | 0 | 4 | 20 | 276 | 245 | 521 | 65715 |
| 8 | 25634 | 16% | 0 | 0 | 0 | 75 | 449 | 2926 | 441 | 3367 | 2422824 |
| 9 | 3464 | 4% | 0 | 0 | 0 | 48 | 310 | 2873 | 474 | 3347 | 1703063 |
| 10 | 28273 | 38% | 0 | 0 | 0 | 22 | 126 | 995 | 6 | 1001 | 723948 |
| 11 | 32220 | 57% | 0 | 0 | 0 | 13 | 110 | 2429 | 135 | 2564 | 840334 |
| 12 | 23393 | 31% | 0 | 0 | 0 | 29 | 175 | 811 | 57 | 868 | 1194712 |
| Total | 210693 | 23% | 0 | 0 | 0 | 329 | 2307 | 18512 | 2639 | 21151 | 16010251 |

Table III-B

Area of Crops Irrigated in each District of H.P. State in 2016-17

(In Hectares)

| Sr. No. | District | CEREALS | | | | | | | | | | |
|-------------------|----------|--------------|-------------|--------------|--------------|-------------|--------------|----------|------------|--------------|--------------|--------------|
| | | RICE (Paddy) | | | Maize | | | Jowar | Bajra | Wheat | | |
| | | Rice HYV | Other | Total | HYV | Other | Total | | | HYV | Other | Total |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| 1 | BLS | 384 | 0 | 384 | 2624 | 0 | 2624 | 0 | 0 | 3575 | 0 | 3575 |
| 2 | CHM | 1049 | 991 | 2040 | 182 | 628 | 810 | 0 | 0 | 851 | 1997 | 2848 |
| 3 | HMR | 647 | 0 | 647 | 963 | 9 | 972 | 0 | 0 | 1561 | 181 | 1742 |
| 4 | KGR | 27481 | 0 | 27481 | 1095 | 3119 | 4214 | 0 | 159 | 6518 | 22285 | 28803 |
| 5 | KNR | 0 | 0 | 0 | 0 | 57 | 57 | 0 | 0 | 0 | 40 | 40 |
| 6 | KLU | 383 | 43 | 426 | 39 | 5 | 44 | 0 | 0 | 482 | 17 | 499 |
| 7 | LSP | 0 | 0 | 0 | 0 | 14 | 14 | 0 | 0 | 62 | 4 | 66 |
| 8 | MND | 10129 | 0 | 10129 | 2035 | 0 | 2035 | 0 | 0 | 11080 | 0 | 11080 |
| 9 | SML | 131 | 466 | 597 | 267 | 291 | 558 | 0 | 0 | 256 | 223 | 479 |
| 10 | SRM | 5049 | 4 | 5053 | 4226 | 167 | 4393 | 0 | 11 | 9252 | 581 | 9833 |
| 11 | SLN | 3860 | 0 | 3860 | 10705 | 3 | 10708 | 0 | 0 | 11158 | 2622 | 13780 |
| 12 | UNA | 1506 | 0 | 1506 | 4670 | 50 | 4720 | 0 | 0 | 13460 | 0 | 13460 |
| Total H.P. | | 50619 | 1504 | 52123 | 26806 | 4343 | 31149 | 0 | 170 | 58255 | 27950 | 86205 |

Table III-B Contd.

| Sr. No. | CEREALS | | | | | | | | | Total Cereals and Millets | Gram |
|---------|-------------|-------------|-------------|-----------|-----------------|----------------|-------------------------|----------------|-------------------------|---------------------------|-----------|
| | Barley | | | Ragi | Italian Millets | Kodo or Varagu | Little Millets or Kutki | Common Millets | Other Cereals (specify) | | |
| | HYV | Other | Total | | | | | | | | |
| | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 1 | 32 | 0 | 32 | 0 | 0 | 0 | 0 | 0 | 0 | 6615 | 2 |
| 2 | 15 | 359 | 374 | 0 | 0 | 0 | 349 | 0 | 0 | 6421 | 0 |
| 3 | 2 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3364 | 1 |
| 4 | 381 | 194 | 575 | 0 | 0 | 0 | 0 | 0 | 0 | 61232 | 4 |
| 5 | 0 | 463 | 463 | 0 | 0 | 0 | 33 | 349 | 0 | 942 | 0 |
| 6 | 26 | 0 | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 995 | 0 |
| 7 | 430 | 0 | 430 | 0 | 0 | 0 | 28 | 0 | 0 | 538 | 0 |
| 8 | 294 | 0 | 294 | 0 | 0 | 0 | 0 | 0 | 0 | 23538 | 7 |
| 9 | 24 | 63 | 87 | 5 | 0 | 0 | 0 | 3 | 0 | 1729 | 0 |
| 10 | 362 | 133 | 495 | 0 | 0 | 0 | 19 | 0 | 0 | 19804 | 21 |
| 11 | 268 | 27 | 295 | 10 | 0 | 0 | 0 | 0 | 0 | 28653 | 23 |
| 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19686 | 1 |
| | 1834 | 1240 | 3074 | 15 | 0 | 0 | 429 | 352 | 0 | 173517 | 59 |

Table III-B Contd.

| Sr. No. | District | PULSES | | | | | | Other Pulses(Specify) | | | Total Pulses | Total food Grains (Cereals & Pulses) | Sugarcane |
|-------------------------|----------|-----------------------|--------------------------------------|-------------------|----------------------|--------------------|-----------|------------------------|----------|------------|--------------|--------------------------------------|------------|
| | | Green gram or (Moong) | Red Gram Tur (Arhar) but not Rajmash | Black Gram (Mash) | Peas (Kharif/ Rabi) | Kulth (Horse gram) | Masur | Kharif (Rajmash Rong) | Rabi | Total | | | |
| | | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |
| 1 | BLS | 2 | 2 | 0 | 1 | 10 | 0 | 0 | 0 | 0 | 17 | 6632 | 0 |
| 2 | CHM | 2 | 49 | 17 | 0 | 9 | 9 | 0 | 0 | 0 | 86 | 6507 | 0 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3365 | 11 |
| 4 | KGR | 0 | 0 | 12 | 0 | 9 | 1 | 0 | 0 | 0 | 26 | 61258 | 343 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 482 | 0 | 482 | 482 | 1424 | 0 |
| 6 | KLU | 0 | 43 | 22 | 139 | 0 | 0 | 0 | 0 | 0 | 204 | 1199 | 0 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 43 | 0 | 43 | 43 | 581 | 0 |
| 8 | MND | 0 | 0 | 44 | 480 | 0 | 9 | 0 | 0 | 0 | 540 | 24078 | 0 |
| 9 | SML | 10 | 0 | 141 | 0 | 42 | 3 | 108 | 0 | 108 | 304 | 2033 | 1 |
| 10 | SRM | 0 | 0 | 194 | 0 | 26 | 56 | 18 | 0 | 18 | 315 | 20119 | 547 |
| 11 | SLN | 3 | 0 | 86 | 858 | 3 | 0 | 0 | 0 | 0 | 973 | 29626 | 0 |
| 12 | UNA | 6 | 0 | 44 | 16 | 0 | 0 | 0 | 0 | 0 | 67 | 19753 | 26 |
| Total H.P. State | | 23 | 94 | 560 | 1494 | 99 | 78 | 651 | 0 | 651 | 3058 | 176575 | 928 |

Table III-B Contd.

| Sr. No. | District | Fresh Fruits | | | | | | | |
|-------------------------|----------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|
| | | Fresh | | | | | | | |
| | | Apple | | Grapes | | Peaches | | Plum | |
| | | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area |
| | | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 |
| 1 | BLS | 7 | 0 | 4 | 0 | 0 | 0 | 0 | 0 |
| 2 | CHM | 7 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | KGR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | KNR | 4039 | 126 | 2 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 133 | 18 | 0 | 0 | 0 | 0 | 58 | 0 |
| 7 | LSP | 49 | 178 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 68 | 3 | 0 | 0 | 0 | 0 | 10 | 5 |
| 9 | SML | 81 | 21 | 0 | 0 | 0 | 0 | 5 | 0 |
| 10 | SRM | 77 | 5 | 0 | 0 | 110 | 1 | 1 | 0 |
| 11 | SLN | 6 | 0 | 2 | 0 | 5 | 1 | 35 | 0 |
| 12 | UNA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total H.P. State | | 4467 | 351 | 8 | 0 | 115 | 2 | 111 | 5 |

Table III-B Contd.

| Sr. No. | Fresh Fruits | | | | | | | |
|--------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|
| | Fresh | | | | | | | |
| | Lichi | | Pears | | Orange & Kinnu | | Lemon | |
| | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area |
| | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 |
| 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 40 | 0 | 27 | 0 | 61 | 0 | 42 | 0 |
| 5 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 6 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 3 | 0 | 16 | 9 | 0 | 0 | 8 | 2 |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 |
| 10 | 1 | 0 | 11 | 0 | 0 | 0 | 9 | 2 |
| 11 | 1 | 0 | 3 | 0 | 3 | 0 | 1 | 1 |
| 12 | 0 | 0 | 1 | 0 | 50 | 1 | 10 | 1 |
| Total | 47 | 0 | 74 | 9 | 114 | 1 | 80 | 6 |

Table III-B Contd.

| Sr. No. | Fresh Fruits | | | | | | | |
|--------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|
| | Fresh | | | | | | Total Fresh Fruits | |
| | Mango | | Guava | | Other (Specify) | | | |
| | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area |
| | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 |
| 1 | 3 | 0 | 32 | 0 | 0 | 0 | 48 | 0 |
| 2 | 9 | 1 | 6 | 0 | 6 | 16 | 30 | 17 |
| 3 | 10 | 0 | 0 | 0 | 0 | 0 | 10 | 0 |
| 4 | 1025 | 24 | 23 | 0 | 65 | 0 | 1283 | 24 |
| 5 | 0 | 0 | 0 | 0 | 48 | 0 | 4090 | 126 |
| 6 | 0 | 0 | 0 | 0 | 47 | 39 | 253 | 57 |
| 7 | 0 | 0 | 0 | 0 | 4 | 8 | 53 | 186 |
| 8 | 67 | 15 | 0 | 0 | 12 | 2 | 184 | 36 |
| 9 | 0 | 0 | 0 | 0 | 1 | 0 | 97 | 21 |
| 10 | 125 | 0 | 0 | 0 | 1 | 0 | 335 | 8 |
| 11 | 9 | 14 | 0 | 0 | 0 | 0 | 65 | 16 |
| 12 | 66 | 12 | 71 | 26 | 2 | 2 | 200 | 42 |
| Total | 1314 | 66 | 132 | 26 | 186 | 67 | 6648 | 533 |

Table III-B Contd.

| Sr.No. | District | DRY FRUITS | | | | | | | |
|-------------------------|----------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|
| | | DRY | | | | | | | |
| | | Walnut | | Almonds | | Chilgoza | | Other dry Fruits (Specify) | |
| | | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area |
| | | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 |
| 1 | BLS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | CHM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | KGR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | KNR | 1 | 0 | 37 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 |
| 7 | LSP | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | SML | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | SRM | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | SLN | 1 | 0 | 5 | 0 | 0 | 0 | 1 | 0 |
| 12 | UNA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total H.P. State | | 7 | 0 | 54 | 0 | 0 | 0 | 1 | 0 |

Table III-B Contd.

| Sr. No. | | | | | Potatoes | | | Peas | | |
|--------------|-------------------------------|---------------------------------|-------------------------------|---------------------------------|-------------|-------------|-------------|------------|-------------|-------------|
| | Total Dry Fruits | | Total Fruits (Fresh & Dry) | | Kharif | Rabi | Total | Kharif | Rabi | Total |
| | Bearing trees with No. & Area | Non-bearing trees with No. Area | Bearing trees with No. & Area | Non-bearing trees with No. Area | | | | | | |
| | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 |
| 1 | 0 | 0 | 48 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 2 | 0 | 0 | 30 | 17 | 41 | 4 | 45 | 13 | 2 | 15 |
| 3 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 1283 | 24 | 9 | 936 | 945 | 0 | 96 | 96 |
| 5 | 38 | 0 | 4128 | 126 | 64 | 0 | 64 | 177 | 659 | 836 |
| 6 | 12 | 0 | 265 | 57 | 64 | 70 | 134 | 22 | 0 | 22 |
| 7 | 2 | 0 | 55 | 186 | 565 | 0 | 565 | 0 | 1363 | 1363 |
| 8 | 0 | 0 | 184 | 36 | 16 | 73 | 89 | 17 | 0 | 17 |
| 9 | 0 | 0 | 97 | 21 | 150 | 103 | 253 | 150 | 125 | 275 |
| 10 | 3 | 0 | 338 | 8 | 127 | 100 | 227 | 73 | 542 | 615 |
| 11 | 7 | 0 | 72 | 16 | 2 | 41 | 43 | 0 | 26 | 26 |
| 12 | 0 | 0 | 200 | 42 | 736 | 734 | 1470 | 0 | 0 | 0 |
| Total | 62 | 0 | 6710 | 533 | 1774 | 2061 | 3835 | 452 | 2814 | 3266 |

Table III-B Contd.

| Sr. No. | District | Vegetables | | | | | | | |
|-------------------------|----------|--------------|------------|-------------|-------------|-----------------------|------------|-------------|------------|
| | | Sweet Potato | Onion | Tomato | Lady finger | Cabbage & Cauliflower | | | Turnip |
| | | | | | | Kharif | Rabi | Total | |
| | | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 |
| 1 | BLS | 2 | 7 | 45 | 2 | 0 | 0 | 0 | 0 |
| 2 | CHM | 0 | 24 | 13 | 0 | 8 | 0 | 8 | 0 |
| 3 | HMR | 0 | 14 | 0 | 4 | 0 | 11 | 11 | 0 |
| 4 | KGR | 0 | 149 | 2 | 18 | 11 | 14 | 25 | 2 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 0 | 66 | 537 | 17 | 184 | 181 | 365 | 103 |
| 7 | LSP | 0 | 0 | 0 | 0 | 552 | 0 | 552 | 0 |
| 8 | MND | 0 | 32 | 301 | 9 | 34 | 106 | 140 | 1 |
| 9 | SML | 10 | 12 | 256 | 10 | 40 | 49 | 89 | 10 |
| 10 | SRM | 0 | 82 | 1384 | 2 | 119 | 147 | 266 | 7 |
| 11 | SLN | 0 | 83 | 629 | 0 | 500 | 63 | 563 | 2 |
| 12 | UNA | 17 | 89 | 21 | 34 | 0 | 39 | 39 | 5 |
| Total H.P. State | | 29 | 558 | 3188 | 96 | 1448 | 610 | 2058 | 130 |

Table III-B Contd.

| Sr. No. | Vegetables | | | | | | Total Vegetables | Total Fruits and Vegetables | Chilles |
|--------------|------------|-----------|-----------|----------------------------|-----------------|------------------|------------------|-----------------------------|------------|
| | Radish | Carrot | Brinjal | Other Vegetables (Specify) | | Total Other Veg. | | | |
| | | | | Winter (Rabi) | Summer (Kharif) | | | | |
| | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 57 | 105 | 0 |
| 2 | 0 | 0 | 0 | 25 | 33 | 58 | 163 | 210 | 0 |
| 3 | 0 | 0 | 0 | 26 | 0 | 26 | 55 | 65 | 0 |
| 4 | 2 | 2 | 4 | 5 | 204 | 209 | 1454 | 2761 | 0 |
| 5 | 0 | 0 | 0 | 0 | 7 | 7 | 907 | 5161 | 0 |
| 6 | 29 | 2 | 21 | 28 | 2 | 30 | 1326 | 1648 | 11 |
| 7 | 0 | 0 | 0 | 0 | 10 | 10 | 2490 | 2731 | 0 |
| 8 | 4 | 12 | 4 | 28 | 42 | 70 | 679 | 899 | 2 |
| 9 | 24 | 14 | 21 | 197 | 15 | 212 | 1186 | 1304 | 14 |
| 10 | 23 | 0 | 0 | 29 | 660 | 689 | 3295 | 3641 | 88 |
| 11 | 26 | 1 | 0 | 0 | 359 | 359 | 1732 | 1820 | 1 |
| 12 | 27 | 6 | 21 | 104 | 20 | 124 | 1853 | 2095 | 4 |
| Total | 135 | 37 | 71 | 442 | 1352 | 1794 | 15197 | 22440 | 120 |

Table III-B Contd.

| Sr. No. | District | CONDIMENTS AND SPICES | | | | | | | Other Misc. Food Crops | Total Food Crops |
|-------------------------|----------|-----------------------|-----------|-----------|-------------|------------|-----------------------------|-----------------------------|------------------------|------------------|
| | | Ginger | Zeera | Turmeric | Garlic | Corriander | Other Condiments and Spices | Total Condiments and Spices | | |
| | | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 |
| 1 | BLS | 44 | 0 | 10 | 12 | 0 | 0 | 66 | 0 | 6803 |
| 2 | CHM | 1 | 0 | 0 | 11 | 0 | 17 | 29 | | 6746 |
| 3 | HMR | 2 | 0 | 4 | 2 | 1 | 0 | 9 | | 3450 |
| 4 | KGR | 7 | 0 | 6 | 40 | 0 | 0 | 53 | 0 | 64415 |
| 5 | KNR | 0 | 46 | 0 | 0 | 0 | 0 | 46 | 0 | 6631 |
| 6 | KLU | 0 | 0 | 0 | 63 | 10 | 0 | 84 | 0 | 2931 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3312 |
| 8 | MND | 10 | 0 | 0 | 37 | 7 | 0 | 56 | 0 | 25033 |
| 9 | SML | 20 | 0 | 6 | 36 | 11 | 2 | 89 | 0 | 3427 |
| 10 | SRM | 734 | 0 | 28 | 1418 | 8 | 0 | 2276 | 20 | 26603 |
| 11 | SLN | 207 | 0 | 0 | 49 | | 0 | 257 | 0 | 31703 |
| 12 | UNA | 3 | 0 | 9 | 12 | 3 | 0 | 31 | 0 | 21905 |
| Total H.P. State | | 1028 | 46 | 63 | 1680 | 40 | 19 | 2996 | 20 | 202959 |

Non-Food Crops

Table III-B Contd.

| Sr. No. | Fibres | | | | | Total Fibres | Oil Seeds | | |
|--------------|------------------|----------|----------|----------|-----------------|-----------------|-----------|-----------|------------------|
| | Cotton (Desi) | American | Total | Hemp | Other Fibres | | Groundnut | Sesamum | Rape (Toriya) |
| | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 66 | 0 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 9 | 0 |
| 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 |
| 12 | 0 | 0 | 0 | 0 | 62 | 62 | 1 | 10 | 21 |
| Total | 0 | 0 | 0 | 0 | 62 | 62 | 3 | 87 | 44 |

Table III-B Contd.

| Sr. No. | District | Edible Oil Seeds | | | Total Edible Oil Seeds | Total Non- Edible Oil Seeds | | | Total Non-edible Oil seeds | Total Oil Seeds |
|-------------------------|----------|------------------|-----------|----------|------------------------|-----------------------------|------------|------------------|----------------------------|-----------------|
| | | Mustard | Soyabean | Others | | Linseed | Taramira | Others (Specify) | | |
| | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 | 121 | 122 |
| 1 | BLS | 15 | 6 | 0 | 21 | 0 | 0 | 0 | 0 | 21 |
| 2 | CHM | 32 | 0 | 4 | 36 | | 18 | | 18 | 54 |
| 3 | HMR | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 4 | KGR | 302 | 28 | 0 | 396 | 470 | 1 | 0 | 471 | 867 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 10 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 10 |
| 7 | LSP | 16 | 0 | 0 | 16 | 0 | 0 | 0 | 0 | 16 |
| 8 | MND | 14 | 7 | 0 | 21 | 196 | 0 | 0 | 196 | 217 |
| 9 | SML | 24 | 0 | 0 | 26 | 0 | 0 | 0 | 0 | 26 |
| 10 | SRM | 276 | 13 | 3 | 303 | 0 | 25 | 0 | 25 | 328 |
| 11 | SLN | 223 | 4 | 0 | 250 | 67 | 63 | 0 | 130 | 380 |
| 12 | UNA | 236 | 0 | 0 | 268 | 0 | 29 | 0 | 29 | 297 |
| Total H.P. State | | 1149 | 58 | 7 | 1348 | 733 | 136 | 0 | 869 | 2217 |

Table III-B Contd.

| Sr. No. | Dyes & Tanning Materials | | Total Dyes & Tanning Materials | Drugs and Narcotics | | | | | Total Drugs & Narcotics |
|--------------|--------------------------|----------|--------------------------------|---------------------|-------------|----------------------|---------------|---|-------------------------|
| | Acacia | Others | | Tabacoo | Tea | Bhung or Indian Hemp | Poppy (Opium) | Others (Specify) Kuth, Manu, Hopes etc. | |
| | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 1305 | 0 | 0 | 0 | 1305 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 69 | 69 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 | 21 |
| 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | 0 | 0 | 0 | 1305 | 0 | 0 | 90 | 1395 |

Table III-B Contd.

| Sr. No. | District | Fodder Crops | | | | Other Misc. Non-food Crops (Specify) | Gross Irrigated Area | | |
|-------------------------|----------|-------------------|-------------|------------------|--------------------|--------------------------------------|----------------------|------------------|-----------------------------|
| | | Barseem & Lucerne | Chari | Others (Specify) | Total Fodder Crops | | Total Non-Food Crops | Total Food Crops | Total Food & Non-Food Crops |
| | | 132 | 133 | 134 | 135 | | 136 | 137 | 138 |
| 1 | BLS | 0 | 0 | 0 | 0 | 0 | 21 | 6803 | 6824 |
| 2 | CHM | 13 | 2 | 1 | 16 | 0 | 70 | 6746 | 6816 |
| 3 | HMR | 22 | 3 | 0 | 25 | 0 | 26 | 3450 | 3476 |
| 4 | KGR | 539 | 460 | 12 | 1011 | 14 | 3197 | 64415 | 67612 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 6631 | 6631 |
| 6 | KLU | 2 | 7 | 3 | 12 | 0 | 22 | 2931 | 2953 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 85 | 3312 | 3397 |
| 8 | MND | 324 | 47 | 13 | 384 | 0 | 601 | 25033 | 25634 |
| 9 | SML | 1 | 5 | 5 | 11 | 0 | 37 | 3427 | 3464 |
| 10 | SRM | 347 | 706 | 39 | 1092 | 229 | 1670 | 26603 | 28273 |
| 11 | SLN | 203 | 193 | 0 | 124 | 13 | 517 | 31703 | 32220 |
| 12 | UNA | 471 | 658 | 0 | 1129 | 0 | 1488 | 21905 | 23393 |
| Total H.P. State | | 1922 | 2081 | 73 | 3804 | 256 | 7734 | 202959 | 210693 |

Table No. IV(A)
Area Under food crops in each District of H.P. State in 2016-17

(In hectares)

| Sr. No. | District | Cereals | | | | | | | |
|-------------------------|----------|---------------------|-------------|--------------|----------------|--------------|---------------|--------------------------|------------|
| | | Rice (Paddy) Kharif | | | Maize (Kharif) | | | Jowar or Cholam (Kharif) | |
| | | Current | | Normal | Current | | Normal | Current | Normal |
| | | Rice HYV | Other | | HYV | Other | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | |
| 1 | BLS | 1281 | 0 | 1452 | 27905 | 148 | 25196 | 4 | 3 |
| 2 | CHM | 1318 | 2007 | 3370 | 4251 | 22789 | 27325 | 0 | 0 |
| 3 | HMR | 1477 | 159 | 1878 | 29822 | 4378 | 33497 | 0 | 0 |
| 4 | KGR | 36902 | 0 | 38866 | 35743 | 14363 | 54804 | 0 | 0 |
| 5 | KNR | 0 | 6 | 7 | 0 | 62 | 103 | 0 | 0 |
| 6 | KLU | 424 | 225 | 1250 | 11021 | 3115 | 16199 | 0 | 0 |
| 7 | LSP | 0 | 0 | 0 | 0 | 14 | 25 | 0 | 0 |
| 8 | MND | 17860 | 0 | 18407 | 47996 | 0 | 49149 | 0 | 20 |
| 9 | SML | 160 | 469 | 1006 | 3523 | 3338 | 8542 | 0 | 0 |
| 10 | SRM | 7361 | 7 | 6534 | 17491 | 550 | 19637 | 0 | 0 |
| 11 | SLN | 3860 | 0 | 3580 | 19712 | 8 | 21607 | 0 | 140 |
| 12 | UNA | 1594 | 0 | 1638 | 30725 | 110 | 31763 | 0 | 0 |
| Total H.P. State | | 72237 | 2873 | 77988 | 228189 | 48875 | 287848 | 4 | 163 |

Table No. IV (A) Contd.

| Cereals | | | | | | | | |
|---------|-------------------------|------------|---------------|--------------|---------------|--------------|-------------|--------------|
| Sr. No. | Bajra or Cumbu (Kharif) | | Wheat | | | Barley | | |
| | Current | Normal | Current | | Normal | Current | | Normal |
| | | | HYV | Other | | HYV | Other | |
| | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 1 | 0 | 22 | 24848 | 341 | 24714 | 227 | 4 | 156 |
| 2 | 0 | 0 | 4386 | 18751 | 21763 | 376 | 4358 | 4271 |
| 3 | 0 | 3 | 28249 | 3947 | 33094 | 25 | 58 | 89 |
| 4 | 430 | 209 | 45386 | 50287 | 86756 | 2071 | 194 | 2447 |
| 5 | 0 | 0 | 0 | 153 | 168 | 0 | 686 | 750 |
| 6 | 0 | 0 | 10152 | 1693 | 15880 | 1979 | 172 | 2365 |
| 7 | 0 | 0 | 62 | 4 | 61 | 430 | 0 | 492 |
| 8 | 13 | 5 | 67348 | 0 | 68189 | 3546 | 0 | 3393 |
| 9 | 1 | 19 | 4178 | 3828 | 8373 | 536 | 2062 | 2776 |
| 10 | 16 | 79 | 22965 | 2133 | 25743 | 1842 | 449 | 2356 |
| 11 | 0 | 439 | 20554 | 2622 | 28638 | 1569 | 27 | 1650 |
| 12 | 0 | 0 | 35326 | 41 | 34943 | 0 | 0 | 1 |
| | 460 | 776 | 263454 | 83800 | 348322 | 12601 | 8010 | 20745 |

Table No. IV (A) Contd.

| Cereals | | | | | | | | | |
|-------------------------|----------|------------|-------------|--------------------------|----------|-------------------------|------------|--|-------------|
| Sr. No. | District | Ragi | | Italian millets (Kharif) | | Kodo or Varagu (Kharif) | | Little Millets or Kutki, Kodra, Gagari, Kathu Sival Bharesa Chinne Kangni (Kharif) | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 1 | BLS | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | CHM | 12 | 6 | 18 | 0 | 0 | 3 | 1119 | 1146 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | KGR | 0 | 83 | 23 | 0 | 5 | 0 | 2 | 27 |
| 5 | KNR | 0 | 2 | 0 | 0 | 0 | 0 | 283 | 550 |
| 6 | KLU | 193 | 379 | 0 | 0 | 0 | 0 | 68 | 350 |
| 7 | LSP | 0 | 6 | 0 | 0 | 0 | 17 | 28 | 18 |
| 8 | MND | 0 | 0 | 0 | 0 | 824 | 880 | 262 | 326 |
| 9 | SML | 338 | 481 | 0 | 0 | 0 | 2 | 0 | 936 |
| 10 | SRM | 290 | 371 | 0 | 0 | 0 | 0 | 75 | 19 |
| 11 | SLN | 51 | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | UNA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total H.P. State | | 884 | 1334 | 41 | 0 | 829 | 902 | 1837 | 3372 |

Table No. IV (A) Contd.

| Cereals | | | | | | | | | | |
|---------|-------------------------|-------------|-------------------------|-----------|----------|----------|-------------------------------|-----------|---------------|---------------|
| Sr. No. | Common Millets (Kharif) | | Other Millets (Specify) | | | | Total Other Millets (Specify) | | Total Cereals | |
| | Current | Normal | Kharif | | Rabi | | Current | Normal | Current | Normal |
| | | | Current | Normal | Current | Normal | | | | |
| | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 54758 | 51545 |
| 2 | 0 | 7 | 0 | 10 | 1 | 0 | 1 | 10 | 59386 | 57901 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 68115 | 68561 |
| 4 | 7 | 1 | 0 | 37 | 0 | 1 | 0 | 39 | 185413 | 183231 |
| 5 | 617 | 501 | 700 | 0 | 0 | 0 | 700 | 0 | 2507 | 2080 |
| 6 | 115 | 44 | 0 | 1 | 0 | 0 | 0 | 1 | 29157 | 36468 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 538 | 619 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 137849 | 140369 |
| 9 | 1511 | 1031 | 0 | 0 | 0 | 0 | 0 | 0 | 19944 | 23166 |
| 10 | 0 | 74 | 0 | 0 | 0 | 0 | 0 | 0 | 53179 | 54812 |
| 11 | 0 | 94 | 0 | 0 | 0 | 0 | 0 | 0 | 48403 | 56154 |
| 12 | 0 | 1 | 0 | 0 | 4 | 0 | 4 | 0 | 67800 | 68347 |
| | 2250 | 1753 | 700 | 48 | 5 | 2 | 705 | 49 | 727049 | 743253 |

Table No. IV (A) Contd.

| Sr. No. | District | PULSES | | | | | | | |
|-------------------------|----------|-------------|------------|------------------------------|------------|--|-------------|-----------------------------------|-------------|
| | | Gram (Rabi) | | Green gram or Moong (Kharif) | | Red gram or tur (Arhar) but not Rajmash (Kharif) | | Black gram or Urd (Mash) (Kharif) | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 |
| 1 | BLS | 18 | 89 | 4 | 22 | 2 | 7 | 29 | 55 |
| 2 | CHM | 0 | 1 | 27 | 71 | 1211 | 948 | 1817 | 1754 |
| 3 | HMR | 3 | 2 | 0 | 0 | 0 | 0 | 1 | 8 |
| 4 | KGR | 187 | 216 | 5 | 49 | 0 | 8 | 144 | 1648 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| 6 | KLU | 184 | 63 | 8 | 25 | 1343 | 1387 | 910 | 1054 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 8 | MND | 28 | 18 | 20 | 29 | 1523 | 1256 | 1007 | 852 |
| 9 | SML | 7 | 8 | 23 | 59 | 0 | 19 | 838 | 1046 |
| 10 | SRM | 73 | 94 | 0 | 0 | 1 | 2 | 948 | 1013 |
| 11 | SLN | 77 | 25 | 3 | 18 | 0 | 18 | 758 | 763 |
| 12 | UNA | 4 | 15 | 10 | 13 | 0 | 0 | 97 | 120 |
| Total H.P. State | | 581 | 531 | 100 | 286 | 4080 | 3645 | 6551 | 8325 |

Table No. IV (A) Contd.

| PULSES | | | | | | | | | | |
|---------|------------|-----------|-------------|-------------|-------------|-------------|--------------------|-------------|------------|------------|
| Sr. No. | Peas | | | | Peas (K+R) | | Horse Gram (Kulth) | | Masur (R) | |
| | Kharif | | Rabi | | Current | Normal | Current | Normal | Current | Normal |
| | Current | Normal | Current | Normal | | | | | | |
| | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
| 1 | 0 | 0 | 1 | 2 | 1 | 2 | 10 | 24 | 2 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 349 | 332 | 51 | 47 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 |
| 4 | 0 | 1 | 0 | 24 | 0 | 25 | 186 | 186 | 1 | 47 |
| 5 | 177 | 97 | 715 | 789 | 892 | 887 | 0 | 0 | 1 | 1 |
| 6 | 0 | 0 | 1059 | 626 | 1059 | 626 | 176 | 174 | 168 | 83 |
| 7 | 0 | 0 | 0 | 782 | 0 | 782 | 0 | 0 | 0 | 0 |
| 8 | 0 | 0 | 5431 | 2261 | 5431 | 2261 | 222 | 223 | 43 | 68 |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 321 | 439 | 31 | 79 |
| 10 | 0 | 0 | 0 | 1 | 0 | 1 | 202 | 273 | 190 | 230 |
| 11 | 0 | 0 | 858 | 300 | 858 | 300 | 260 | 236 | 4 | 3 |
| 12 | 0 | 0 | 16 | 7 | 16 | 7 | 17 | 24 | 1 | 3 |
| | 177 | 98 | 8080 | 4793 | 8257 | 4891 | 1743 | 1914 | 492 | 564 |

Table No. IV (A) Contd.

| Sr. No. | District | PULSES | | | | | | Total Pulses. | | Total food Grains (Cereals & Pulses) | | Sugar raw | |
|-------------------------|----------|-------------------------------|-------------|----------|----------|------------------------------|-------------|---------------|--------------|--------------------------------------|---------------|-------------|-------------|
| | | Other Pulses(Specify) | | | | Total Other Pulses (Specify) | | Current | Normal | Current | Normal | | |
| | | Kharif (Rajmash, Rong & Moth) | | Rabi | | | | | | | | | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | | |
| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 |
| 1 | BLS | 0 | 16 | 0 | 1 | 0 | 17 | 66 | 217 | 54824 | 51763 | 0 | 9 |
| 2 | CHM | 4 | 233 | 0 | 0 | 4 | 233 | 3459 | 3386 | 62845 | 61287 | 0 | 2 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 14 | 68119 | 68574 | 35 | 33 |
| 4 | KGR | 1898 | 625 | 0 | 1 | 1898 | 626 | 2421 | 2805 | 187834 | 186036 | 479 | 617 |
| 5 | KNR | 482 | 634 | 0 | 0 | 482 | 634 | 1377 | 1524 | 3884 | 3604 | 0 | 0 |
| 6 | KLU | 3 | 2 | 0 | 0 | 3 | 2 | 3851 | 3413 | 33008 | 39881 | 0 | 0 |
| 7 | LSP | 43 | 35 | 0 | 0 | 43 | 35 | 43 | 826 | 581 | 1445 | 0 | 0 |
| 8 | MND | 149 | 376 | 0 | 1 | 149 | 377 | 8423 | 5085 | 146272 | 145454 | 0 | 0 |
| 9 | SML | 1436 | 1556 | 0 | 3 | 1436 | 1558 | 2656 | 3209 | 22600 | 26375 | 1 | 0 |
| 10 | SRM | 69 | 137 | 0 | 0 | 69 | 137 | 1483 | 1751 | 54662 | 56564 | 839 | 937 |
| 11 | SLN | 0 | 39 | 0 | 0 | 0 | 39 | 1960 | 1402 | 50363 | 57555 | 14 | 48 |
| 12 | UNA | 0 | 11 | 0 | 4 | 0 | 15 | 145 | 198 | 67945 | 68545 | 131 | 179 |
| Total H.P. State | | 4084 | 3665 | 0 | 9 | 4084 | 3674 | 25888 | 23830 | 752937 | 767083 | 1499 | 1823 |

Table No. IV (A) Contd.

| | | FRESH FRUITS | | | | | | | | |
|-------------------------|----------|-------------------------------|--------------|--------------|-----------------------------------|--------------|-------------------------------|-----|-----------|-----------|
| Sr. No. | District | Apple(K) | | | | | Grapes (K) | | | |
| | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | Bearing trees with No. & Area | | | |
| | | No. | Area | | No. | Area | | No. | Area | |
| | | | Current | Normal | | Current | Normal | | Current | Normal |
| | | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 |
| 1 | BLS | | 7 | 7 | | 0 | 0 | | 4 | 0 |
| 2 | CHM | | 2003 | 1846 | | 320 | 603 | | 0 | 0 |
| 3 | HMR | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 4 | KGR | | 0 | 2 | | 0 | 0 | | 0 | 3 |
| 5 | KNR | | 5588 | 5251 | | 170 | 210 | | 2 | 3 |
| 6 | KLU | | 11949 | 9307 | | 605 | 290 | | 0 | 0 |
| 7 | LSP | | 49 | 57 | | 178 | 182 | | 0 | 0 |
| 8 | MND | | 4781 | 4435 | | 536 | 465 | | 0 | 0 |
| 9 | SML | | 42382 | 40335 | | 10409 | 8277 | | 0 | 0 |
| 10 | SRM | | 573 | 488 | | 91 | 30 | | 0 | 0 |
| 11 | SLN | | 6 | 5 | | 2 | 12 | | 8 | 7 |
| 12 | UNA | | 0 | 0 | | 0 | 0 | | 1 | 0 |
| Total H.P. State | | | 67338 | 61733 | | 12311 | 10069 | | 15 | 13 |

Table No. IV (A) Contd.

| | FRESH FRUITS | | | | | | | | |
|---------|-----------------------------------|----------|-----------|-------------------------------|------------|------------|-----------------------------------|-----------|-----------|
| Sr. No. | Grapes (K) | | | Peaches (K) | | | | | |
| | Non-Bearing trees with No. & Area | | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | |
| | No. | Area | | No. | Area | | No. | Area | |
| | | Current | Normal | | Current | Normal | | Current | Normal |
| | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 |
| 1 | | 0 | 0 | | 38 | 0 | | 4 | 0 |
| 2 | | 0 | 9 | | 25 | 7 | | 0 | 0 |
| 3 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 4 | | 0 | 3 | | 0 | 38 | | 0 | 11 |
| 5 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 6 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 7 | | 0 | 8 | | 0 | 1 | | 0 | 2 |
| 8 | | 0 | 0 | | 0 | 2 | | 0 | 0 |
| 9 | | 0 | 0 | | 193 | 67 | | 4 | 6 |
| 10 | | 0 | 0 | | 697 | 668 | | 10 | 6 |
| 11 | | 0 | 3 | | 16 | 56 | | 10 | 14 |
| 12 | | 0 | 0 | | 2 | 15 | | 1 | 30 |
| | | 0 | 24 | | 971 | 855 | | 29 | 69 |

Table No. IV (A) Contd.

| Sr. No. | District | Plum (K) | | | | | | Lichi (K) | | | | | |
|-------------------------|----------|-------------------------------|------------|-------------|-----------------------------------|------------|------------|-------------------------------|-----------|------------|-----------------------------------|----------|-----------|
| | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | |
| | | No. | Area | | No. | Area | | No. | Area | | No. | Area | |
| | | | Current | Normal | | Current | Normal | | Current | Normal | | Current | Normal |
| | | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 |
| 1 | BLS | | 0 | 28 | | 4 | 0 | | 6 | 12 | | 8 | 4 |
| 2 | CHM | | 53 | 76 | | 9 | 10 | | 0 | 3 | | 0 | 0 |
| 3 | HMR | | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 4 | KGR | | 0 | 15 | | 0 | 24 | | 49 | 191 | | 0 | 51 |
| 5 | KNR | | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 6 | KLU | | 548 | 669 | | 20 | 94 | | 0 | 0 | | 0 | 0 |
| 7 | LSP | | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 8 | MND | | 179 | 267 | | 165 | 47 | | 11 | 6 | | 0 | 3 |
| 9 | SML | | 81 | 107 | | 25 | 36 | | 1 | 3 | | 0 | 0 |
| 10 | SRM | | 9 | 27 | | 1 | 0 | | 4 | 1 | | 0 | 0 |
| 11 | SLN | | 35 | 79 | | 2 | 19 | | 2 | 3 | | 0 | 0 |
| 12 | UNA | | 0 | 0 | | 0 | 0 | | 0 | 0 | | 1 | 1 |
| Total H.P. State | | | 905 | 1269 | | 226 | 231 | | 73 | 218 | | 9 | 61 |

Table No. IV (A) Contd.

| Sr. No. | Pears (K) | | | | | | Kinnu and Orange (R) | | | | | |
|------------|-------------------------------|------------|------------|-----------------------------------|-----------|-----------|-------------------------------|------------|-------------|-----------------------------------|----------|-------------|
| | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | |
| | No. | Area | | No. | Area | | No. | Area | | No. | Area | |
| | | Current | Normal | | Current | Normal | | Current | Normal | | Current | Normal |
| | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 |
| 1 | | 0 | 10 | | 13 | 0 | | 6 | 7 | | 0 | 0 |
| 2 | | 0 | 2 | | 0 | 0 | | 0 | 0 | | 0 | 6 |
| 3 | | 0 | 0 | | 0 | 0 | | 12 | 12 | | 0 | 0 |
| 4 | | 27 | 16 | | 0 | 0 | | 477 | 1066 | | 0 | 1344 |
| 5 | | 1 | 1 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 6 | | 124 | 76 | | 14 | 4 | | 0 | 0 | | 0 | 0 |
| 7 | | 0 | 2 | | 0 | 5 | | 0 | 0 | | 0 | 0 |
| 8 | | 41 | 52 | | 12 | 25 | | 0 | 8 | | 0 | 2 |
| 9 | | 2 | 1 | | 0 | 1 | | 0 | 0 | | 0 | 0 |
| 10 | | 15 | 4 | | 0 | 0 | | 0 | 16 | | 0 | 0 |
| 11 | | 4 | 17 | | 0 | 10 | | 19 | 88 | | 4 | 7 |
| 12 | | 6 | 56 | | 1 | 11 | | 90 | 100 | | 3 | 19 |
| | | 220 | 236 | | 40 | 56 | | 604 | 1296 | | 7 | 1377 |

Table No. IV (A) Contd.

| Sr. No. | District | Lemon (R) | | | | | | Mango | | |
|-------------------------|----------|-------------------------------|------------|------------|-----------------------------------|-------------|-------------|-------------------------------|-------------|-------------|
| | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | | Bearing trees with No. & Area | | |
| | | No. | Area | | No. | Area | | No. | Area | |
| | | | Current | Normal | | Current | Normal | | Current | Normal |
| | | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 |
| 1 | BLS | | 4 | 10 | | 0 | 0 | | 61 | 197 |
| 2 | CHM | | 5 | 22 | | 0 | 6 | | 33 | 39 |
| 3 | HMR | | 0 | 6 | | 0 | 0 | | 59 | 67 |
| 4 | KGR | | 107 | 33 | | 1231 | 1154 | | 4390 | 2643 |
| 5 | KNR | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 6 | KLU | | 8 | 16 | | 0 | 2 | | 0 | 0 |
| 7 | LSP | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 8 | MND | | 112 | 148 | | 55 | 58 | | 571 | 435 |
| 9 | SML | | 37 | 12 | | 4 | 0 | | 2 | 14 |
| 10 | SRM | | 16 | 10 | | 9 | 4 | | 216 | 213 |
| 11 | SLN | | 10 | 24 | | 6 | 19 | | 37 | 72 |
| 12 | UNA | | 18 | 29 | | 2 | 17 | | 126 | 229 |
| Total H.P. State | | | 317 | 310 | | 1307 | 1261 | | 5495 | 3909 |

Table No. IV (A) Contd.

| Sr. No. | | | | | | | | | |
|---------|-----------------------------------|------------|------------|-------------------------------|------------|-----------|-----------------------------------|-----------|-----------|
| | Mango | | | Guava (K) | | | | | |
| | Non-Bearing trees with No. & Area | | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | |
| | No. | Area | | No. | Area | | No. | Area | |
| | | Current | Normal | | Current | Normal | | Current | Normal |
| | 116 | 117 | 118 | 119 | 120 | 121 | 122 | 123 | 124 |
| 1 | | 6 | 8 | | 32 | 1 | | 0 | 0 |
| 2 | | 10 | 16 | | 6 | 0 | | 0 | 0 |
| 3 | | 0 | 9 | | 0 | 0 | | 0 | 0 |
| 4 | | 85 | 103 | | 93 | 38 | | 0 | 25 |
| 5 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 6 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 7 | | 0 | 0 | | 0 | 0 | | 0 | 0 |
| 8 | | 150 | 241 | | 6 | 1 | | 0 | 0 |
| 9 | | 1 | 2 | | 0 | 0 | | 0 | 0 |
| 10 | | 4 | 1 | | 1 | 1 | | 0 | 0 |
| 11 | | 25 | 33 | | 0 | 3 | | 0 | 1 |
| 12 | | 13 | 25 | | 146 | 22 | | 41 | 7 |
| | | 294 | 439 | | 284 | 67 | | 41 | 33 |

Table No. IV (A) Contd.

| | | FRESH FRUITS | | | | | | | | | | | |
|-------------------------|----------|-------------------------------|-------------|-------------|-----------------------------------|------------|------------|-------------------------------|--------------|--------------|-----------------------------------|--------------|--------------|
| Sr. No. | District | Other (Specify) (K) | | | | | | Total Fresh Fruits | | | | | |
| | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | |
| | | No. | Area | | No. | Area | | No. | Area | | No. | Area | |
| | | | Current | Normal | | Current | Normal | | Current | Normal | | Current | Normal |
| | | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 |
| 1 | BLS | | 108 | 104 | | 0 | 8 | | 266 | 376 | | 35 | 20 |
| 2 | CHM | | 1194 | 130 | | 426 | 64 | | 3319 | 2125 | | 765 | 716 |
| 3 | HMR | | 0 | 0 | | 0 | 0 | | 71 | 85 | | 0 | 9 |
| 4 | KGR | | 453 | 1399 | | 0 | 90 | | 5596 | 5445 | | 1316 | 2806 |
| 5 | KNR | | 64 | 58 | | 0 | 0 | | 5655 | 5313 | | 170 | 210 |
| 6 | KLU | | 2969 | 88 | | 303 | 22 | | 15598 | 10155 | | 942 | 411 |
| 7 | LSP | | 4 | 1 | | 8 | 7 | | 53 | 61 | | 186 | 204 |
| 8 | MND | | 46 | 71 | | 14 | 62 | | 5747 | 5424 | | 932 | 903 |
| 9 | SML | | 569 | 629 | | 1 | 1 | | 43267 | 41168 | | 10444 | 8323 |
| 10 | SRM | | 5 | 17 | | 0 | 1 | | 1536 | 1443 | | 115 | 42 |
| 11 | SLN | | 57 | 500 | | 15 | 33 | | 194 | 855 | | 64 | 153 |
| 12 | UNA | | 5 | 88 | | 2 | 23 | | 394 | 539 | | 64 | 134 |
| Total H.P. State | | | 5474 | 3085 | | 769 | 311 | | 81696 | 72990 | | 15033 | 13931 |

Table No. IV (A) Contd.

| Sr. No. | Dry Fruits | | | | | | | | | | | |
|------------|-------------------------------|-----------|--------|-----------------------------------|-----------|--------|-------------------------------|------------|--------|-----------------------------------|------------|--------|
| | Walnut (K+R) | | | | | | Almonds (K+R) | | | | | |
| | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | |
| | No. | Area | | No. | Area | | No. | Area | | No. | Area | |
| | | Current | Normal | | Current | Normal | | Current | Normal | | Current | Normal |
| | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 | 146 | 147 | 148 |
| 1 | 0 | 1 | | 0 | 10 | | 0 | 0 | | 0 | 0 | |
| 2 | 5 | 40 | | 1 | 1 | | 0 | 5 | | 0 | 1 | |
| 3 | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| 4 | 3 | 1 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| 5 | 3 | 5 | | 0 | 0 | | 37 | 38 | | 0 | 0 | |
| 6 | 0 | 2 | | 0 | 0 | | 126 | 162 | | 0 | 3 | |
| 7 | 2 | 2 | | 0 | 0 | | 0 | 37 | | 0 | 0 | |
| 8 | 3 | 2 | | 0 | 0 | | 150 | 114 | | 0 | 30 | |
| 9 | 68 | 25 | | 7 | 5 | | 386 | 339 | | 87 | 82 | |
| 10 | 5 | 4 | | 0 | 3 | | 1 | 0 | | 0 | 0 | |
| 11 | 1 | 2 | | 0 | 3 | | 5 | 1 | | 7 | 0 | |
| 12 | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| | 90 | 84 | | 8 | 21 | | 705 | 696 | | 94 | 116 | |

Table No. IV (A) Contd.

| Sr. No. | District | Dry Fruits | | | | | | | | | | | |
|------------------|----------|-------------------------------|------------|--------|-----------------------------------|----------|-------------------------------|-----------|------------|-----------------------------------|----------|----------|--------|
| | | Chilgoza(K) | | | | | Other Dry Fruits (specify) | | | | | | |
| | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | | |
| | | No. | Area | | No. | Area | | No. | Area | | No. | Area | |
| | | | Current | Normal | | Current | Normal | | Current | Normal | | Current | Normal |
| | | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 | 157 | 158 | 159 | 160 |
| 1 | BLS | 0 | 0 | | 0 | 0 | | 6 | 0 | | 0 | 0 | |
| 2 | CHM | 0 | 4 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| 3 | HMR | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| 4 | KGR | 0 | 0 | | 0 | 0 | | 0 | 1 | | 0 | 0 | |
| 5 | KNR | 271 | 261 | | 0 | 0 | | 17 | 93 | | 0 | 0 | |
| 6 | KLU | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| 7 | LSP | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| 8 | MND | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| 9 | SML | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| 10 | SRM | 0 | 0 | | 0 | 0 | | 0 | 0 | | 0 | 0 | |
| 11 | SLN | 0 | 0 | | 0 | 0 | | 1 | 9 | | 0 | 2 | |
| 12 | UNA | 0 | 0 | | 0 | 0 | | 0 | 9 | | 0 | 2 | |
| Total H.P. State | | 271 | 265 | | 0 | 0 | | 24 | 112 | | 0 | 4 | |

Table No. IV (A) Contd.

| Sr. No. | Total Dry Fruits | | | | | | Total Fruits (Fresh & Dry) | | | | | |
|------------|-------------------------------|-------------|--------|-----------------------------------|------------|--------|-------------------------------|--------------|--------|-----------------------------------|--------------|--------|
| | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | | Bearing trees with No. & Area | | | Non-Bearing trees with No. & Area | | |
| | No. | Area | | No. | Area | | No. | Area | | No. | Area | |
| | | Current | Normal | | Current | Normal | | Current | Normal | | Current | Normal |
| | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 | 171 | 172 |
| | 1 | 6 | 1 | | 0 | 10 | | 272 | 378 | | 35 | 30 |
| 2 | 5 | 49 | | 1 | 2 | | 3324 | 2174 | | 766 | 717 | |
| 3 | 0 | 0 | | 0 | 0 | | 71 | 85 | | 0 | 9 | |
| 4 | 3 | 3 | | 0 | 0 | | 5599 | 5448 | | 1316 | 2806 | |
| 5 | 328 | 396 | | 0 | 0 | | 5983 | 5708 | | 170 | 210 | |
| 6 | 126 | 165 | | 0 | 3 | | 15724 | 10320 | | 942 | 414 | |
| 7 | 2 | 39 | | 0 | 0 | | 55 | 100 | | 186 | 204 | |
| 8 | 153 | 116 | | 0 | 30 | | 5900 | 5540 | | 932 | 933 | |
| 9 | 454 | 363 | | 94 | 87 | | 43721 | 41532 | | 10538 | 8411 | |
| 10 | 6 | 4 | | 0 | 3 | | 1542 | 1447 | | 115 | 45 | |
| 11 | 7 | 12 | | 7 | 5 | | 201 | 867 | | 71 | 158 | |
| 12 | 0 | 9 | | 0 | 2 | | 394 | 548 | | 64 | 136 | |
| | 1090 | 1157 | | 102 | 141 | | 82786 | 74147 | | 15135 | 14073 | |

Table No. IV (A) Contd.

| Sr. No. | District | VEGETABLES | | | | | | | | | |
|------------------|----------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|--------------|
| | | Potatoes | | | | | Peas | | | | |
| | | Kharif | | Rabi | | Total | Kharif | | Rabi | | Total |
| | | Current | Normal | Current | Normal | | Current | Normal | Current | Normal | |
| | | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
| 1 | BLS | 97 | 3 | 0 | 11 | 97 | 0 | 6 | 1 | 0 | 1 |
| 2 | CHM | 624 | 658 | 233 | 231 | 857 | 486 | 446 | 306 | 303 | 792 |
| 3 | HMR | 0 | 4 | 3 | 3 | 3 | 0 | 0 | 0 | 0 | 0 |
| 4 | KGR | 160 | 224 | 1140 | 1000 | 1300 | 0 | 4 | 154 | 14 | 154 |
| 5 | KNR | 98 | 112 | 0 | 0 | 98 | 177 | 91 | 715 | 439 | 892 |
| 6 | KLU | 815 | 752 | 357 | 402 | 1172 | 179 | 198 | 0 | 0 | 179 |
| 7 | LSP | 565 | 668 | 0 | 0 | 565 | 0 | 329 | 1363 | 1089 | 1363 |
| 8 | MND | 1935 | 1939 | 316 | 335 | 2251 | 2043 | 1106 | 0 | 0 | 2043 |
| 9 | SML | 1063 | 1342 | 740 | 698 | 1803 | 1063 | 1097 | 2797 | 2974 | 3860 |
| 10 | SRM | 462 | 471 | 230 | 172 | 692 | 285 | 390 | 1343 | 1477 | 1628 |
| 11 | SLN | 3 | 13 | 54 | 84 | 57 | 0 | 0 | 26 | 344 | 26 |
| 12 | UNA | 866 | 520 | 743 | 633 | 1609 | 0 | 0 | 4 | 2 | 4 |
| Total H.P. State | | 6688 | 6706 | 3816 | 3567 | 10504 | 4233 | 3666 | 6709 | 6643 | 10942 |

Table No. IV (A) Contd.

| Sr. No. | VEGETABLES | | | | | | | | | | | | Total |
|---------|--------------------|----------|--------------|------------|-------------|-------------|-----------------|------------|-----------------------|-------------|-------------|-------------|-------------|
| | Sweet Potatoes (K) | | Onion (K+R) | | Tomato (K) | | Lady finger (K) | | Cabbage & Cauliflower | | | | |
| | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Kharif | | Rabi | | |
| | | | | | | | | | Current | Normal | Current | Normal | |
| 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 | |
| 1 | 2 | 0 | 26 | 41 | 118 | 93 | 2 | 5 | 2 | 1 | 0 | 4 | 2 |
| 2 | 0 | 0 | 62 | 56 | 85 | 62 | 2 | 3 | 13 | 16 | 1 | 4 | 14 |
| 3 | 0 | 0 | 54 | 31 | 0 | 2 | 5 | 17 | 0 | 4 | 18 | 22 | 18 |
| 4 | 0 | 0 | 216 | 158 | 4 | 28 | 70 | 48 | 162 | 66 | 254 | 38 | 416 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 0 | 0 | 98 | 77 | 1112 | 920 | 39 | 37 | 525 | 474 | 638 | 263 | 1163 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 552 | 355 | 0 | 0 | 552 |
| 8 | 0 | 0 | 70 | 96 | 309 | 178 | 26 | 27 | 591 | 272 | 255 | 140 | 846 |
| 9 | 19 | 0 | 18 | 23 | 534 | 569 | 23 | 19 | 576 | 644 | 811 | 835 | 1387 |
| 10 | 0 | 0 | 167 | 166 | 3303 | 2406 | 5 | 4 | 250 | 201 | 260 | 309 | 510 |
| 11 | 0 | 0 | 125 | 46 | 1080 | 1644 | 2 | 17 | 500 | 19 | 63 | 86 | 563 |
| 12 | 20 | 0 | 101 | 90 | 21 | 29 | 34 | 18 | 0 | 0 | 40 | 33 | 40 |
| | 41 | 0 | 937 | 783 | 6566 | 5931 | 208 | 196 | 3171 | 2052 | 2340 | 1733 | 5511 |

Table No. IV (A) Contd.

| Sr. No. | District | VEGETABLES | | | | | | | | | | | |
|------------------|----------|--------------|-----------|--------------|------------|--------------|-----------|---------------|------------|----------------------------|-------------|-----------------|-------------|
| | | Turnip (R) | | Radish (R) | | Carrot (R) | | Brinjal (K) | | Other Vegetables (Specify) | | | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Winter (Rabi) | | Summer (Kharif) | |
| | | | | | | | | | | Current | Normal | Current | Normal |
| | | 196 | 197 | 198 | 199 | 200 | 201 | 202 | 203 | 204 | 205 | 206 | 207 |
| 1 | BLS | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 34 | 0 | 124 |
| 2 | CHM | 0 | 1 | 2 | 0 | 0 | 0 | 3 | 1 | 88 | 129 | 106 | 74 |
| 3 | HMR | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 176 | 116 | 0 | 70 |
| 4 | KGR | 7 | 4 | 35 | 45 | 9 | 1 | 13 | 16 | 28 | 411 | 972 | 546 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 32 | 8 | 3 |
| 6 | KLU | 195 | 21 | 58 | 52 | 9 | 20 | 44 | 41 | 75 | 52 | 10 | 8 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 10 | 12 |
| 8 | MND | 3 | 2 | 21 | 17 | 17 | 0 | 4 | 30 | 430 | 126 | 540 | 361 |
| 9 | SML | 12 | 16 | 26 | 9 | 16 | 7 | 56 | 19 | 1164 | 1288 | 273 | 357 |
| 10 | SRM | 15 | 10 | 60 | 30 | 0 | 0 | 0 | 0 | 66 | 62 | 2040 | 1431 |
| 11 | SLN | 2 | 4 | 26 | 35 | 1 | 0 | 2 | 20 | 2 | 226 | 942 | 483 |
| 12 | UNA | 8 | 5 | 27 | 16 | 6 | 5 | 24 | 20 | 249 | 247 | 20 | 24 |
| Total H.P. State | | 242 | 64 | 255 | 208 | 58 | 32 | 146 | 148 | 2278 | 2732 | 4921 | 3492 |

Table No. IV (A) Contd.

| Sr. No. | Total Other Vegetables | | Total Vegetables | | Total Fruits & Vegetables | | CONDIMENTS AND SPICES | | | | | |
|--------------|------------------------|-------------|------------------|--------------|---------------------------|---------------|-----------------------|------------|-------------|-------------|-------------|----------|
| | | | | | | | Chilles (K) | | Ginger (K) | | Zeera (R) | |
| | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | | |
| | 208 | 209 | 210 | 211 | 212 | 213 | 214 | 215 | 216 | 217 | 218 | 219 |
| 1 | 0 | 158 | 248 | 326 | 555 | 733 | 18 | 9 | 92 | 97 | 0 | 0 |
| 2 | 194 | 203 | 2011 | 1983 | 6101 | 4874 | 37 | 41 | 2 | 4 | 5 | 0 |
| 3 | 176 | 186 | 256 | 271 | 327 | 365 | 5 | 7 | 14 | 19 | 0 | 0 |
| 4 | 1000 | 957 | 3224 | 2603 | 10139 | 10856 | 7 | 9 | 20 | 38 | 0 | 0 |
| 5 | 8 | 36 | 998 | 679 | 7151 | 6597 | 0 | 0 | 0 | 0 | 57 | 0 |
| 6 | 85 | 60 | 4154 | 3317 | 20820 | 14050 | 84 | 60 | 0 | 0 | 0 | 0 |
| 7 | 10 | 21 | 2490 | 2462 | 2731 | 2766 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 970 | 486 | 6560 | 4629 | 13392 | 11102 | 92 | 98 | 39 | 106 | 0 | 0 |
| 9 | 1437 | 1645 | 9191 | 9897 | 63450 | 59839 | 45 | 61 | 54 | 136 | 0 | 0 |
| 10 | 2106 | 1493 | 8486 | 7129 | 10143 | 8621 | 320 | 269 | 1782 | 1495 | 0 | 0 |
| 11 | 944 | 708 | 2828 | 3019 | 3100 | 4045 | 1296 | 16 | 207 | 271 | 0 | 0 |
| 12 | 269 | 271 | 2163 | 1641 | 2621 | 2325 | 4 | 7 | 4 | 1 | 0 | 0 |
| Total | 7199 | 6224 | 42609 | 37955 | 140530 | 126175 | 1908 | 576 | 2214 | 2168 | 62 | 0 |

Table No. IV (A) Contd.

| Sr. No | District | Condiments and Spices | | | | | | | | Total Condiments and Spices | | Other Misc. Food Crops | | Total Food Crops | |
|--------|-------------------------|-----------------------|------------|-------------|-------------|----------------|------------|-----------------------------|----------|-----------------------------|-------------|------------------------|-----------|------------------|---------------|
| | | Turmeric (K) | | Garlic (K) | | Corriander (R) | | Other Condiments and Spices | | | | | | | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 220 | 221 | 222 | 223 | 224 | 225 | 226 | 227 | 228 | 229 | 230 | 231 | 232 | 233 |
| 1 | BLS | 29 | 30 | 49 | 28 | 0 | 2 | 0 | 0 | 188 | 166 | 0 | 0 | 55567 | 52671 |
| 2 | CHM | 0 | 5 | 110 | 116 | 7 | 10 | 29 | 0 | 190 | 176 | 0 | 0 | 69136 | 66338 |
| 3 | HMR | 52 | 76 | 23 | 21 | 4 | 3 | 0 | 0 | 98 | 126 | 0 | 0 | 68579 | 69098 |
| 4 | KGR | 59 | 47 | 42 | 55 | 11 | 4 | 0 | 0 | 139 | 153 | 0 | 0 | 198591 | 197662 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 57 | 0 | 0 | 0 | 11092 | 10201 |
| 6 | KLU | 0 | 3 | 1162 | 979 | 39 | 22 | 0 | 0 | 1285 | 1065 | 0 | 0 | 55113 | 54996 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3312 | 4211 |
| 8 | MND | 27 | 24 | 373 | 298 | 18 | 11 | 0 | 0 | 549 | 537 | 0 | 0 | 160213 | 157093 |
| 9 | SML | 7 | 4 | 355 | 351 | 34 | 43 | 9 | 0 | 504 | 595 | 0 | 0 | 86555 | 86809 |
| 10 | SRM | 98 | 56 | 3185 | 2588 | 31 | 42 | 1 | 0 | 5417 | 4449 | 33 | 19 | 71094 | 70590 |
| 11 | SLN | 3 | 10 | 65 | 35 | 21 | 8 | 0 | 0 | 1592 | 340 | 0 | 0 | 55069 | 61988 |
| 12 | UNA | 15 | 8 | 27 | 17 | 6 | 6 | 2 | 0 | 58 | 40 | 0 | 0 | 70755 | 71088 |
| | Total H.P. State | 290 | 264 | 5391 | 4488 | 171 | 151 | 41 | 0 | 10077 | 7647 | 33 | 19 | 905076 | 902747 |

Tables No. IV (B)
Area under Non-Food Crops in each District of H.P.

(In hectares)

| Sr. No. | District | Cotton | | | | | | | | | | Total Fibres | |
|------------------|----------|-----------|----------|--------------|----------|-----------|----------|----------|----------|------------------------|-----------|--------------|-----------|
| | | Desi (K) | | American (K) | | Total | | Hemp (K) | | Other Fibres (Specify) | | | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 234 | 235 | 236 | 237 | 238 | 239 | 240 | 241 | 242 | 243 | 244 | 245 |
| 1 | BLS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | CHM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | KGR | 9 | 5 | 0 | 0 | 9 | 5 | 0 | 0 | 13 | 3 | 22 | 8 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | SML | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | SRM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | SLN | 27 | 1 | 0 | 0 | 27 | 1 | 0 | 0 | 0 | 4 | 27 | 4 |
| 12 | UNA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 133 | 12 | 133 | 12 |
| Total H.P. State | | 36 | 6 | 0 | 0 | 36 | 6 | 0 | 0 | 146 | 18 | 182 | 25 |

Table No. IV (B) Contd.

| Sr. No. | OIL SEEDS | | | | | | | | | | | |
|------------|---------------|-----------|-------------|-------------|----------------------|------------|-------------|-------------|--------------|------------|--------------------|----------|
| | Groundnut (K) | | Sesamum (K) | | Rape (Toriya) (R) | | Mustard (R) | | Soyabean (K) | | Other (Specify) | |
| | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | 246 | 247 | 248 | 249 | 250 | 251 | 252 | 253 | 254 | 255 | 256 | 257 |
| 1 | 1 | 0 | 32 | 96 | 1 | 6 | 57 | 328 | 6 | 35 | 0 | 0 |
| 2 | 0 | 0 | 26 | 19 | 4 | 11 | 2861 | 2931 | 2 | 6 | 4 | 1 |
| 3 | 0 | 0 | 6 | 6 | 0 | 0 | 67 | 60 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 1873 | 1561 | 0 | 10 | 1966 | 1945 | 45 | 77 | 0 | 0 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 6 | 6 | 30 | 0 | 0 | 0 | 0 | 395 | 443 | 7 | 15 | 0 | 0 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 23 | 0 | 0 | 0 | 0 |
| 8 | 0 | 1 | 10 | 15 | 0 | 0 | 266 | 307 | 165 | 382 | 0 | 0 |
| 9 | 0 | 3 | 7 | 21 | 0 | 0 | 282 | 309 | 1 | 16 | 0 | 0 |
| 10 | 7 | 12 | 23 | 32 | 0 | 7 | 1237 | 1323 | 58 | 72 | 3 | 0 |
| 11 | 0 | 0 | 109 | 131 | 23 | 224 | 223 | 317 | 17 | 28 | 0 | 4 |
| 12 | 1 | 0 | 118 | 133 | 26 | 116 | 865 | 858 | 0 | 0 | 0 | 0 |
| | 15 | 45 | 2204 | 2014 | 54 | 374 | 8235 | 8843 | 301 | 633 | 7 | 9 |

Table No. IV (B) Contd.

| Sr. No. | District | Total Edible Oil Seeds | | Non-Edible Oil Seeds | | | | | | Total Non-Edible Oil Seeds | | Total Oil Seeds | |
|------------------|----------|------------------------|--------------|----------------------|------------|---------------|-------------|-----------------|----------|----------------------------|-------------|-----------------|--------------|
| | | | | Linseed (R) | | Taramira (R) | | Other (Specify) | | | | | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 258 | 259 | 260 | 261 | 262 | 263 | 264 | 265 | 266 | 267 | 268 | 269 |
| 1 | BLS | 97 | 466 | 0 | 0 | 0 | 119 | 0 | 0 | 0 | 119 | 97 | 585 |
| 2 | CHM | 2897 | 2968 | 0 | 5 | 26 | 20 | 0 | 0 | 26 | 25 | 2923 | 2994 |
| 3 | HMR | 73 | 66 | 0 | 0 | 21 | 18 | 0 | 0 | 21 | 18 | 94 | 84 |
| 4 | KGR | 3884 | 3593 | 557 | 487 | 35 | 123 | 0 | 0 | 592 | 611 | 4476 | 4204 |
| 5 | KNR | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 6 | KLU | 408 | 488 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 408 | 488 |
| 7 | LSP | 16 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 23 |
| 8 | MND | 441 | 705 | 236 | 248 | 0 | 0 | 0 | 0 | 236 | 248 | 677 | 953 |
| 9 | SML | 290 | 349 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 290 | 349 |
| 10 | SRM | 1328 | 1446 | 0 | 0 | 111 | 120 | 0 | 0 | 111 | 120 | 1439 | 1566 |
| 11 | SLN | 372 | 704 | 67 | 0 | 228 | 398 | 0 | 1 | 295 | 399 | 667 | 1103 |
| 12 | UNA | 1010 | 1107 | 0 | 0 | 651 | 839 | 0 | 0 | 651 | 839 | 1661 | 1946 |
| Total H.P. State | | 10816 | 11918 | 860 | 740 | 1072 | 1638 | 0 | 1 | 1932 | 2380 | 12748 | 14298 |

Table No. IV (B) Contd.

| Sr. No. | District | Dyes & Tanning Materials | | | | | | Drugs and Narcotics | | | |
|------------------|----------|--------------------------|----------|------------------|----------|----------|----------|---------------------|----------|-------------|-------------|
| | | Acacia (Kikar) | | Others (Specify) | | Total | | Tobacco (R) | | Tea (K) | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 270 | 271 | 272 | 273 | 274 | 275 | 276 | 277 | 278 | 279 |
| 1 | BLS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | CHM | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | KGR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2305 | 1472 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 391 |
| 9 | SML | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | SRM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | SLN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | UNA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total H.P. State | | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2305 | 1863 |

Table No. IV (B) Contd.

| Sr. No. | Drugs and Narcotics | | | | | | Total Drugs & Narcotics | | Fodder Crops | |
|---------|-------------------------|-----------|-------------------|----------|------------------------|------------|-------------------------|-------------|-------------------------|-------------|
| | Bhang or Indian Hemp(R) | | Poppy (Opium) (K) | | Others (Kuth, Specify) | | | | Barseem & Lucrene (R) | |
| | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | 280 | 281 | 282 | 283 | 284 | 285 | 286 | 287 | 288 | 289 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 15 | 11 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 128 | 149 |
| 4 | 0 | 0 | 0 | 0 | 3 | 0 | 2308 | 1472 | 1568 | 1369 |
| 5 | 0 | 0 | 0 | 0 | 20 | 39 | 20 | 39 | 0 | 0 |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 25 |
| 7 | 0 | 0 | 0 | 0 | 69 | 92 | 69 | 92 | 0 | 0 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 391 | 625 | 622 |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 10 | 0 | 0 | 0 | 0 | 135 | 196 | 135 | 196 | 461 | 562 |
| 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 203 | 179 |
| 12 | 0 | 34 | 0 | 0 | 0 | 0 | 0 | 34 | 614 | 554 |
| | 0 | 34 | 0 | 0 | 227 | 326 | 2533 | 2224 | 3617 | 3527 |

Table No. IV (B) Contd.

| Sr. No. | District | Fodder Crops | | | | Total Fodder Crops | | Others Misc./Non-food Crops (Specify) | |
|-------------------------|----------|--------------|-------------|------------------|------------|--------------------|-------------|---------------------------------------|------------|
| | | Chari (K) | | Others (Specify) | | | | | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 290 | 291 | 292 | 293 | 294 | 295 | 296 | 297 |
| 1 | BLS | 0 | 80 | 0 | 13 | 0 | 149 | 0 | 16 |
| 2 | CHM | 21 | 18 | 6 | 8 | 42 | 37 | 0 | 0 |
| 3 | HMR | 160 | 153 | 60 | 28 | 348 | 330 | 0 | 0 |
| 4 | KGR | 2267 | 926 | 23 | 241 | 3858 | 2536 | 15 | 11 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 17 | 10 | 5 | 40 | 24 | 75 | 0 | 0 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 280 | 355 | 96 | 55 | 1001 | 1031 | 0 | 0 |
| 9 | SML | 21 | 35 | 13 | 11 | 35 | 47 | 0 | 0 |
| 10 | SRM | 1232 | 956 | 76 | 206 | 1769 | 1723 | 452 | 160 |
| 11 | SLN | 193 | 728 | 0 | 44 | 396 | 951 | 13 | 34 |
| 12 | UNA | 2187 | 1492 | 11 | 89 | 2812 | 2134 | 0 | 15 |
| Total H.P. State | | 6378 | 4751 | 290 | 734 | 10285 | 9013 | 480 | 238 |

Table No. IV (B) Contd.

| Sr. No. | District | Total Non-Food Crops | | Total Food Crops | | Total Food & Non-Food Crops | |
|-------------------------|----------|----------------------|--------------|------------------|---------------|-----------------------------|---------------|
| | | Current | Normal | Current | Normal | Current | Normal |
| | | 298 | 299 | 300 | 301 | 302 | 303 |
| 1 | BLS | 97 | 750 | 55567 | 52671 | 55664 | 53421 |
| 2 | CHM | 2966 | 3031 | 69136 | 66338 | 72102 | 69369 |
| 3 | HMR | 442 | 414 | 68579 | 69098 | 69021 | 69512 |
| 4 | KGR | 10679 | 8231 | 198591 | 197662 | 209270 | 205893 |
| 5 | KNR | 20 | 43 | 11092 | 10201 | 11112 | 10243 |
| 6 | KLU | 432 | 563 | 55113 | 54996 | 55545 | 55559 |
| 7 | LSP | 85 | 115 | 3312 | 4211 | 3397 | 4326 |
| 8 | MND | 1678 | 2375 | 160213 | 157093 | 161891 | 159468 |
| 9 | SML | 325 | 396 | 86555 | 86809 | 86880 | 87205 |
| 10 | SRM | 3795 | 3646 | 71094 | 70590 | 74889 | 74236 |
| 11 | SLN | 1103 | 2092 | 55069 | 61988 | 56172 | 64080 |
| 12 | UNA | 4606 | 4142 | 70755 | 71088 | 75361 | 75230 |
| Total H.P. State | | 26228 | 25797 | 905076 | 902747 | 931304 | 928544 |

Table No. IV (C)
Details of Cropped area in each District of State (H.P.) in 2016-17

| Sr. No. | District | Gross Cropped Area | | | | | | Grand Total | Area Cropped more than once |
|-------------------------|----------|--------------------|----------------|---------------|----------------|---------------|----------------|---------------|-----------------------------|
| | | Kharif | | Rabi | | Total | | | |
| | | Food Crops | Non-Food Crops | Food Crops | Non-Food Crops | Food Crops | Non-Food Crops | | |
| 1 | BLS | 27746 | 37 | 27821 | 60 | 55567 | 97 | 55664 | 25849 |
| 2 | CHM | 40397 | 50 | 28739 | 2916 | 69136 | 2966 | 72102 | 30238 |
| 3 | HMR | 36183 | 166 | 32396 | 276 | 68579 | 442 | 69021 | 34180 |
| 4 | KGR | 121360 | 5396 | 77231 | 5283 | 198591 | 10679 | 209270 | 92470 |
| 5 | KNR | 7155 | 20 | 3937 | 0 | 11092 | 20 | 11112 | 2856 |
| 6 | KLU | 36108 | 13 | 19005 | 419 | 55113 | 432 | 55545 | 19074 |
| 7 | LSP | 1441 | 85 | 1871 | 0 | 3312 | 85 | 3397 | 0 |
| 8 | MND | 81769 | 1178 | 78444 | 500 | 160213 | 1678 | 161891 | 71085 |
| 9 | SML | 70495 | 29 | 16060 | 296 | 86555 | 325 | 86880 | 16356 |
| 10 | SRM | 37947 | 1855 | 33147 | 1940 | 71094 | 3795 | 74889 | 34821 |
| 11 | SLN | 35161 | 336 | 19908 | 767 | 55069 | 1103 | 56172 | 20267 |
| 12 | UNA | 34180 | 2450 | 36575 | 2156 | 70755 | 4606 | 75361 | 36552 |
| Total H.P. State | | 529942 | 11615 | 375134 | 14613 | 905076 | 26228 | 931304 | 383748 |

Table No. IV (C) contd.

(in Hects.)

| Sr. No. | Net Cropped Area | Cropped area of Forecast Crops | | Area Under Mixed Sowing | | | | | |
|---|---------------------------|----------------------------------|--------------|-------------------------|----------------|----------|-----------------------------|----------------|-------------------------------------|
| | | | | Wheat-Barley (Crop Mix) | | | Crop at the rate of mixture | | |
| | | Matured area or condition factor | Failed Area | Gross area unadjusted | Net area under | | Gross area unadjusted | Net area under | Total unadjusted area under mixture |
| Percentage of matured or condition factor | Percentage of failed area | | | Barley | | | | | |
| 1 | 29815 | 55664 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| 2 | 41864 | 72102 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| 3 | 34841 | 69021 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| 4 | 116800 | 209270 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| 5 | 8256 | 11112 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| 6 | 36471 | 44854 | 10691 | 80.8 | 19.2 | 0 | 0 | 0 | 0 |
| 7 | 3397 | 3397 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| 8 | 90806 | 161891 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| 9 | 70524 | 86880 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| 10 | 40068 | 74889 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| 11 | 35905 | 56172 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| 12 | 38809 | 75361 | 0 | 100.0 | 0.0 | 0 | 0 | 0 | 0 |
| | 547556 | 920613 | 10691 | 98.9 | 1.1 | 0 | 0 | 0 | 0 |

Table No. V-A
Standred Yield per Hect. In 2016-17 of the Principal Crops
in each District of State (H.P.)

| Sr. No. | District | CEREALS | | | | | | | | |
|----------------------|----------|----------|------------------|-------------|----------|------------------|-------------|-----------------|------------------|------------|
| | | Rice | | | Maize | | | Jowar or Cholum | | |
| | | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | | | | | | | | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 1 | BLS | - | - | 1720 | - | - | 2174 | 557/557 | 100% | 557 |
| 2 | CHM | - | - | 1593 | - | - | 3194 | 557/557 | - | - |
| 3 | HMR | - | - | 1487 | - | - | 2187 | 557/557 | - | - |
| 4 | KGR | - | - | 1582 | - | - | 2070 | 557/557 | - | - |
| 5 | KNR | - | - | 1835 | - | - | 2618 | 557/557 | - | - |
| 6 | KLU | - | - | 2617 | - | - | 3321 | 557/557 | - | - |
| 7 | LSP | - | - | 1835 | - | - | 2618 | 557/557 | - | - |
| 8 | MND | - | - | 1883 | - | - | 3247 | 557/557 | - | - |
| 9 | SML | - | - | 1463 | - | - | 2908 | 557/557 | - | - |
| 10 | SRM | - | - | 2818 | - | - | 3235 | 557/557 | - | - |
| 11 | SLN | - | - | 2550 | - | - | 2310 | 557/557 | - | - |
| 12 | UNA | - | - | 2870 | - | - | 2400 | 557/557 | - | - |
| State Average | | - | - | 1835 | - | - | 2618 | 557/557 | - | 557 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | CEREALS | | | | | | | | |
|----------------------|----------------|------------------|------------|----------|------------------|-------------|----------|------------------|-------------|
| | Bajra or Cumbu | | | Wheat | | | Barley | | |
| | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| 1 | 557/557 | - | - | - | - | 1336 | - | - | 1471 |
| 2 | 557/557 | - | - | - | - | 1696 | - | - | 1265 |
| 3 | 557/557 | - | - | - | - | 1235 | - | - | 1471 |
| 4 | 557/557 | 100% | 557 | - | - | 1798 | - | - | 1675 |
| 5 | 557/557 | - | - | - | - | 1194 | - | - | 1570 |
| 6 | 557/557 | - | - | - | - | 1792 | - | - | 1672 |
| 7 | 557/557 | - | - | - | - | 1789 | - | - | 1471 |
| 8 | 557/557 | 100% | 557 | - | - | 1774 | - | - | 1427 |
| 9 | 557/557 | 100% | 557 | - | - | 2116 | - | - | 1573 |
| 10 | 557/557 | 100% | 557 | - | - | 2147 | - | - | 1677 |
| 11 | 557/557 | - | - | - | - | 2044 | - | - | 957 |
| 12 | 557/557 | - | - | - | - | 2239 | - | - | 1471 |
| State Average | 557/557 | - | 557 | - | - | 1789 | - | - | 1471 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | District | CEREALS | | | | | | | | |
|----------------------|----------|----------------|------------------|------------|------------------|------------------|-------------|------------------|------------------|-------------|
| | | Ragi or Marua | | | Italian Millets | | | Kodo or Varagu | | |
| | | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| 1 | BLS | 727\803 | - | - | 2059\1024 | - | - | 2059\1024 | - | - |
| 2 | CHM | 727\803 | 100% | 765 | 2059\1024 | 100% | 1542 | 2059\1024 | 100% | 1542 |
| 3 | HMR | 727\803 | - | - | 2059\1024 | - | - | 2059\1024 | - | - |
| 4 | KGR | 727\803 | - | - | 2059\1024 | 100% | 1542 | 2059\1024 | - | - |
| 5 | KNR | 727\803 | - | - | 2059\1024 | - | - | 2059\1024 | - | - |
| 6 | KLU | 727\803 | 100% | 765 | 2059\1024 | - | - | 2059\1024 | - | - |
| 7 | LSP | 727\803 | - | - | 2059\1024 | - | - | 2059\1024 | - | - |
| 8 | MND | 727\1000 | - | - | 2059\1024 | - | - | 2059\1024 | 100% | 1542 |
| 9 | SML | 727\900 | 100% | 814 | 2059\1024 | - | - | 2059\1024 | - | - |
| 10 | SRM | 727\729 | 100% | 728 | 2059\1024 | - | - | 2059\1024 | - | - |
| 11 | SLN | 727\803 | 100% | 765 | 2059\1024 | - | - | 2059\1024 | - | - |
| 12 | UNA | 727\803 | - | - | 2059\1024 | - | - | 2059\1024 | - | - |
| State Average | | 727\803 | - | 765 | 2059\1024 | - | 1542 | 2059\1024 | - | 1542 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | CEREALS | | | | | | | | |
|---------------------|-------------------------|------------------|------------|-----------------|------------------|------------|-----------------|------------------|------------|
| | Little Millets or Kukti | | | Common Millets | | | Other (Specify) | | |
| | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| 1 | 1314\754 | - | - | 1314\754 | - | - | 1314\754 | - | - |
| 2 | 1314\558 | 100% | 936 | 1314\558 | - | - | 1314\558 | 100% | 936 |
| 3 | 1314\558 | - | - | 1314\558 | - | - | 1314\558 | - | - |
| 4 | 1314\558 | - | - | 1314\558 | 100% | 936 | 1314\558 | - | - |
| 5 | 1314\558 | 100% | 936 | 1314\558 | 100% | 936 | 1314\558 | 100% | 936 |
| 6 | 1314\558 | 100% | 936 | 1314\558 | 100% | 936 | 1314\558 | - | - |
| 7 | 1314\558 | - | - | 1314\558 | - | - | 1314\558 | - | - |
| 8 | 1314\558 | 100% | 936 | 1314\558 | - | - | 1314\558 | - | - |
| 9 | 1314\558 | - | - | 1314\558 | 100% | 936 | 1314\558 | - | - |
| 10 | 1314\558 | - | - | 1314\558 | - | - | 1314\558 | - | - |
| 11 | 1314\558 | - | - | 1314\558 | - | - | 1314\558 | - | - |
| 12 | 1314\558 | - | - | 1314\558 | - | - | 1314\558 | 100% | 936 |
| State Averag | 1314\558 | - | 936 | 1314\558 | - | 936 | 1314\558 | - | 936 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | District | PULSES | | | | | | | | |
|----------------------|----------|------------------|------------------|-------------|----------------|------------------|------------|---------------------|------------------|-------------|
| | | Gram | | | Moong | | | Red Gram or (Arhar) | | |
| | | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 |
| 1 | BLS | 1806\1361 | 100% | 1584 | 490\502 | 100% | 496 | 1806\1361 | 100% | 1584 |
| 2 | CHM | 1806\1295 | - | - | 490\490 | 100% | 490 | 1806\1295 | 100% | 1551 |
| 3 | HMR | 1806\1295 | 100% | 1551 | 490\490 | - | - | 1806\1295 | - | - |
| 4 | KGR | 1806\1050 | 100% | 1428 | 490\490 | 100% | 490 | 1806\1050 | - | - |
| 5 | KNR | 1806\1295 | - | - | 490\490 | - | - | 1806\1295 | - | - |
| 6 | KLU | 1806\1295 | 100% | 1551 | 490\490 | 100% | 490 | 1806\1295 | 100% | 1551 |
| 7 | LSP | 1806\1295 | - | - | 490\490 | - | - | 1806\1295 | - | - |
| 8 | MND | 1806\604 | 100% | 1205 | 490\490 | 100% | 490 | 1806\604 | 100% | 1205 |
| 9 | SML | 1806\984 | 100% | 1395 | 490\490 | 100% | 490 | 1806\984 | - | - |
| 10 | SRM | 1650\1335 | 100% | 1493 | 490\490 | - | - | 1650\1335 | 100% | 1493 |
| 11 | SLN | 1786\1073 | 100% | 1430 | 490\490 | 100% | 490 | 1786\1073 | - | - |
| 12 | UNA | 2000\1985 | 100% | 1993 | 490\477 | 100% | 484 | 2000\1985 | - | - |
| State Average | | 1806\1295 | - | 1551 | 490\490 | - | 490 | 1806\1295 | - | 1551 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | PULSES | | | | | | | | |
|----------------------|--------------------------|------------------|------------|------------------|------------------|-------------|--------------------|------------------|------------|
| | Black Gram or Urd (Mash) | | | Peas (K+R) | | | Horse Gram (Kulth) | | |
| | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 |
| 1 | 877\655 | 100% | 766 | 3684\1083 | 100% | 2384 | 1000\648 | 100% | 824 |
| 2 | 877\655 | 100% | 766 | 3684\2595 | - | - | 1000\648 | 100% | 824 |
| 3 | 877\806 | 100% | 842 | 3684\2595 | - | - | 1000\648 | - | - |
| 4 | 877\624 | 100% | 751 | 3684\2595 | - | - | 1000\354 | 100% | 677 |
| 5 | 877\655 | 100% | 766 | 3684\2595 | 100% | 3140 | 1000\648 | - | - |
| 6 | 877\1000 | 100% | 939 | 2360\2624 | 100% | 2492 | 1000\625 | 100% | 813 |
| 7 | 877\655 | - | - | 3684\2595 | - | - | 1000\648 | - | - |
| 8 | 877\877 | 100% | 877 | 1541\2016 | 100% | 1779 | 1000\460 | 100% | 730 |
| 9 | 840\655 | 100% | 748 | 3915\3491 | - | - | 1000\461 | 100% | 731 |
| 10 | 1008\326 | 100% | 667 | 1186\427 | - | - | 1000\401 | 100% | 701 |
| 11 | 508\380 | 100% | 444 | 4445\2895 | 100% | 3670 | 1000\650 | 100% | 825 |
| 12 | 978\655 | 100% | 817 | 3684\2595 | 100% | 3140 | 1000\1065 | 100% | 1033 |
| State Average | 877\655 | - | 766 | 3684\2595 | - | 3140 | 1000\648 | - | 824 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | District | PULSES | | | | | | | | |
|----------------------|----------|------------------|--------------------------|-------------|-------------------------|--------------------------|-------------|--------------|--------------------------|--------------|
| | | Masur | | | Others Pluses (Specify) | | | Sugarcane | | |
| | | Standard | Condi- tion Factor | Current | Standard | Condi- tion Factor | Curre nt | Standard | Condi- tion Factor | Current |
| | | | | | | | | | | |
| | | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 |
| 1 | BLS | 1156\1202 | 100% | 1179 | 1652\794 | - | - | 12170 | - | - |
| 2 | CHM | 1156\1202 | 100% | 1179 | 1652\794 | 100% | 1223 | 12170 | - | - |
| 3 | HMR | 1156\1690 | - | - | 1652\794 | - | - | 1551 | 100% | 1551 |
| 4 | KGR | 1156\1202 | 100% | 1179 | 1652\794 | 100% | 1223 | 12170 | 100% | 12170 |
| 5 | KNR | 1156\1202 | 100% | 1179 | 1553\1387 | 100% | 1470 | 12170 | - | - |
| 6 | KLU | 1156\1202 | 100% | 1179 | 1652\861 | 100% | 1257 | 12170 | - | - |
| 7 | LSP | 1156\1202 | - | - | 1500\794 | 100% | 1147 | 12170 | - | - |
| 8 | MND | 1156\1057 | 100% | 1107 | 1652\680 | 100% | 1166 | 12170 | - | - |
| 9 | SML | 1156\2570 | 100% | 1863 | 1652\955 | 100% | 1304 | 22789 | 100% | 22789 |
| 10 | SRM | 1156\1005 | 100% | 1081 | 1652\794 | 100% | 1223 | 12170 | 100% | 12170 |
| 11 | SLN | 1156\1202 | 100% | 1179 | 1652\794 | - | - | 12170 | 100% | 12170 |
| 12 | UNA | 1156\1202 | 100% | 1179 | 1652\794 | - | - | 12170 | 100% | 12170 |
| State Average | | 1156\1202 | - | 1179 | 1652\794 | - | 1223 | 12170 | - | 12170 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | FRUITS | | | Potatoes | | | | | |
|---------------|----------|------------------|---------|----------|------------------|--------------|----------|------------------|--------------|
| | Chilgoza | | | Kharif | | | Rabi | | |
| | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 |
| 1 | - | - | - | - | - | 10380 | - | - | 10380 |
| 2 | - | - | - | - | - | 8247 | - | - | 8247 |
| 3 | - | - | - | - | - | 10380 | - | - | 10380 |
| 4 | - | - | - | - | - | 7167 | - | - | 7167 |
| 5 | - | - | - | - | - | 9143 | - | - | 9143 |
| 6 | - | - | - | - | - | 6982 | - | - | 6982 |
| 7 | - | - | - | - | - | 22281 | - | - | 22281 |
| 8 | - | - | - | - | - | 10944 | - | - | 10944 |
| 9 | - | - | - | - | - | 7753 | - | - | 7753 |
| 10 | - | - | - | - | - | 11023 | - | - | 11023 |
| 11 | - | - | - | - | - | 10380 | - | - | 10380 |
| 12 | - | - | - | - | - | 10380 | - | - | 10380 |
| State Average | - | - | - | - | - | 10380 | - | - | 10380 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | District | VEGETABLES | | | | | | | | |
|---------------|----------|------------------|------------------|-------------|----------------|------------------|--------------|------------------|------------------|-------------|
| | | Peas | | | Sweet Potatoes | | | Onion | | |
| | | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
| 1 | BLS | 3684\1083 | 100% | 2384 | 10380 | 100% | 10380 | 5965\5310 | 100% | 5638 |
| 2 | CHM | 3684\2595 | 100% | 3140 | 8247 | - | - | 5965\5112 | 100% | 5539 |
| 3 | HMR | 3684\2595 | - | - | 10380 | - | - | 5965\4973 | 100% | 5469 |
| 4 | KGR | 3684\2595 | 100% | 3140 | 7167 | - | - | 4132\5112 | 100% | 4622 |
| 5 | KNR | 3684\2595 | 100% | 3140 | 9143 | - | - | 5965\5112 | - | - |
| 6 | KLU | 2360\2624 | 100% | 2492 | 6982 | - | - | 5965\5112 | 100% | 5539 |
| 7 | LSP | 3684\2595 | 100% | 3140 | 22281 | - | - | 5965\5112 | - | - |
| 8 | MND | 1541\2016 | 100% | 1779 | 10944 | - | - | 5133\4300 | 100% | 4717 |
| 9 | SML | 3915\3491 | 100% | 3703 | 7753 | 100% | 7753 | 5965\5112 | 100% | 5539 |
| 10 | SRM | 1186\427 | 100% | 807 | 11023 | - | - | 8644\6452 | 100% | 7548 |
| 11 | SLN | 4445\2895 | 100% | 3670 | 10380 | - | - | 5965\5112 | 100% | 5539 |
| 12 | UNA | 3684\2595 | 100% | 3140 | 10380 | 100% | 10380 | 8932\5112 | 100% | 7022 |
| State Average | | 3684\2595 | - | 3140 | 10380 | - | 10380 | 5965\5112 | - | 5539 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | VEGETABLES | | | | | | | | |
|------------------|--------------------|-----------------------|--------------|------------------------|-----------------------|--------------|---------------------------|---------------------|-------------|
| | Tomato | | | Cabbage & Coulliflower | | | Other Vegetables (Kharif) | | |
| | Standard | Condi on Factor | Current | Standard | Condi on Factor | Current | Standard | Condition Factor | Current |
| | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 |
| 1 | 17535\18558 | 100% | 18047 | 13471\2794 | 100% | 8133 | 4009\4009 | 100% | 4009 |
| 2 | 17535\18558 | 100% | 18047 | 13471\10548 | 100% | 12010 | 4009\4009 | 100% | 4009 |
| 3 | 17535\18558 | - | - | 13471\10548 | 100% | 12010 | 4009\4009 | 100% | 4009 |
| 4 | 17535\18558 | 100% | 18047 | 13471\10548 | 100% | 12010 | 4009\4009 | 100% | 4009 |
| 5 | 17535\18558 | - | - | 13471\10548 | - | - | 4009\4009 | 100% | 4009 |
| 6 | 17535\18558 | 100% | 18047 | 13471\10548 | 100% | 12010 | 4009\4009 | 100% | 4009 |
| 7 | 17535\18558 | - | - | 13471\10548 | 100% | 12010 | 4009\4009 | 100% | 4009 |
| 8 | 17535\18558 | 100% | 18047 | 13471\10548 | 100% | 12010 | 4009\4009 | 100% | 4009 |
| 9 | 17535\18558 | 100% | 18047 | 13471\10548 | 100% | 12010 | 4009\4009 | 100% | 4009 |
| 10 | 17535\18558 | 100% | 18047 | 13471\10548 | 100% | 12010 | 4009\4009 | 100% | 4009 |
| 11 | 17535\18558 | 100% | 18047 | 13471\10548 | 100% | 12010 | 4009\4009 | 100% | 4009 |
| 12 | 17535\18558 | 100% | 18047 | 13471\10548 | 100% | 12010 | 4009\4009 | 100% | 4009 |
| State Average | 17535\18558 | - | 18047 | 13471\10548 | - | 12010 | 4009\4009 | - | 4009 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | District | | | | | | | | | |
|---------------|----------|--------------------------------|------------------|-------------|-----------------------|------------------|------------|-----------------------|------------------|-------------|
| | | Other Vegetables (Rabi) | | | Chillies (Dry) | | | Ginger (Green) | | |
| | | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 |
| 1 | BLS | 4009\4009 | 100% | 4009 | 391\576 | 100% | 484 | - | - | 7319 |
| 2 | CHM | 4009\4009 | 100% | 4009 | 391\576 | 100% | 484 | - | - | 7689 |
| 3 | HMR | 4009\4009 | 100% | 4009 | 391\576 | 100% | 484 | - | - | 7689 |
| 4 | KGR | 4009\4009 | 100% | 4009 | 391\576 | 100% | 484 | - | - | 7689 |
| 5 | KNR | 4009\4009 | 100% | 4009 | 391\576 | - | - | - | - | 7689 |
| 6 | KLU | 4009\4009 | 100% | 4009 | 391\576 | 100% | 484 | - | - | 7689 |
| 7 | LSP | 4009\4009 | 100% | 4009 | 391\576 | - | - | - | - | 7689 |
| 8 | MND | 4009\4009 | 100% | 4009 | 310\431 | 100% | 371 | - | - | 7689 |
| 9 | SML | 4009\4009 | 100% | 4009 | 391\1091 | 100% | 741 | - | - | 6203 |
| 10 | SRM | 4009\4009 | 100% | 4009 | 553\711 | 100% | 632 | - | - | 7559 |
| 11 | SLN | 4009\4009 | 100% | 4009 | 391\576 | 100% | 484 | - | - | 9116 |
| 12 | UNA | 4009\4009 | 100% | 4009 | 391\576 | 100% | 484 | - | - | 7689 |
| State Average | | 4009\4009 | - | 4009 | 391\576 | - | 484 | - | - | 7689 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | | | | | | | | | |
|---------------|------------------|------------------|-------------|------------------|------------------|-------------|------------------|------------------|-------------|
| | Zeera | | | Turmeric (Dry) | | | Garlic | | |
| | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 |
| 1 | 1786\1074 | - | - | 1631\1631 | 100% | 1631 | 2509\1552 | 100% | 2031 |
| 2 | 1786\1074 | 100% | 1430 | 1631\1631 | - | - | 2509\1552 | 100% | 2031 |
| 3 | 1786\1074 | - | - | 1631\1631 | 100% | 1631 | 2509\2250 | 100% | 2380 |
| 4 | 1786\1074 | - | - | 1631\1631 | 100% | 1631 | 2509\1552 | 100% | 2031 |
| 5 | 1786\1074 | 100% | 1430 | 1631\1631 | - | - | 2509\1552 | - | - |
| 6 | 1786\1074 | - | - | 1631\1631 | - | - | 2509\1800 | 100% | 2155 |
| 7 | 1786\1074 | - | - | 1631\1631 | - | - | 2509\1552 | - | - |
| 8 | 1786\1074 | - | - | 1631\1631 | 100% | 1631 | 2629\1318 | 100% | 1974 |
| 9 | 1786\531 | - | - | 1631\1631 | 100% | 1631 | 2509\2124 | 100% | 2317 |
| 10 | 1786\1293 | - | - | 1631\1631 | 100% | 1631 | 2600\1674 | 100% | 2137 |
| 11 | 1786\1180 | - | - | 1631\1631 | 100% | 1631 | 1397\1552 | 100% | 1475 |
| 12 | 1786\1074 | - | - | 1631\1631 | 100% | 1631 | 2509\1552 | 100% | 2031 |
| State Average | 1786\1074 | - | 1430 | 1631\1631 | - | 1631 | 2509\1552 | - | 2031 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | District | | | | | | | Cotton | | |
|---------------|----------|------------------|---------------------|-------------|--|---------------------|-------------|----------------|---------------------|------------|
| | | Coriander | | | Other condiments and spices (Specify) | | | Desi | | |
| | | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 |
| 1 | BLS | 1786\1074 | - | - | 1786\1074 | - | - | 592\592 | - | - |
| 2 | CHM | 1786\1074 | 100% | 1430 | 1786\1074 | 100% | 1430 | 295\295 | - | - |
| 3 | HMR | 1786\1074 | 100% | 1430 | 1786\1074 | - | - | 392\392 | - | - |
| 4 | KGR | 1786\1074 | 100% | 1430 | 1786\1074 | - | - | 392\392 | 100% | 392 |
| 5 | KNR | 1786\1074 | - | - | 1786\1074 | - | - | 392\392 | - | - |
| 6 | KLU | 1786\1074 | 100% | 1430 | 1786\1074 | - | - | 392\392 | - | - |
| 7 | LSP | 1786\1074 | - | - | 1786\1074 | - | - | 392\392 | - | - |
| 8 | MND | 1786\1074 | 100% | 1430 | 1786\1074 | - | - | 188\188 | - | - |
| 9 | SML | 1786\531 | 100% | 1159 | 1786\531 | 100% | 1159 | 190\190 | - | - |
| 10 | SRM | 1786\1293 | 100% | 1540 | 1786\1293 | - | - | 646\646 | - | - |
| 11 | SLN | 1786\1180 | 100% | 1483 | 1786\1180 | - | - | 461\461 | 100% | 461 |
| 12 | UNA | 1786\1074 | 100% | 1430 | 1786\1074 | - | 1430 | 369\369 | - | - |
| State Average | | 1786\1074 | - | 1430 | 1786\1074 | - | 1430 | 392\392 | - | 392 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | Cotton | | | | | | | | |
|---------------|----------|------------------|---------|----------|------------------|---------|----------------|------------------|------------|
| | American | | | Sanhemp | | | Groundnut | | |
| | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | 154 | 155 | 156 | 157 | 158 | 159 | 160 | 161 | 162 |
| 1 | - | - | - | - | - | - | 960\960 | 100% | 960 |
| 2 | - | - | - | - | - | - | 960\960 | - | - |
| 3 | - | - | - | - | - | - | 960\960 | - | - |
| 4 | - | - | - | - | - | - | 960\960 | - | - |
| 5 | - | - | - | - | - | - | 960\960 | - | - |
| 6 | - | - | - | - | - | - | 960\960 | 100% | 960 |
| 7 | - | - | - | - | - | - | 960\960 | - | - |
| 8 | - | - | - | - | - | - | 960\960 | - | - |
| 9 | - | - | - | - | - | - | 960\960 | - | - |
| 10 | - | - | - | - | - | - | 960\960 | 100% | 960 |
| 11 | - | - | - | - | - | - | 960\960 | - | - |
| 12 | - | - | - | - | - | - | 960\960 | 100% | 960 |
| State Average | - | - | - | - | - | - | 960\960 | - | 960 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | District | | | | | | | | | |
|---------------|----------|----------------|------------------|------------|----------------|------------------|------------|----------------|------------------|------------|
| | | Sesamum | | | Rape | | | Mustard | | |
| | | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 | 171 |
| 1 | BLS | 348\289 | 100% | 319 | 737\766 | 100% | 752 | 737\766 | 100% | 751 |
| 2 | CHM | 348\289 | 100% | 319 | 737\728 | 100% | 733 | 737\728 | 100% | 732 |
| 3 | HMR | 348\289 | 100% | 319 | 737\728 | - | - | 737\728 | 100% | 732 |
| 4 | KGR | 348\289 | 100% | 319 | 523\782 | - | - | 523\782 | 100% | 652 |
| 5 | KNR | 348\289 | - | - | 737\728 | - | - | 737\728 | - | - |
| 6 | KLU | 348\289 | - | - | 737\728 | - | - | 737\728 | 100% | 732 |
| 7 | LSP | 348\289 | - | - | 737\728 | - | - | 737\728 | 100% | 732 |
| 8 | MND | 348\282 | 100% | 315 | 245\364 | - | - | 245\364 | 100% | 304 |
| 9 | SML | 348\289 | 100% | 319 | 737\1120 | - | - | 737\1120 | 100% | 928 |
| 10 | SRM | 348\277 | 100% | 313 | 590\794 | - | - | 590\794 | 100% | 692 |
| 11 | SLN | 348\526 | 100% | 437 | 978\923 | 100% | 951 | 978\923 | 100% | 950 |
| 12 | UNA | 348\238 | 100% | 293 | 1034\1446 | 100% | 1240 | 1034\1446 | 100% | 1240 |
| State Average | | 348\289 | - | 319 | 737\728 | - | 733 | 737\728 | - | 733 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | | | | | | | | | |
|---------------|----------------|------------------|------------|----------------|------------------|------------|----------------|------------------|------------|
| | Soyabean | | | Other(Specify) | | | Linseed | | |
| | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 |
| 1 | 980\774 | 100% | 877 | 737\766 | - | - | 482\261 | - | - |
| 2 | 980\774 | 100% | 877 | 737\728 | 100% | 733 | 482\261 | - | - |
| 3 | 980\774 | - | - | 737\728 | - | - | 482\261 | - | - |
| 4 | 848\774 | 100% | 811 | 523\782 | - | - | 200\260 | 100% | 230 |
| 5 | 980\774 | - | - | 737\728 | - | - | 482\261 | - | - |
| 6 | 900\774 | 100% | 837 | 737\728 | - | - | 482\261 | - | - |
| 7 | 980\774 | - | - | 737\728 | - | - | 482\261 | - | - |
| 8 | 980\740 | 100% | 860 | 245\364 | - | - | 552\262 | 100% | 407 |
| 9 | 980\774 | 100% | 877 | 737\1120 | - | - | 482\261 | - | - |
| 10 | 980\980 | 100% | 980 | 590\794 | 100% | 692 | 482\261 | - | - |
| 11 | 1325\774 | 100% | 1050 | 978\923 | - | - | 482\261 | 100% | 407 |
| 12 | 980\774 | - | - | 1034\1446 | - | - | 482\261 | - | - |
| State Average | 980\774 | - | 877 | 737\728 | - | 733 | 482\261 | - | 372 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | District | | | | | | | | | |
|---------------|----------|----------------|------------------|------------|----------------|------------------|---------|-----------------|------------------|-------------|
| | | Taramira | | | Acada (Kikker) | | | Tobacco | | |
| | | Standard | Condition Factor | Current | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | | 181 | 182 | 183 | 184 | 185 | 186 | 187 | 188 | 189 |
| 1 | BLS | 805\521 | - | - | - | - | - | 943\1145 | - | - |
| 2 | CHM | 805\521 | - | 663 | - | - | - | 943\1168 | 100% | 1056 |
| 3 | HMR | 805\548 | 100% | 677 | - | - | - | 943\1145 | - | - |
| 4 | KGR | 805\521 | 100% | 663 | - | - | - | 943\1145 | - | - |
| 5 | KNR | 805\521 | - | - | - | - | - | 868\1145 | - | - |
| 6 | KLU | 805\521 | - | - | - | - | - | 943\1145 | - | - |
| 7 | LSP | 805\521 | - | - | - | - | - | 943\1145 | - | - |
| 8 | MND | 805\762 | - | - | - | - | - | 2039\2002 | - | - |
| 9 | SML | 805\521 | - | - | - | - | - | 307\230 | - | - |
| 10 | SRM | 611\231 | 100% | 421 | - | - | - | 1195\1147 | - | - |
| 11 | SLN | 805\521 | 100% | 663 | - | - | - | 307\230 | - | - |
| 12 | UNA | 1041\574 | 100% | 808 | - | - | - | 943\2093 | - | - |
| State Average | | 805\521 | - | 663 | - | - | - | 943\1145 | - | 1044 |

Table No. V (A)-Contd.

Irrigated/Un-irrigated

| Sr. No. | District | | | | | | |
|----------------------|----------|-----------------------------|------------------|--------------|--------------------|------------------|--------------|
| | | Barseem and Lucrene (Green) | | | Chari/Jowar, jwai | | |
| | | Standard | Condition Factor | Current | Standard | Condition Factor | Current |
| | | 199 | 200 | 201 | 202 | 203 | 204 |
| 1 | BLS | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 2 | CHM | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 3 | HMR | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 4 | KGR | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 5 | KNR | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 6 | KLU | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 7 | LSP | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 8 | MND | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 9 | SML | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 10 | SRM | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 11 | SLN | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| 12 | UNA | 14466\14466 | 100% | 14466 | 14466\14466 | 100% | 14466 |
| State Average | | 14466\14466 | - | 14466 | 14466\14466 | - | 14466 |

Table No. V (B)

Total Outturn of Principal Crops of State (H.P.) in 2016-17

(In Mts.)

| Sr. No. | District | Food Crops | | | | | | | |
|-------------------------|----------|---------------|---------------|---------------|---------------|-----------------|----------|----------------|------------|
| | | Rice | | Maize | | Jowar or Cholum | | Bajra or Cumbu | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 1 | BLS | 2203 | 2662 | 60993 | 52387 | 2 | 0 | 0 | 12 |
| 2 | CHM | 5297 | 4727 | 86357 | 82253 | 0 | 0 | 0 | 0 |
| 3 | HMR | 2432 | 2792 | 74803 | 53963 | 0 | 0 | 0 | 0 |
| 4 | KGR | 58381 | 61437 | 103733 | 98553 | 0 | 0 | 240 | 96 |
| 5 | KNR | 11 | 11 | 162 | 245 | 0 | 0 | 0 | 0 |
| 6 | KLU | 1699 | 1973 | 46941 | 58221 | 0 | 0 | 0 | 0 |
| 7 | LSP | 0 | 0 | 37 | 58 | 0 | 0 | 0 | 0 |
| 8 | MND | 33623 | 29393 | 155844 | 102960 | 0 | 0 | 7 | 0 |
| 9 | SML | 920 | 1603 | 19953 | 21514 | 0 | 0 | 1 | 9 |
| 10 | SRM | 20766 | 17508 | 58362 | 59950 | 0 | 0 | 9 | 40 |
| 11 | SLN | 9842 | 8704 | 45562 | 59013 | 0 | 0 | 0 | 243 |
| 12 | UNA | 4574 | 4043 | 73999 | 66977 | 0 | 0 | 0 | 0 |
| Total H.P. State | | 139748 | 134852 | 726743 | 656093 | 2 | 0 | 256 | 401 |

Table No. V (B)-Contd.

| Sr. No. | District | Food Crops | | | | | | | |
|-------------------------|----------|---------------|---------------|--------------|--------------|---------------|-------------|-----------------|----------|
| | | Wheat | | Barley | | Ragi or Marua | | Italian Millets | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 1 | BLS | 33656 | 48627 | 340 | 229 | 0 | 1 | 0 | 0 |
| 2 | CHM | 39252 | 44645 | 5988 | 6517 | 9 | 5 | 28 | 0 |
| 3 | HMR | 39752 | 49679 | 122 | 144 | 0 | 0 | 0 | 0 |
| 4 | KGR | 172017 | 155403 | 3795 | 3728 | 0 | 62 | 35 | 0 |
| 5 | KNR | 183 | 222 | 1077 | 1431 | 0 | 1 | 0 | 0 |
| 6 | KLU | 21223 | 27701 | 3596 | 3502 | 148 | 258 | 0 | 0 |
| 7 | LSP | 118 | 115 | 632 | 765 | 0 | 5 | 0 | 0 |
| 8 | MND | 119472 | 120976 | 5060 | 5066 | 0 | 0 | 0 | 0 |
| 9 | SML | 16938 | 15763 | 4086 | 5012 | 275 | 412 | 0 | 0 |
| 10 | SRM | 53878 | 61552 | 3843 | 4553 | 211 | 266 | 0 | 0 |
| 11 | SLN | 47381 | 62657 | 1528 | 2029 | 39 | 4 | 0 | 0 |
| 12 | UNA | 79175 | 70563 | 0 | 2 | 0 | 0 | 0 | 0 |
| Total H.P. State | | 623044 | 657903 | 30066 | 32977 | 682 | 1014 | 63 | 0 |

Table No. V (B)-Contd.

| Sr. No. | Food Crops | | | | | | | | | | | |
|--------------------|----------------|-------------|-------------------------|-------------|------------------------------------|-------------|----------------|----------------|------------|------------|---------------------|------------|
| | Kodo or Varagu | | Little Millets or Kukti | | Common & Millets & other (Specify) | | Total Cereals | | Gram | | Green gram or Moong | |
| | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 97194 | 103918 | 29 | 135 | 2 | 11 |
| 2 | 0 | 5 | 1047 | 1072 | 0 | 6 | 137978 | 139231 | 0 | 1 | 13 | 35 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 117108 | 106577 | 5 | 4 | 0 | 0 |
| 4 | 8 | 0 | 2 | 25 | 7 | 0 | 338216 | 319303 | 267 | 287 | 2 | 24 |
| 5 | 0 | 0 | 265 | 515 | 578 | 465 | 2275 | 2890 | 0 | 0 | 0 | 0 |
| 6 | 0 | 0 | 64 | 263 | 108 | 37 | 73777 | 91955 | 285 | 74 | 4 | 12 |
| 7 | 0 | 27 | 26 | 16 | 0 | 0 | 813 | 985 | 0 | 0 | 0 | 0 |
| 8 | 1271 | 1103 | 245 | 272 | 0 | 0 | 315520 | 259769 | 34 | 18 | 10 | 13 |
| 9 | 0 | 0 | 0 | 876 | 1414 | 964 | 43587 | 46152 | 10 | 10 | 11 | 29 |
| 10 | 0 | 0 | 70 | 17 | 0 | 69 | 137140 | 143956 | 109 | 141 | 0 | 0 |
| 11 | 0 | 0 | 0 | 0 | 0 | 88 | 104352 | 132737 | 110 | 35 | 1 | 9 |
| 12 | 0 | 0 | 0 | 0 | 0 | 1 | 157747 | 141586 | 8 | 30 | 5 | 6 |
| State Total | 1278 | 1134 | 1719 | 3057 | 2106 | 1630 | 1525708 | 1489061 | 856 | 736 | 49 | 139 |

Table No. V (B)-Contd.

| Sr. No. | District | Food Crops | | | | | | | | | |
|-------------------------|----------|--------------------------|-------------|--------------------------|-------------|--------------|--------------|--------------------|-------------|------------|------------|
| | | Red gram or Tur or Arhar | | Black gram or Urd (Mash) | | Peas(K+R) | | Horse Gram (Kulth) | | Masur | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
| 1 | BLS | 3 | 11 | 22 | 42 | 2 | 5 | 8 | 20 | 2 | 0 |
| 2 | CHM | 1878 | 1469 | 1392 | 1343 | 0 | 0 | 288 | 274 | 60 | 56 |
| 3 | HMR | 0 | 0 | 1 | 7 | 0 | 0 | 0 | 1 | 0 | 3 |
| 4 | KGR | 0 | 12 | 108 | 1182 | 0 | 76 | 126 | 133 | 1 | 54 |
| 5 | KNR | 0 | 0 | 2 | 1 | 2801 | 2785 | 0 | 0 | 1 | 0 |
| 6 | KLU | 2083 | 1839 | 854 | 804 | 2639 | 1422 | 143 | 108 | 198 | 70 |
| 7 | LSP | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 1835 | 1360 | 883 | 669 | 9662 | 5095 | 162 | 132 | 48 | 68 |
| 9 | SML | 0 | 24 | 627 | 807 | 0 | 0 | 235 | 286 | 58 | 171 |
| 10 | SRM | 1 | 3 | 632 | 676 | 0 | 0 | 142 | 174 | 205 | 249 |
| 11 | SLN | 0 | 26 | 337 | 339 | 3149 | 1102 | 215 | 184 | 5 | 4 |
| 12 | UNA | 0 | 0 | 79 | 103 | 50 | 31 | 18 | 25 | 1 | 4 |
| Total H.P. State | | 5801 | 4743 | 4937 | 5981 | 18303 | 10515 | 1335 | 1337 | 580 | 678 |

Table No. V (B)-Contd.

| Sr. No. | District | Food Crops | | | | | | | | | |
|--------------------|----------|------------------------|-------------|----------|-----------|--------------|--------------|-------------------|----------------|--------------|--------------|
| | | Other Pulses(Specify) | | | | Total Pulses | | Total Food Grains | | Sugarcane | |
| | | (Kharif) | | (Rabi) | | | | | | | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 |
| 1 | BLS | 0 | 20 | 0 | 1 | 69 | 246 | 97263 | 104165 | 0 | 116 |
| 2 | CHM | 5 | 181 | 0 | 0 | 3636 | 3358 | 141614 | 142589 | 0 | 20 |
| 3 | HMR | 0 | 0 | 0 | 0 | 5 | 14 | 117114 | 106591 | 54 | 51 |
| 4 | KGR | 2321 | 763 | 0 | 1 | 2826 | 2530 | 341042 | 321834 | 5829 | 6511 |
| 5 | KNR | 709 | 841 | 0 | 0 | 3512 | 3627 | 5788 | 6518 | 0 | 0 |
| 6 | KLU | 4 | 1 | 0 | 0 | 6211 | 4331 | 79988 | 96285 | 0 | 0 |
| 7 | LSP | 49 | 38 | 0 | 0 | 49 | 45 | 863 | 1030 | 0 | 0 |
| 8 | MND | 174 | 274 | 0 | 1 | 12807 | 7630 | 328328 | 267399 | 0 | 0 |
| 9 | SML | 1873 | 1861 | 0 | 2 | 2813 | 3190 | 46400 | 49343 | 23 | 0 |
| 10 | SRM | 84 | 150 | 0 | 0 | 1174 | 1393 | 138314 | 145349 | 10211 | 19084 |
| 11 | SLN | 0 | 48 | 0 | 0 | 3816 | 1746 | 108168 | 134482 | 170 | 1610 |
| 12 | UNA | 0 | 13 | 0 | 5 | 161 | 217 | 157908 | 141804 | 1594 | 2270 |
| State Total | | 5218 | 4190 | 0 | 10 | 37080 | 28328 | 1562788 | 1517389 | 17882 | 29661 |

Table No. V (B)-Contd.

| Sr. No. | District | Food Crops | | | | | | | | | |
|-------------------------|----------|------------|----------|------------------------------|----------|----------|----------|--------------|----------|--------------|--------------|
| | | Almond | | Total Other Fruits (Specify) | | | | Total Fruits | | Total Potato | |
| | | | | Kharif | | Rabi | | | | Kharif | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 |
| 1 | BLS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1007 | 33 |
| 2 | CHM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5146 | 4035 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 39 |
| 4 | KGR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1147 | 1363 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 896 | 1066 |
| 6 | KLU | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5690 | 4676 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12589 | 14396 |
| 8 | MND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21177 | 18707 |
| 9 | SML | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8241 | 11119 |
| 10 | SRM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5093 | 4325 |
| 11 | SLN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 31 | 126 |
| 12 | UNA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8989 | 5068 |
| Total H.P. State | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 70006 | 64952 |

Table No. V (B)-Contd.

| Sr. No. | Food Crops | | | | | | | | | | | |
|------------------------|--------------|--------------|-----------------------|--------------|--------------|-------------|--------------|--------------|---------------------|--------------|----------------|----------|
| | Potato | | Total Potato (K+R) | | Peas | | | | Total Peas (K+R) | | Sweet Potatoes | |
| | Rabi | | | | Kharif | | Rabi | | | | | |
| | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | |
| 1 | 0 | 79 | 1007 | 112 | 0 | 15 | 2 | 0 | 2 | 15 | 21 | 0 |
| 2 | 1922 | 2058 | 7068 | 6093 | 1526 | 1400 | 961 | 951 | 2487 | 2352 | 0 | 0 |
| 3 | 31 | 25 | 31 | 63 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 8170 | 7778 | 9317 | 9141 | 0 | 9 | 484 | 41 | 484 | 51 | 0 | 0 |
| 5 | 0 | 0 | 896 | 1066 | 556 | 286 | 2245 | 1379 | 2801 | 1666 | 0 | 0 |
| 6 | 2493 | 2621 | 8183 | 7296 | 446 | 426 | 0 | 0 | 446 | 426 | 0 | 0 |
| 7 | 0 | 0 | 12589 | 14396 | 0 | 1032 | 4280 | 3419 | 4280 | 4451 | 0 | 0 |
| 8 | 3458 | 3145 | 24635 | 21852 | 3634 | 1891 | 0 | 0 | 3634 | 1891 | 0 | 0 |
| 9 | 5737 | 6019 | 13979 | 17138 | 3936 | 4061 | 10357 | 11014 | 14294 | 15076 | 147 | 0 |
| 10 | 2535 | 2390 | 7628 | 6715 | 230 | 315 | 1084 | 1192 | 1314 | 1507 | 0 | 0 |
| 11 | 561 | 579 | 592 | 705 | 0 | 0 | 95 | 1262 | 95 | 1262 | 0 | 0 |
| 12 | 7712 | 7118 | 16701 | 12186 | 0 | 0 | 13 | 6 | 13 | 6 | 208 | 0 |
| State Total | 32619 | 31811 | 102625 | 96763 | 10329 | 9436 | 19521 | 19266 | 29849 | 28702 | 376 | 0 |

Table No. V (B)-Contd.

| Sr. No. | District | Food Crops | | | | | | | | | |
|-------------------------|----------|-------------|-------------|---------------|--------------|-------------|--------------|-------------------------|--------------|------------------------|--------------|
| | | Onion | | Tomato | | Lady finger | | Cabbage and Cauliflower | | Total other Vegetables | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 |
| 1 | BLS | 147 | 226 | 2130 | 1448 | 8 | 473 | 16 | 28 | 0 | 500 |
| 2 | CHM | 343 | 308 | 1534 | 954 | 8 | 266 | 168 | 208 | 778 | 678 |
| 3 | HMR | 295 | 165 | 0 | 31 | 20 | 57 | 216 | 305 | 706 | 488 |
| 4 | KGR | 998 | 718 | 72 | 463 | 281 | 122 | 4996 | 1297 | 4009 | 4278 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 43 | 32 | 206 |
| 6 | KLU | 543 | 333 | 20068 | 13018 | 156 | 4654 | 13968 | 8119 | 341 | 226 |
| 7 | LSP | 0 | 63 | 0 | 0 | 0 | 0 | 6630 | 4182 | 40 | 15 |
| 8 | MND | 330 | 434 | 5577 | 2723 | 104 | 868 | 10160 | 4837 | 3889 | 2096 |
| 9 | SML | 100 | 127 | 9637 | 9143 | 92 | 2105 | 16658 | 16986 | 5761 | 6534 |
| 10 | SRM | 1261 | 1250 | 59609 | 37384 | 20 | 10949 | 6125 | 5749 | 8443 | 5786 |
| 11 | SLN | 692 | 255 | 19491 | 27727 | 8 | 7383 | 6762 | 1283 | 3784 | 3176 |
| 12 | UNA | 709 | 661 | 379 | 571 | 136 | 115 | 480 | 480 | 1078 | 1397 |
| Total H.P. State | | 5419 | 4539 | 118497 | 93463 | 834 | 26994 | 66179 | 43518 | 28861 | 25379 |

Table No. V (B)-Contd.

| Sr. No. | Condiments & Spices | | | | | | | | | | | |
|------------------------|---------------------|---------------|---------------|------------|---------------|--------------|-----------|-----------|----------------|------------|--------------|-------------|
| | Total Vegetables | | Chillies(Dry) | | Ginger(Green) | | Zeera | | Turmeric (Dry) | | Garlic | |
| | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 |
| 1 | 3330 | 2803 | 9 | 4 | 673 | 874 | 0 | 0 | 47 | 50 | 100 | 60 |
| 2 | 12386 | 10860 | 18 | 20 | 15 | 26 | 7 | 2 | 0 | 9 | 223 | 234 |
| 3 | 1268 | 1109 | 2 | 3 | 108 | 145 | 0 | 0 | 85 | 119 | 55 | 45 |
| 4 | 20157 | 16070 | 3 | 4 | 154 | 278 | 0 | 0 | 96 | 76 | 85 | 114 |
| 5 | 3729 | 2980 | 0 | 0 | 0 | 0 | 82 | 71 | 0 | 0 | 0 | 0 |
| 6 | 43705 | 34073 | 41 | 26 | 0 | 3 | 0 | 0 | 0 | 6 | 2504 | 1934 |
| 7 | 23538 | 23106 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 48330 | 34700 | 34 | 35 | 300 | 773 | 0 | 0 | 44 | 36 | 736 | 569 |
| 9 | 60667 | 67111 | 33 | 50 | 335 | 1179 | 0 | 0 | 11 | 6 | 823 | 790 |
| 10 | 84400 | 69339 | 202 | 168 | 13470 | 10425 | 0 | 0 | 160 | 91 | 6806 | 5531 |
| 11 | 31424 | 41791 | 627 | 8 | 1887 | 2082 | 0 | 0 | 5 | 17 | 96 | 51 |
| 12 | 19705 | 15415 | 2 | 3 | 31 | 10 | 0 | 0 | 24 | 13 | 55 | 35 |
| State Total | 352639 | 319358 | 972 | 323 | 16973 | 15795 | 89 | 73 | 473 | 422 | 11483 | 9363 |

Table No. V (B)-Contd.

| Sr. No. | District | Condiments & Spices | | | | | | | | | | | |
|-------------------------|----------|---------------------|------------|-----------------|-----------|----------|----------|---------------------------------|-----------|---------------------------|--------------|------------------|----------------|
| | | Coriander | | Other (Specify) | | | | Total other Condiments & spices | | Total Condiments & spices | | Total Food Crops | |
| | | Current | Normal | Kharif | | Rabi | | Current | Normal | Current | Normal | Current | Normal |
| | | | | Current | Normal | Current | Normal | | | | | | |
| | | 116 | 117 | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 |
| 1 | BLS | 0 | 3 | 0 | 3 | 0 | 0 | 0 | 3 | 829 | 994 | 101422 | 108078 |
| 2 | CHM | 10 | 14 | 41 | 25 | 0 | 0 | 41 | 25 | 315 | 329 | 154315 | 153797 |
| 3 | HMR | 6 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 255 | 316 | 118692 | 108067 |
| 4 | KGR | 16 | 6 | 0 | 18 | 0 | 0 | 0 | 18 | 354 | 496 | 367383 | 344911 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 82 | 71 | 9598 | 9569 |
| 6 | KLU | 56 | 31 | 0 | 1 | 0 | 0 | 0 | 1 | 2601 | 2001 | 126293 | 132360 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24401 | 24137 |
| 8 | MND | 26 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 1140 | 1429 | 377797 | 303528 |
| 9 | SML | 39 | 45 | 10 | 6 | 0 | 0 | 10 | 6 | 1252 | 2076 | 108342 | 118529 |
| 10 | SRM | 48 | 64 | 2 | 0 | 0 | 0 | 2 | 0 | 20688 | 16279 | 253612 | 250052 |
| 11 | SLN | 31 | 12 | 0 | 4 | 0 | 0 | 0 | 4 | 2646 | 2173 | 142409 | 180057 |
| 12 | UNA | 9 | 9 | 3 | 3 | 0 | 0 | 3 | 3 | 123 | 74 | 179331 | 159563 |
| Total H.P. State | | 240 | 203 | 56 | 61 | 0 | 0 | 56 | 61 | 30286 | 26240 | 1963595 | 1892647 |

Table No. V (B)-Contd.

| Sr. No. | District | Non-Foods Crops | | | | | | | | | |
|-------------------------|----------|---------------------------|----------|----------|----------|----------|----------|-------------|----------|-----------|-----------|
| | | Cotton (in Bales 170 Kgs) | | | | San-hemp | | Total Fibre | | Groundnut | |
| | | Desi | | American | | | | | | | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 |
| 1 | BLS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 2 | CHM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | KGR | 4 | 1 | 0 | 0 | 0 | 0 | 4 | 1 | 0 | 0 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 21 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 9 | SML | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 10 | SRM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 11 |
| 11 | SLN | 12 | 4 | 0 | 0 | 0 | 0 | 12 | 4 | 0 | 0 |
| 12 | UNA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Total H.P. State | | 16 | 5 | 0 | 0 | 0 | 0 | 16 | 5 | 14 | 35 |

Table No. V (B)-Contd.

| Sr. No. | Non-Foods Crops | | | | | | | | | | | |
|--------------|-----------------|------------|-----------|------------|-------------|-------------|------------|------------|-----------------|----------|------------|------------|
| | Sesamum | | Rape | | Mustard | | Soyabean | | Other (Specify) | | Linseed | |
| | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 | 146 | 147 | 148 | 149 |
| 1 | 10 | 30 | 1 | 5 | 43 | 247 | 5 | 30 | 0 | 0 | 0 | 0 |
| 2 | 8 | 6 | 3 | 8 | 2094 | 2147 | 2 | 6 | 3 | 1 | 0 | 2 |
| 3 | 2 | 2 | 0 | 0 | 49 | 43 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 597 | 498 | 0 | 6 | 1282 | 1239 | 36 | 63 | 0 | 0 | 128 | 105 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| 6 | 0 | 0 | 0 | 0 | 289 | 287 | 6 | 10 | 0 | 0 | 0 | 0 |
| 7 | 0 | 0 | 0 | 0 | 12 | 17 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 3 | 5 | 0 | 0 | 81 | 89 | 142 | 308 | 0 | 0 | 96 | 101 |
| 9 | 2 | 7 | 0 | 0 | 262 | 299 | 1 | 15 | 0 | 0 | 0 | 0 |
| 10 | 7 | 10 | 0 | 5 | 856 | 916 | 57 | 71 | 2 | 0 | 0 | 0 |
| 11 | 48 | 63 | 22 | 207 | 212 | 301 | 18 | 31 | 0 | 4 | 27 | 0 |
| 12 | 35 | 37 | 32 | 144 | 1073 | 1055 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 713 | 657 | 58 | 375 | 6252 | 6641 | 267 | 534 | 5 | 7 | 251 | 207 |

Table No. V (B)-Contd.

| Sr. No. | District | Non-Foods Crops | | | | | | | | | |
|-------------------------|----------|-----------------|-------------|-----------------|-------------|----------------------------|----------|----------|----------|----------|----------|
| | | Taramira | | Total Oil Seeds | | Dyes and Tanning Materials | | Tobacco | | Tea | |
| | | Current | Normal | Current | Normal | Current | Normal | Current | Normal | Current | Normal |
| | | 150 | 151 | 152 | 153 | 154 | 155 | 156 | 157 | 158 | 159 |
| 1 | BLS | 0 | 79 | 60 | 392 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | CHM | 17 | 13 | 2127 | 2183 | 0 | 0 | 1 | 1 | 0 | 0 |
| 3 | HMR | 14 | 12 | 65 | 57 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | KGR | 23 | 82 | 2067 | 1993 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | KNR | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 0 | 0 | 301 | 317 | 0 | 0 | 0 | 1 | 0 | 0 |
| 7 | LSP | 0 | 0 | 12 | 17 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 0 | 0 | 322 | 504 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | SML | 0 | 0 | 265 | 323 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | SRM | 47 | 51 | 976 | 1063 | 0 | 0 | 0 | 0 | 0 | 0 |
| 11 | SLN | 151 | 262 | 478 | 868 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | UNA | 526 | 674 | 1666 | 1910 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total H.P. State | | 779 | 1173 | 8339 | 9630 | 0 | 0 | 1 | 2 | 0 | 0 |

Table No. V (B)-Contd.

| Sr. No. | | | | | | | Total Non-Food Crops | | Total Food Crops | | Total Food & Non-food Crops | |
|--------------|---------------|----------|-----------------|----------|--------------------------|----------|----------------------|-------------|------------------|----------------|-----------------------------|----------------|
| | Poppy (Opium) | | Other (Specify) | | Total Drug and Narcotics | | Current | Normal | Current | Normal | Current | Normal |
| | Current | Normal | Current | Normal | Current | Normal | | | | | | |
| | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 | 171 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 60 | 392 | 101422 | 108078 | 101482 | 108470 |
| 2 | 0 | 0 | 0 | 0 | 1 | 1 | 2128 | 2184 | 154315 | 153797 | 156444 | 155982 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 65 | 57 | 118692 | 108067 | 118757 | 108124 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 2071 | 1994 | 367383 | 344911 | 369453 | 346905 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 9598 | 9569 | 9598 | 9572 |
| 6 | 0 | 0 | 0 | 0 | 0 | 1 | 301 | 318 | 126293 | 132360 | 126594 | 132678 |
| 7 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 17 | 24401 | 24137 | 24413 | 24153 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 322 | 504 | 377797 | 303528 | 378119 | 304032 |
| 9 | 0 | 0 | 0 | 0 | 0 | 0 | 265 | 323 | 108342 | 118529 | 108607 | 118852 |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 976 | 1063 | 253612 | 250052 | 254588 | 251115 |
| 11 | 0 | 0 | 0 | 0 | 0 | 0 | 490 | 872 | 142409 | 180057 | 142899 | 180929 |
| 12 | 0 | 0 | 0 | 0 | 0 | 0 | 1666 | 1910 | 179331 | 159563 | 180997 | 161473 |
| Total | 0 | 0 | 0 | 0 | 1 | 2 | 8356 | 9637 | 1963595 | 1892647 | 1971950 | 1902285 |

Table VI

Farm Harvest Prices during 2016-17 of Principal Crops at certain Centre in (H.P.)

(in Rs./Qts.)

| Sr. No. | District or Centre | Rice | | Maize | | Jowar | | Bajra | |
|----------------------|--------------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 1 | BLS | 2033 | 1800 | 1417 | 1400 | - | - | - | - |
| 2 | CHM | 2380 | 2240 | 1491 | 1363 | - | - | - | - |
| 3 | HMR | 2000 | 1817 | 2000 | 1963 | - | - | - | - |
| 4 | KGR | 2070 | 2000 | 1635 | 1600 | - | - | - | - |
| 5 | KNR | - | - | 3300 | 3000 | - | - | - | - |
| 6 | KLU | 3140 | 2800 | 1900 | 1800 | - | - | - | - |
| 7 | LSP | - | - | 2000 | 2000 | - | - | - | - |
| 8 | MND | 2091 | 2127 | 1540 | 1553 | 3118 | - | - | - |
| 9 | SML | 2500 | 2453 | 1850 | 1820 | - | - | - | - |
| 10 | SRM | 1565 | 1550 | 1525 | 1553 | - | - | 3600 | 4000 |
| 11 | SLN | 2830 | 2830 | 1790 | 1590 | - | 1844 | - | - |
| 12 | UNA | 1550 | 1527 | 1515 | 1503 | - | - | - | - |
| State Average | | 2216 | 2114 | 1830 | 1762 | 3118 | 1844 | 3600 | 3500 |

Table VI-contd.

| Sr. No. | Wheat | | Barley | | Gram | | Green gram or moong | |
|----------------------|--------------|-------------|--------------|-------------|--------------|-------------|---------------------|-------------|
| | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 1 | 1500 | 1500 | 2000 | 2000 | 11000 | 11000 | - | - |
| 2 | 1500 | 1490 | 1545 | 1545 | 7500 | 7500 | - | - |
| 3 | 2200 | 2000 | 1950 | 2050 | 8375 | 7599 | - | - |
| 4 | 1800 | 1500 | 1800 | 1550 | 8500 | 8000 | - | - |
| 5 | 4000 | 4000 | 3500 | 3500 | - | - | - | - |
| 6 | 1920 | 1800 | 2240 | 2100 | 7600 | 8600 | 8000 | 9600 |
| 7 | 2000 | 2333 | 2200 | 2200 | - | - | - | - |
| 8 | 1655 | 1661 | 2369 | 2133 | 7232 | 5720 | 8039 | 8500 |
| 9 | 2000 | 2000 | 1750 | 1750 | 5100 | 5100 | - | 7000 |
| 10 | 1650 | 1516 | 1600 | 1373 | 7250 | 4283 | - | - |
| 11 | 1920 | 1780 | 1980 | 1635 | 6970 | 6770 | - | - |
| 12 | 1625 | 1500 | 1966 | 1833 | 7500 | 6500 | 7667 | 8933 |
| State Average | 1981 | 1923 | 2075 | 1972 | 7703 | 7107 | 7902 | 8508 |

Table VI-contd.

| Sr. No. | District or Centre | Arhar | | Mash | | Peas | | Horse gram | |
|----------------------|--------------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| 1 | BLS | - | - | 12500 | 12500 | - | 7000 | 13000 | 8000 |
| 2 | CHM | 11278 | 10833 | 13778 | 13777 | 4200 | 4875 | 11667 | 11666 |
| 3 | HMR | - | - | - | - | - | - | 7450 | 6944 |
| 4 | KGR | 8600 | 8500 | 8830 | 7000 | 7000 | - | 6840 | 6500 |
| 5 | KNR | 11000 | 11000 | - | - | - | - | - | - |
| 6 | KLU | 10600 | 11000 | 9900 | 9000 | 6667 | - | 11000 | 7800 |
| 7 | LSP | 10000 | 10000 | - | - | - | - | - | - |
| 8 | MND | - | 6569 | 10972 | 11343 | - | 5925 | 9230 | 7755 |
| 9 | SML | 9000 | 8000 | 8000 | 8000 | - | - | 7000 | 6525 |
| 10 | SRM | - | - | 9000 | 7200 | - | - | 8150 | 7626 |
| 11 | SLN | 11030 | 12056 | 10100 | 7278 | 3900 | 5778 | - | 9850 |
| 12 | UNA | - | - | 7500 | 10250 | 5250 | 2750 | 6500 | 10000 |
| State Average | | 10215 | 9745 | 10064 | 9594 | 5403 | 5266 | 8982 | 8267 |

Table VI-contd.

| Sr. No. | Masur (Pulses) | | Sugar raw | | Apple | | Grapes | |
|----------------------|----------------|-------------|--------------|------------|--------------|-----------|--------------|-----------|
| | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 |
| 1 | - | - | - | - | - | - | - | - |
| 2 | 7500 | 7500 | - | - | - | - | - | - |
| 3 | 7000 | 7000 | - | - | - | - | - | - |
| 4 | 7200 | - | - | - | - | - | - | - |
| 5 | - | - | - | - | - | - | - | - |
| 6 | 8200 | - | - | - | - | - | - | - |
| 7 | - | - | - | - | - | - | - | - |
| 8 | 6804 | 6569 | - | - | - | - | - | - |
| 9 | - | 6500 | - | - | - | - | - | - |
| 10 | 6200 | 4396 | 270 | 295 | - | - | - | - |
| 11 | 7800 | - | - | - | - | - | - | - |
| 12 | 7000 | 6833 | 3000 | - | - | - | - | - |
| State Average | 7213 | 6466 | 1635 | 295 | - | - | - | - |

Table VI-contd.

| Sr. No. | District or Centre | Walnut | | Almonds | | Potatoes (K+R) | | Peas (Vegetables) | |
|----------------------|--------------------|--------------|-----------|--------------|-----------|----------------|-------------|-------------------|-------------|
| | | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 |
| 1 | BLS | - | - | - | - | 2000 | 2000 | - | - |
| 2 | CHM | - | - | - | - | 2233 | 1838 | - | - |
| 3 | HMR | - | - | - | - | 1500 | 1500 | - | - |
| 4 | KGR | - | - | - | - | 1505 | 1500 | - | - |
| 5 | KNR | - | - | - | - | 3000 | 3000 | 7500 | 7500 |
| 6 | KLU | - | - | - | - | 1600 | 2450 | 7000 | 3200 |
| 7 | LSP | - | - | - | - | 3000 | 3000 | 4000 | 3500 |
| 8 | MND | - | - | - | - | 1946 | 2022 | | - |
| 9 | SML | - | - | - | - | 2500 | 2020 | 4800 | 4800 |
| 10 | SRM | - | - | - | - | 1325 | 2400 | 3381 | 2400 |
| 11 | SLN | - | - | - | - | 1820 | 1820 | - | - |
| 12 | UNA | - | - | - | - | 1400 | 1483 | 2000 | 2000 |
| State Average | | - | - | - | - | 1986 | 2086 | 4780 | 3900 |

Table VI-contd.

| Sr. No. | Sweet Potatoes | | Onion | | Tomato | | Lady finger | |
|----------------------|----------------|-----------|--------------|-------------|--------------|-------------|--------------|-------------|
| | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
| 1 | - | - | 2000 | 2000 | 4600 | 4600 | - | - |
| 2 | - | - | 3425 | 3050 | 2000 | 2000 | - | - |
| 3 | - | - | 1200 | 1457 | 2000 | 1800 | 3500 | 3700 |
| 4 | - | - | 1650 | 1600 | - | - | - | - |
| 5 | - | - | - | - | - | - | - | - |
| 6 | - | - | 2100 | 1900 | - | - | - | - |
| 7 | - | - | - | - | - | - | - | - |
| 8 | - | - | 1847 | 2308 | 3134 | 4000 | - | - |
| 9 | - | - | - | - | - | 2000 | - | - |
| 10 | - | - | 1550 | 1611 | 2400 | 2278 | - | - |
| 11 | - | - | 1830 | 2644 | 4120 | 3111 | 2200 | 2200 |
| 12 | - | - | 875 | 950 | 1608 | - | - | 2000 |
| State Average | - | - | 1831 | 1947 | 2837 | 2827 | 2850 | 2633 |

Table VI-contd.

| Sr. No. | District or Centre | Cabbage | | Cauliflower | | Brinjal | | Chillies | |
|----------------------|--------------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|--------------|
| | | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 |
| 1 | BLS | - | - | - | - | - | - | 13000 | 13000 |
| 2 | CHM | 2500 | 2500 | 2500 | 2500 | - | - | 20000 | 20000 |
| 3 | HMR | - | - | - | - | - | - | 15500 | 15000 |
| 4 | KGR | - | - | - | - | - | - | - | - |
| 5 | KNR | - | - | - | - | - | - | - | - |
| 6 | KLU | - | - | - | - | - | - | 17000 | 16000 |
| 7 | LSP | - | - | - | - | - | - | - | - |
| 8 | MND | 2700 | 2360 | - | - | - | - | 12635 | 11400 |
| 9 | SML | 1200 | 1200 | - | 1200 | - | - | 9000 | 9000 |
| 10 | SRM | 1650 | 1650 | - | - | - | - | 8570 | 7723 |
| 11 | SLN | - | - | 2650 | 2578 | - | - | 7800 | 7800 |
| 12 | UNA | - | - | 1733 | 1650 | - | 1100 | 15000 | 15000 |
| State Average | | 2013 | 1928 | 2294 | 1982 | - | 1100 | 13167 | 12769 |

Table VI-contd.

| Sr. No. | Ginger | | Zeera | | Turmeric | | Garlic | |
|----------------------|--------------|-------------|--------------|-----------|--------------|--------------|--------------|-------------|
| | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 |
| 1 | 10000 | 10000 | - | - | 8000 | 8000 | 2300 | 2300 |
| 2 | - | - | - | - | - | - | 6000 | 6000 |
| 3 | 4000 | 7000 | - | - | 14400 | 14000 | 4500 | 5000 |
| 4 | 6000 | - | - | - | - | - | 5500 | 5500 |
| 5 | - | - | - | - | - | - | - | - |
| 6 | - | - | - | - | - | - | 7500 | 11600 |
| 7 | - | - | - | - | - | - | - | - |
| 8 | 5125 | 6000 | - | - | 16625 | - | 6990 | 6869 |
| 9 | 6500 | 6350 | - | - | - | - | - | - |
| 10 | 4200 | 3565 | - | - | 8900 | 9100 | 5900 | 6118 |
| 11 | 4850 | 4850 | - | - | - | - | 6940 | 6167 |
| 12 | 6000 | 6000 | - | - | 17000 | 15375 | 6000 | 6000 |
| State Average | 5834 | 6252 | - | - | 12985 | 11619 | 5737 | 6173 |

Table VI-contd.

| Sr. No. | District or Centre | Coriander | | Cotton | | San-hemp | | Groundnut | |
|----------------------|--------------------|--------------|--------------|--------------|-----------|--------------|-----------|--------------|-------------|
| | | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 |
| 1 | BLS | - | - | - | - | - | - | - | - |
| 2 | CHM | 8000 | 15000 | - | - | - | - | - | - |
| 3 | HMR | 8500 | - | - | - | - | - | - | - |
| 4 | KGR | - | - | - | - | - | - | - | - |
| 5 | KNR | - | - | - | - | - | - | - | - |
| 6 | KLU | 1600 | - | - | - | - | - | - | - |
| 7 | LSP | - | - | - | - | - | - | - | - |
| 8 | MND | 8127 | 9650 | - | - | - | - | - | - |
| 9 | SML | - | - | - | - | - | - | - | - |
| 10 | SRM | 8643 | 6481 | - | - | - | - | 8333 | 7650 |
| 11 | SLN | - | - | - | - | - | - | 8180 | 8180 |
| 12 | UNA | - | - | - | - | - | - | 8500 | 7166 |
| State Average | | 6974 | 10377 | - | - | - | - | 8338 | 7665 |

Table VI-contd.

| Sr. No. | Sesamum | | Rape | | Mustard | | Soyabean | |
|----------------------|--------------|--------------|--------------|-------------|--------------|-------------|--------------|-------------|
| | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 |
| 1 | 16000 | 16000 | - | - | 6500 | 6500 | 5400 | 5400 |
| 2 | - | - | - | - | 4829 | 4828 | - | - |
| 3 | 11200 | 10000 | 7000 | 7000 | 9500 | 8800 | - | - |
| 4 | 12300 | 12000 | 7000 | - | 10000 | 8000 | 6060 | 5000 |
| 5 | - | - | - | - | - | - | - | - |
| 6 | - | - | - | - | 8800 | 8100 | 4600 | 4600 |
| 7 | - | - | - | - | - | - | - | - |
| 8 | - | 6650 | - | - | 6456 | 6764 | 6385 | 5968 |
| 9 | - | - | - | - | 5500 | 5200 | - | - |
| 10 | 8480 | 7720 | - | - | 4800 | 3653 | 5825 | 5700 |
| 11 | 10583 | 10583 | - | - | 5800 | 5250 | - | - |
| 12 | 10500 | 11571 | - | - | 5112 | 4650 | - | - |
| State Average | 11511 | 10646 | 7000 | 7000 | 6730 | 6175 | 5654 | 5334 |

Table VI-contd.

| Sr. No. | District or Centre | Linseed | | Taramira | | Tobacco | | Tea | |
|----------------------|--------------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|-----------|
| | | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year | Current Year | Last Year |
| | | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 |
| 1 | BLS | - | - | - | - | - | - | - | - |
| 2 | CHM | 8000 | 8000 | - | - | - | - | - | - |
| 3 | HMR | 9533 | 8500 | - | - | - | - | - | - |
| 4 | KGR | 7300 | 7200 | - | - | - | - | - | - |
| 5 | KNR | - | - | - | - | - | - | - | - |
| 6 | KLU | - | - | - | - | - | - | - | - |
| 7 | LSP | - | - | - | - | - | - | - | - |
| 8 | MND | 5800 | 6120 | 5543 | 5500 | - | 3825 | - | - |
| 9 | SML | - | - | - | - | - | - | - | - |
| 10 | SRM | - | - | 5375 | 3760 | - | - | - | - |
| 11 | SLN | - | - | 5300 | 5300 | - | - | - | - |
| 12 | UNA | - | 7000 | 5457 | 5800 | - | - | - | - |
| State Average | | 7658 | 7364 | 5419 | 5090 | - | 3825 | - | - |

Table No. VII

Wages of Agricultural labour in each district of State (H.P.) in 2016-17

Wages in Rupees Per day

| Sr. No. | District | July, 2016 | | | | | | August, 2016 | | |
|----------------------|----------|----------------------------|-------------|------------|--------------|---------------------------|------------|----------------------------|-------------|------------|
| | | Normal No. of Working hrs. | | | | | | Normal No. of Working hrs. | | |
| | | Skilled Labours | | | Field labour | Other Agricultural labour | Herdsmen | Skilled Labours | | |
| | | Carpenters | Blacksmiths | Cobblers | | | | Carpenters | Blacksmiths | Cobblers |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 1 | BLS | 500 | 500 | 450 | 350 | 350 | 350 | 500 | 500 | 450 |
| 2 | CHM | 350 | 350 | 350 | 150 | 150 | 150 | 350 | 350 | 350 |
| 3 | HMR | 500 | 500 | 500 | 375 | 375 | 375 | 500 | 500 | 500 |
| 4 | KGR | 500 | 500 | 500 | 300 | 300 | 300 | 500 | 500 | 500 |
| 5 | KNR | 650 | 650 | 650 | 300 | 300 | 300 | 650 | 650 | 650 |
| 6 | KLU | 500 | 400 | 400 | 300 | 300 | 300 | 500 | 400 | 400 |
| 7 | LSP | 350 | 200 | 200 | 200 | 200 | 200 | 350 | 200 | 200 |
| 8 | MND | 300 | 300 | 300 | 182 | 182 | 182 | 300 | 300 | 300 |
| 9 | SML | 350 | 350 | 350 | 250 | 250 | 250 | 350 | 350 | 350 |
| 10 | SRM | 350 | 350 | 350 | 200 | 200 | 200 | 350 | 350 | 350 |
| 11 | SLN | 220 | 220 | 220 | 200 | 200 | 200 | 220 | 220 | 220 |
| 12 | UNA | 400 | 400 | 400 | 300 | 300 | 300 | 400 | 400 | 400 |
| State Average | | 414 | 393 | 389 | 259 | 259 | 259 | 414 | 393 | 389 |

Table No. VII contd.

| Sr. No. | September, 2016 | | | | | | | | |
|----------------------|----------------------------|---------------------------|------------|-----------------|------------|------------|--------------|---------------------------|------------|
| | Normal No. of Working hrs. | | | | | | | | |
| | Field labour | Other Agricultural labour | Herdsmen | Skilled Labours | | | Field labour | Other Agricultural labour | Herdsmen |
| Carpenters | | | | Blacksmiths | Cobblers | | | | |
| | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| 1 | 350 | 350 | 350 | 500 | 500 | 450 | 350 | 350 | 350 |
| 2 | 150 | 150 | 150 | 350 | 350 | 350 | 150 | 150 | 150 |
| 3 | 375 | 375 | 375 | 500 | 500 | 500 | 375 | 375 | 375 |
| 4 | 300 | 300 | 300 | 500 | 500 | 500 | 300 | 300 | 300 |
| 5 | 300 | 300 | 300 | 650 | 650 | 650 | 300 | 300 | 300 |
| 6 | 300 | 300 | 300 | 500 | 400 | 400 | 300 | 300 | 300 |
| 7 | 200 | 200 | 200 | 350 | 200 | 200 | 200 | 200 | 200 |
| 8 | 182 | 182 | 182 | 300 | 300 | 300 | 182 | 182 | 182 |
| 9 | 250 | 250 | 250 | 350 | 350 | 350 | 250 | 250 | 250 |
| 10 | 200 | 200 | 200 | 350 | 350 | 350 | 200 | 200 | 200 |
| 11 | 200 | 200 | 200 | 220 | 220 | 220 | 200 | 200 | 200 |
| 12 | 300 | 300 | 300 | 400 | 400 | 400 | 300 | 300 | 300 |
| State Average | 259 | 259 | 259 | 414 | 393 | 389 | 259 | 259 | 259 |

Table No. VII contd.

| Sr. No. | District | October, 2016 | | | | | | November, 2016 | | |
|----------------------|----------|----------------------------|-------------|------------|--------------|---------------------------|------------|----------------------------|-------------|------------|
| | | Normal No. of Working hrs. | | | | | | Normal No. of Working hrs. | | |
| | | Skilled Labours | | | Field labour | Other Agricultural labour | Herdsmen | Skilled Labours | | |
| | | Carpenters | Blacksmiths | Cobblers | | | | Carpenters | Blacksmiths | Cobblers |
| | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| 1 | BLS | 500 | 500 | 450 | 350 | 350 | 350 | 500 | 500 | 450 |
| 2 | CHM | 350 | 350 | 350 | 150 | 150 | 150 | 350 | 350 | 350 |
| 3 | HMR | 500 | 500 | 500 | 375 | 375 | 375 | 500 | 500 | 500 |
| 4 | KGR | 500 | 500 | 500 | 300 | 300 | 300 | 500 | 500 | 500 |
| 5 | KNR | 650 | 650 | 650 | 300 | 300 | 300 | 650 | 650 | 650 |
| 6 | KLU | 500 | 400 | 400 | 300 | 300 | 300 | 500 | 400 | 400 |
| 7 | LSP | 350 | 200 | 200 | 200 | 200 | 200 | 350 | 200 | 200 |
| 8 | MND | 350 | 350 | 350 | 200 | 200 | 200 | 350 | 350 | 200 |
| 9 | SML | 350 | 350 | 350 | 250 | 250 | 250 | 350 | 350 | 350 |
| 10 | SRM | 350 | 350 | 350 | 200 | 200 | 200 | 350 | 350 | 350 |
| 11 | SLN | 220 | 220 | 220 | 200 | 200 | 200 | 220 | 220 | 220 |
| 12 | UNA | 400 | 400 | 400 | 300 | 300 | 300 | 400 | 400 | 400 |
| State Average | | 418 | 398 | 393 | 260 | 260 | 260 | 418 | 398 | 381 |

Table No. VII contd.

| Sr. No. | December, 2016 | | | | | | | | |
|----------------------|----------------------------|---------------------------|------------|-----------------|------------|------------|--------------|---------------------------|------------|
| | Normal No. of Working hrs. | | | | | | | | |
| | Field labour | Other Agricultural labour | Herdsmen | Skilled Labours | | | Field labour | Other Agricultural labour | Herdsmen |
| Carpenters | | | | Blacksmiths | Cobblers | | | | |
| | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 1 | 350 | 350 | 350 | 500 | 500 | 450 | 350 | 350 | 350 |
| 2 | 150 | 150 | 150 | 350 | 350 | 350 | 150 | 150 | 150 |
| 3 | 375 | 375 | 375 | 500 | 500 | 500 | 375 | 375 | 375 |
| 4 | 300 | 300 | 300 | 500 | 500 | 500 | 300 | 300 | 300 |
| 5 | 300 | 300 | 300 | 650 | 650 | 650 | 300 | 300 | 300 |
| 6 | 300 | 300 | 300 | 500 | 400 | 400 | 300 | 300 | 300 |
| 7 | 200 | 200 | 200 | 350 | 200 | 200 | 200 | 200 | 200 |
| 8 | 200 | 200 | 200 | 350 | 350 | 200 | 200 | 200 | 200 |
| 9 | 250 | 250 | 250 | 350 | 350 | 350 | 250 | 250 | 250 |
| 10 | 200 | 200 | 200 | 350 | 350 | 350 | 200 | 200 | 200 |
| 11 | 200 | 200 | 200 | 220 | 220 | 220 | 200 | 200 | 200 |
| 12 | 300 | 300 | 300 | 400 | 400 | 400 | 300 | 300 | 300 |
| State Average | 260 | 260 | 260 | 418 | 398 | 381 | 260 | 260 | 260 |

Table No. VII contd.

| Sr. No. | District | January, 2017 | | | | | | February, 2017 | | |
|----------------------|----------|----------------------------|-------------|------------|--------------|---------------------------|------------|----------------------------|-------------|------------|
| | | Normal No. of Working hrs. | | | | | | Normal No. of Working hrs. | | |
| | | Skilled Labours | | | Field labour | Other Agricultural labour | Herdsmen | Skilled Labours | | |
| | | Carpenters | Blacksmiths | Cobblers | | | | Carpenters | Blacksmiths | Cobblers |
| | | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 |
| 1 | BLS | 500 | 500 | 450 | 350 | 350 | 350 | 500 | 500 | 450 |
| 2 | CHM | 350 | 350 | 350 | 150 | 150 | 150 | 350 | 350 | 350 |
| 3 | HMR | 500 | 500 | 500 | 375 | 375 | 375 | 500 | 500 | 500 |
| 4 | KGR | 500 | 500 | 500 | 300 | 300 | 300 | 500 | 500 | 500 |
| 5 | KNR | 650 | 650 | 650 | 300 | 300 | 300 | 650 | 650 | 650 |
| 6 | KLU | 500 | 400 | 400 | 300 | 300 | 300 | 500 | 400 | 400 |
| 7 | LSP | 350 | 200 | 200 | 200 | 200 | 200 | 350 | 200 | 200 |
| 8 | MND | 350 | 350 | 350 | 200 | 200 | 200 | 350 | 350 | 200 |
| 9 | SML | 350 | 350 | 350 | 250 | 250 | 250 | 350 | 350 | 350 |
| 10 | SRM | 350 | 350 | 350 | 200 | 200 | 200 | 350 | 350 | 350 |
| 11 | SLN | 220 | 220 | 220 | 200 | 200 | 200 | 220 | 220 | 220 |
| 12 | UNA | 400 | 400 | 400 | 300 | 300 | 300 | 400 | 400 | 400 |
| State Average | | 418 | 398 | 393 | 260 | 260 | 260 | 418 | 398 | 418 |

Table No. VII contd.

| Sr. No. | March, 2017 | | | | | | | | |
|----------------------|----------------------------|---------------------------|------------|-----------------|------------|------------|--------------|---------------------------|------------|
| | Normal No. of Working hrs. | | | | | | | | |
| | Field labour | Other Agricultural labour | Herdsmen | Skilled Labours | | | Field labour | Other Agricultural labour | Herdsmen |
| Carpenters | | | | Blacksmiths | Cobblers | | | | |
| | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 |
| 1 | 350 | 350 | 350 | 500 | 500 | 450 | 350 | 350 | 350 |
| 2 | 150 | 150 | 150 | 350 | 350 | 350 | 150 | 150 | 150 |
| 3 | 375 | 375 | 375 | 500 | 500 | 500 | 375 | 375 | 375 |
| 4 | 300 | 300 | 300 | 500 | 500 | 500 | 300 | 300 | 300 |
| 5 | 300 | 300 | 300 | 650 | 650 | 650 | 300 | 300 | 300 |
| 6 | 300 | 300 | 300 | 500 | 400 | 400 | 300 | 300 | 300 |
| 7 | 200 | 200 | 200 | 350 | 200 | 200 | 200 | 200 | 200 |
| 8 | 200 | 200 | 200 | 350 | 350 | 350 | 200 | 200 | 200 |
| 9 | 250 | 250 | 250 | 350 | 350 | 350 | 250 | 250 | 250 |
| 10 | 200 | 200 | 200 | 350 | 350 | 350 | 200 | 200 | 200 |
| 11 | 200 | 200 | 200 | 220 | 220 | 220 | 200 | 200 | 200 |
| 12 | 300 | 300 | 300 | 400 | 400 | 400 | 300 | 300 | 300 |
| State Average | 260 | 260 | 260 | 418 | 398 | 393 | 260 | 260 | 260 |

Table No. VII contd.

| Sr. No. | District | April, 2017 | | | | | | May, 2017 | | |
|----------------------|----------|----------------------------|-------------|------------|--------------|---------------------------|------------|----------------------------|-------------|------------|
| | | Normal No. of Working hrs. | | | | | | Normal No. of Working hrs. | | |
| | | Skilled Labours | | | Field labour | Other Agricultural labour | Herdsmen | Skilled Labours | | |
| | | Carpenters | Blacksmiths | Cobblers | | | | Carpenters | Blacksmiths | Cobblers |
| | | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
| 1 | BLS | 500 | 500 | 450 | 350 | 350 | 350 | 500 | 500 | 450 |
| 2 | CHM | 350 | 350 | 350 | 150 | 150 | 150 | 350 | 350 | 350 |
| 3 | HMR | 500 | 500 | 500 | 375 | 375 | 375 | 500 | 500 | 500 |
| 4 | KGR | 500 | 500 | 500 | 300 | 300 | 300 | 500 | 500 | 500 |
| 5 | KNR | 650 | 650 | 650 | 300 | 300 | 300 | 650 | 650 | 650 |
| 6 | KLU | 500 | 400 | 400 | 300 | 300 | 300 | 500 | 400 | 400 |
| 7 | LSP | 350 | 200 | 200 | 200 | 200 | 200 | 350 | 200 | 200 |
| 8 | MND | 350 | 350 | 350 | 200 | 200 | 200 | 350 | 350 | 350 |
| 9 | SML | 350 | 350 | 350 | 250 | 250 | 250 | 350 | 350 | 350 |
| 10 | SRM | 350 | 350 | 350 | 200 | 200 | 200 | 350 | 350 | 350 |
| 11 | SLN | 220 | 220 | 220 | 200 | 200 | 200 | 220 | 220 | 220 |
| 12 | UNA | 400 | 400 | 400 | 300 | 300 | 300 | 400 | 400 | 400 |
| State Average | | 418 | 398 | 393 | 260 | 260 | 260 | 418 | 398 | 393 |

Table No. VII contd.

| Sr. No. | June, 2017 | | | | | | | | |
|----------------------|----------------------------|---------------------------|------------|-----------------|------------|------------|--------------|---------------------------|------------|
| | Normal No. of Working hrs. | | | | | | | | |
| | Field labour | Other Agricultural labour | Herdsmen | Skilled Labours | | | Field labour | Other Agricultural labour | Herdsmen |
| Carpenters | | | | Blacksmiths | Cobblers | | | | |
| | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 |
| 1 | 350 | 350 | 350 | 500 | 500 | 450 | 350 | 350 | 350 |
| 2 | 150 | 150 | 150 | 350 | 350 | 350 | 150 | 150 | 150 |
| 3 | 375 | 375 | 375 | 500 | 500 | 500 | 375 | 375 | 375 |
| 4 | 300 | 300 | 300 | 500 | 500 | 500 | 300 | 300 | 300 |
| 5 | 300 | 300 | 300 | 650 | 650 | 650 | 300 | 300 | 300 |
| 6 | 300 | 300 | 300 | 500 | 400 | 400 | 300 | 300 | 300 |
| 7 | 200 | 200 | 200 | 350 | 200 | 200 | 200 | 200 | 200 |
| 8 | 200 | 200 | 200 | 350 | 350 | 350 | 200 | 200 | 200 |
| 9 | 250 | 250 | 250 | 350 | 350 | 350 | 250 | 250 | 250 |
| 10 | 200 | 200 | 200 | 350 | 350 | 350 | 200 | 200 | 200 |
| 11 | 200 | 200 | 200 | 220 | 220 | 220 | 200 | 200 | 200 |
| 12 | 300 | 300 | 300 | 400 | 400 | 400 | 300 | 300 | 300 |
| State Average | 260 | 260 | 260 | 418 | 398 | 393 | 260 | 260 | 260 |

Table No. VIII**Number of Livestock in each District of State (H.P.) according to last census as on 2012**

Total Number of Livestock and Poultry*

| S.No. | District | Livestock | Poultry |
|--------------|-----------------|------------------|----------------|
| 1 | Bilaspur | 210439 | 96017 |
| 2 | Chamba | 814232 | 47076 |
| 3 | Hamirpur | 170901 | 43073 |
| 4 | Kangra | 805120 | 366296 |
| 5 | Kinnaur | 125857 | 9390 |
| 6 | Kullu | 371734 | 13634 |
| 7 | Lahaul&Spiti | 61578 | 2026 |
| 8 | Mandi | 827034 | 67355 |
| 9 | Shimla | 496729 | 36778 |
| 10 | Sirmaur | 482272 | 101427 |
| 11 | Solan | 289613 | 247969 |
| 12 | Una | 188922 | 73435 |
| Total | | 4844431 | 1104476 |

*Total Livestock covers Cattle, Buffalo, Sheep, Goat, pig, Horses& Ponies, Mules, Donkeys, Camels, Mithun and Yak and total poultry include total birds in the poultry farms and hatcheries.

Table VIII-contd.

Details of Bovines by Sex

| S.No. | District | Male | Female | Total Bovine |
|--------------|-----------------|---------------|----------------|---------------------|
| | 1 | 2 | 3 | 4 |
| 1 | BLS | 34332 | 114146 | 148478 |
| 2 | CHM | 133058 | 213317 | 346375 |
| 3 | HMR | 18795 | 116895 | 135690 |
| 4 | KGR | 143918 | 364988 | 508906 |
| 5 | KNR | 3844 | 18010 | 21854 |
| 6 | KLU | 42553 | 133452 | 176005 |
| 7 | LSP | 3321 | 11146 | 14467 |
| 8 | MND | 152384 | 357076 | 509460 |
| 9 | SML | 69183 | 216830 | 286013 |
| 10 | SRM | 105092 | 216956 | 322048 |
| 11 | SLN | 57658 | 167402 | 225060 |
| 12 | UNA | 27152 | 147606 | 174758 |
| Total | | 791290 | 2077824 | 2869114 |

Table VIII-contd.

Details of Cattle by Age, Sex and Use in Rural and Urban Combined

| S.No. | District | Exotic / Crossbred Cattle | | | | | |
|------------------------|-----------------------|---------------------------|------------------------------------|--------------|-------------|-------------|---------------|
| | | Male | | | | | |
| | | Up to 1.5 Years | Over 1.5 Years | | | | Total Male |
| Used for Breeding Only | Used for Draught only | | Used for Both Draught and Breeding | Others | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | BLS | 1825 | 36 | 2948 | 7 | 112 | 4928 |
| 2 | CHM | 4322 | 158 | 8339 | 914 | 153 | 13886 |
| 3 | HMR | 1657 | 109 | 5876 | 60 | 199 | 7901 |
| 4 | KGR | 17725 | 398 | 19959 | 215 | 1599 | 39896 |
| 5 | KNR | 963 | 54 | 195 | 41 | 96 | 1349 |
| 6 | KLU | 6950 | 127 | 4551 | 184 | 288 | 12100 |
| 7 | LSP | 432 | 59 | 40 | 10 | 21 | 562 |
| 8 | MND | 14714 | 717 | 14426 | 408 | 540 | 30805 |
| 9 | SML | 10735 | 230 | 4621 | 313 | 477 | 16376 |
| 10 | SRM | 6448 | 222 | 5035 | 431 | 223 | 12359 |
| 11 | SLN | 4572 | 301 | 5567 | 65 | 588 | 11093 |
| 12 | UNA | 3553 | 85 | 3618 | 33 | 118 | 7407 |
| Total | | 73896 | 2496 | 75175 | 2681 | 4414 | 158662 |

Table VIII-contd.

Details of Cattle by Age, Sex and Use in Rural and Urban Combined

| S.No. | District | Exotic / Crossbred Cattle | | | | | | | |
|--------------|----------|---------------------------|----------------|----------------|---------------|-----------------|-------------|---------------|--------------------------|
| | | Female | | | | | | | Total Exotic / Crossbred |
| | | Under 1 Year | 1 to 2.5 Years | Over 2.5 Years | | | | Total Female | |
| | | | | In Milk | Dry | Not Calved Once | Others | | |
| | | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 1 | BLS | 4278 | 3302 | 10436 | 2622 | 582 | 22 | 21242 | 26170 |
| 2 | CHM | 7458 | 4514 | 17864 | 5610 | 1325 | 89 | 36860 | 50746 |
| 3 | HMR | 2758 | 2208 | 8434 | 1663 | 340 | 98 | 15501 | 23402 |
| 4 | KGR | 34287 | 27983 | 87197 | 26166 | 5748 | 970 | 182351 | 222247 |
| 5 | KNR | 1964 | 1187 | 5359 | 1659 | 403 | 50 | 10622 | 11971 |
| 6 | KLU | 15312 | 11995 | 43870 | 10162 | 1770 | 163 | 83272 | 95372 |
| 7 | LSP | 1272 | 966 | 4260 | 773 | 77 | 59 | 7407 | 7969 |
| 8 | MND | 35926 | 29623 | 94639 | 24998 | 6402 | 1010 | 192598 | 223403 |
| 9 | SML | 24582 | 15853 | 68896 | 16045 | 3179 | 292 | 128847 | 145223 |
| 10 | SRM | 11313 | 8026 | 24049 | 9024 | 1916 | 173 | 54501 | 66860 |
| 11 | SLN | 10738 | 8929 | 31404 | 6661 | 1945 | 353 | 60030 | 71123 |
| 12 | UNA | 6622 | 5516 | 14892 | 4180 | 818 | 7 | 32035 | 39442 |
| Total | | 156510 | 120102 | 411300 | 109563 | 24505 | 3286 | 825266 | 983928 |

Table VIII-contd.

Details of Cattle by Age and Sex and Use in Rural and Urban Combined

| S.No. | District | Indigenous Cattle | | | | | |
|--------------|------------------------|-------------------|-----------------------|------------------------------------|--------------|--------------|---------------|
| | | Male | | | | | Total Male |
| | | Up to 2 Years | Over 2 Years | | | | |
| | Used for Breeding Only | | Used for Draught only | Used for Both Draught and Breeding | Others | | |
| | | 16 | 17 | 18 | 19 | 20 | 21 |
| 1 | BLS | 874 | 43 | 18719 | 1 | 51 | 19688 |
| 2 | CHM | 19184 | 1224 | 79973 | 14109 | 1638 | 116128 |
| 3 | HMR | 66 | 20 | 3211 | 90 | 17 | 3404 |
| 4 | KGR | 6731 | 452 | 79560 | 891 | 3682 | 91316 |
| 5 | KNR | 1102 | 126 | 844 | 100 | 212 | 2384 |
| 6 | KLU | 5889 | 265 | 18547 | 3637 | 1792 | 30130 |
| 7 | LSP | 369 | 55 | 1512 | 7 | 98 | 2041 |
| 8 | MND | 13318 | 907 | 97840 | 2530 | 2103 | 116698 |
| 9 | SML | 12554 | 329 | 31535 | 5876 | 1822 | 52116 |
| 10 | SRM | 20615 | 1068 | 56885 | 8286 | 1478 | 88332 |
| 11 | SLN | 3752 | 337 | 32413 | 484 | 2688 | 39674 |
| 12 | UNA | 789 | 59 | 7126 | 10 | 66 | 8050 |
| Total | | 85243 | 4885 | 428165 | 36021 | 15647 | 569961 |

Table VIII-contd.

Details of Cattle by Age and Sex and Use in Rural and Urban Combined

| S.No. | District | Indigenous Cattle | | | | | | | | |
|--------------|----------|-------------------|--------------|---------------|---------------|-----------------|-------------|---------------|-------------------------|----------------|
| | | Female | | | | | | | Total Indigenous Cattle | Total Cattle |
| | | Under 1 Years | 1 to 3 Years | Over 3 Years | | | | Total Female | | |
| | | | | In Milk | Dry | Not Calved Once | Others | | | |
| | | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 1 | BLS | 238 | 292 | 882 | 558 | 52 | 12 | 2034 | 21722 | 47892 |
| 2 | CHM | 26271 | 24301 | 51915 | 34318 | 8673 | 842 | 146320 | 262448 | 313194 |
| 3 | HMR | 51 | 35 | 178 | 130 | 51 | 7 | 452 | 3856 | 27258 |
| 4 | KGR | 7026 | 6466 | 16889 | 12838 | 2056 | 291 | 45566 | 136882 | 359129 |
| 5 | KNR | 1240 | 862 | 2971 | 1816 | 268 | 45 | 7202 | 9586 | 21557 |
| 6 | KLU | 8331 | 6789 | 22780 | 8520 | 2272 | 517 | 49209 | 79339 | 174711 |
| 7 | LSP | 310 | 474 | 1730 | 591 | 55 | 27 | 3187 | 5228 | 13197 |
| 8 | MND | 15177 | 16577 | 39417 | 22956 | 4374 | 1165 | 99666 | 216364 | 439767 |
| 9 | SML | 13541 | 10715 | 35019 | 17884 | 2148 | 137 | 79444 | 131560 | 276783 |
| 10 | SRM | 25003 | 18752 | 48311 | 25522 | 5772 | 573 | 123933 | 212265 | 279125 |
| 11 | SLN | 4106 | 4522 | 16031 | 8359 | 966 | 269 | 34253 | 73927 | 145050 |
| 12 | UNA | 651 | 629 | 1809 | 901 | 104 | 10 | 4104 | 12154 | 51596 |
| Total | | 101945 | 90414 | 237932 | 134393 | 26791 | 3895 | 595370 | 1165331 | 2149259 |

Table VIII-contd.

Details of Buffaloes by Age,Sex and Use in Rural and Urban Combined For Male

| S. No. | District | Male | | | | | Total Male |
|--------------|----------|--------------|------------------------|-----------------------|--------------------------------|-------------|--------------|
| | | Upto 2 Years | Over 2 Years | | | Total Male | |
| | | | Used for Breeding Only | Used for Draught Only | Used Both Draught and Breeding | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | BLS | 9277 | 351 | 24 | 3 | 61 | 9716 |
| 2 | CHM | 1661 | 606 | 14 | 92 | 106 | 2479 |
| 3 | HMR | 6326 | 216 | 44 | 14 | 581 | 7181 |
| 4 | KGR | 11012 | 899 | 169 | 130 | 438 | 12648 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 22 | 25 | 4 | 3 | 2 | 56 |
| 7 | LSP | 1 | 0 | 1 | 0 | 0 | 2 |
| 8 | MND | 3980 | 356 | 8 | 1 | 243 | 4588 |
| 9 | SML | 480 | 131 | 14 | 11 | 37 | 673 |
| 10 | SRM | 3927 | 265 | 41 | 25 | 128 | 4386 |
| 11 | SLN | 5657 | 295 | 6 | 24 | 837 | 6819 |
| 12 | UNA | 10796 | 457 | 20 | 9 | 345 | 11627 |
| Total | | 53139 | 3601 | 345 | 312 | 2778 | 60175 |

Table VIII-contd.

Details of Buffaloes by Age,Sex and Use in Rural and Urban Combined For Female

| S. No. | District | Female | | | | | | | Total Baffaloes |
|--------------|----------|---------------|---------------|---------------|--------------|-----------------|-------------|---------------|-----------------|
| | | Under 1 Year | 1 to 3 Years | Over 3 Years | | | | Total Female | |
| | | | | In Milk | Dry | Not Calved Once | Others | | |
| | | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 1 | BLS | 17186 | 17693 | 40356 | 12345 | 3251 | 39 | 90870 | 100586 |
| 2 | CHM | 5000 | 5052 | 11590 | 6379 | 1735 | 230 | 29986 | 32465 |
| 3 | HMR | 16700 | 18220 | 51921 | 10901 | 2751 | 409 | 100902 | 108083 |
| 4 | KGR | 24550 | 24798 | 56548 | 24480 | 5479 | 1216 | 137071 | 149719 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 106 | 92 | 402 | 46 | 14 | 4 | 664 | 720 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 |
| 8 | MND | 11113 | 7551 | 34249 | 9498 | 2151 | 170 | 64732 | 69320 |
| 9 | SML | 1130 | 1001 | 5038 | 1178 | 159 | 10 | 8516 | 9189 |
| 10 | SRM | 7353 | 6877 | 15530 | 7525 | 1192 | 44 | 38521 | 42907 |
| 11 | SLN | 12246 | 11810 | 33323 | 12284 | 2390 | 1065 | 73118 | 79937 |
| 12 | UNA | 20459 | 23727 | 47906 | 14996 | 4317 | 55 | 111460 | 123087 |
| Total | | 115843 | 116821 | 296863 | 99632 | 23439 | 3243 | 655841 | 716016 |

Table VIII-contd.

Details of Mithun by Age and Sex in Urban and rural combined

| S. No. | District | Under 3 Years | | | 3 Years and above | | | Total Mithuns |
|--------------|----------|---------------|------------|------------|-------------------|------------|------------|---------------|
| | | Male | Female | Total | Male | Female | Total | |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | BLS | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | CHM | 19 | 4 | 23 | 34 | 16 | 50 | 73 |
| 3 | HMR | 30 | 7 | 37 | 1 | 0 | 1 | 38 |
| 4 | KGR | 4 | 0 | 4 | 0 | 0 | 0 | 4 |
| 5 | KNR | 11 | 17 | 28 | 14 | 30 | 44 | 72 |
| 6 | KLU | 118 | 143 | 261 | 110 | 164 | 274 | 535 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 32 | 25 | 57 | 26 | 54 | 80 | 137 |
| 9 | SML | 1 | 7 | 8 | 4 | 16 | 20 | 28 |
| 10 | SRM | 4 | 0 | 4 | 4 | 1 | 5 | 9 |
| 11 | SLN | 9 | 0 | 9 | 0 | 1 | 1 | 10 |
| 12 | UNA | 10 | 0 | 10 | 2 | 0 | 2 | 12 |
| Total | | 238 | 203 | 441 | 195 | 282 | 477 | 918 |

Table VIII-contd.

Details of Yaks by Age and Sex Rural and Urban Combined

| S. No. | District | Under 3 Years | | | 3 Years and above | | | Total Yaks |
|--------------|----------|---------------|------------|------------|-------------------|------------|-------------|-------------|
| | | Male | Female | Total | Male | Female | Total | |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | BLS | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | CHM | 212 | 35 | 247 | 300 | 96 | 396 | 643 |
| 3 | HMR | 102 | 20 | 122 | 176 | 13 | 189 | 311 |
| 4 | KGR | 7 | 0 | 7 | 47 | 0 | 47 | 54 |
| 5 | KNR | 34 | 37 | 71 | 52 | 102 | 154 | 225 |
| 6 | KLU | 3 | 0 | 3 | 36 | 0 | 36 | 39 |
| 7 | LSP | 118 | 147 | 265 | 598 | 404 | 1002 | 1267 |
| 8 | MND | 92 | 1 | 93 | 143 | 0 | 143 | 236 |
| 9 | SML | 1 | 0 | 1 | 12 | 0 | 12 | 13 |
| 10 | SRM | 0 | 0 | 0 | 7 | 0 | 7 | 7 |
| 11 | SLN | 10 | 0 | 10 | 53 | 0 | 53 | 63 |
| 12 | UNA | 15 | 7 | 22 | 41 | 0 | 41 | 63 |
| Total | | 594 | 247 | 841 | 1465 | 615 | 2080 | 2921 |

Table VIII-contd.

Details of Sheep by Age and Sex in Rural and Urban Combined For Exotic Crossbred

| S. No. | District | Exotic / Crossbred Sheep | | | | | | Total Exotic/ Crossbred Sheep |
|--------------|----------|--------------------------|---------------------|--------------|-----------------|---------------------|---------------|-------------------------------------|
| | | Male | | | Female | | | |
| | | Under 1 Year | 1 Year and Above | Total | Under 1 Year | 1 Year and Above | Total | |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | BLS | 275 | 502 | 777 | 92 | 285 | 377 | 1154 |
| 2 | CHM | 1761 | 1881 | 3642 | 2468 | 7235 | 9703 | 13345 |
| 3 | HMR | 558 | 910 | 1468 | 766 | 2506 | 3272 | 4740 |
| 4 | KGR | 5200 | 5454 | 10654 | 11235 | 27928 | 39163 | 49817 |
| 5 | KNR | 3728 | 7868 | 11596 | 4590 | 16275 | 20865 | 32461 |
| 6 | KLU | 7576 | 11991 | 19567 | 15719 | 47212 | 62931 | 82498 |
| 7 | LSP | 2114 | 5829 | 7943 | 2718 | 8530 | 11248 | 19191 |
| 8 | MND | 4152 | 8424 | 12576 | 6231 | 18021 | 24252 | 36828 |
| 9 | SML | 7345 | 9192 | 16537 | 11600 | 33288 | 44888 | 61425 |
| 10 | SRM | 462 | 1203 | 1665 | 302 | 1110 | 1412 | 3077 |
| 11 | SLN | 86 | 339 | 425 | 34 | 185 | 219 | 644 |
| 12 | UNA | 3 | 0 | 3 | 0 | 8 | 8 | 11 |
| Total | | 33260 | 53593 | 86853 | 55755 | 162583 | 218338 | 305191 |

Table VIII-contd.

**Details of Sheep by Age and Sex in Rural and Urban
Combined For Indigenous**

| S. No. | District | Indigenous Sheep | | | | | | Total Indigenous Sheep | Total Sheep |
|--------------|----------|------------------|------------------|---------------|--------------|------------------|---------------|------------------------|---------------|
| | | Male | | | Female | | | | |
| | | Under 1 Year | 1 Year and Above | Total | Under 1 Year | 1 Year and Above | Total | | |
| | 1 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 1 | BLS | 46 | 62 | 108 | 37 | 124 | 161 | 269 | 1423 |
| 2 | CHM | 28898 | 39605 | 68503 | 51718 | 121363 | 173081 | 241584 | 254929 |
| 3 | HMR | 517 | 496 | 1013 | 864 | 2358 | 3222 | 4235 | 8975 |
| 4 | KGR | 3688 | 5609 | 9297 | 7490 | 18024 | 25514 | 34811 | 84628 |
| 5 | KNR | 3556 | 6690 | 10246 | 5986 | 17914 | 23900 | 34146 | 66607 |
| 6 | KLU | 4404 | 4537 | 8941 | 8370 | 23884 | 32254 | 41195 | 123693 |
| 7 | LSP | 2037 | 4139 | 6176 | 3023 | 7624 | 10647 | 16823 | 36014 |
| 8 | MND | 8348 | 14682 | 23030 | 13430 | 40665 | 54095 | 77125 | 113953 |
| 9 | SML | 4029 | 7746 | 11775 | 6929 | 21445 | 28374 | 40149 | 101574 |
| 10 | SRM | 1048 | 2897 | 3945 | 1068 | 3223 | 4291 | 8236 | 11313 |
| 11 | SLN | 143 | 598 | 741 | 70 | 246 | 316 | 1057 | 1701 |
| 12 | UNA | 11 | 14 | 25 | 11 | 14 | 25 | 50 | 61 |
| Total | | 56725 | 87075 | 143800 | 98996 | 256884 | 355880 | 499680 | 804871 |

Table VIII-contd.

Details of Goats by Age, Sex and Use in Rural and Urban Combined

| S. No. | District | Male | | | female | | | | | Total Goats |
|--------------|----------|---------------|------------------|---------------|---------------|------------------|---------------|-----------------|---------------|----------------|
| | | Under 1 Year | 1 Year and above | Total | Under 1 Year | 1 Year and Above | | | Total | |
| | | | | | | In Milk | Dry | Not Calved Once | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |
| 1 | BLS | 11062 | 8658 | 19720 | 9905 | 14937 | 12465 | 2217 | 39524 | 59244 |
| 2 | CHM | 21436 | 27458 | 48894 | 34085 | 49718 | 58309 | 13505 | 155617 | 204511 |
| 3 | HMR | 3631 | 2949 | 6580 | 4661 | 7805 | 4727 | 949 | 18142 | 24722 |
| 4 | KGR | 25142 | 21874 | 47016 | 35826 | 51565 | 57332 | 10955 | 155678 | 202694 |
| 5 | KNR | 3255 | 6109 | 9364 | 4256 | 5738 | 10215 | 3656 | 23865 | 33229 |
| 6 | KLU | 6499 | 7799 | 14298 | 10541 | 10362 | 28715 | 5030 | 54648 | 68946 |
| 7 | LSP | 875 | 1814 | 2689 | 1208 | 2504 | 1645 | 150 | 5507 | 8196 |
| 8 | MND | 20825 | 31317 | 52142 | 29162 | 33862 | 64276 | 16023 | 143323 | 195465 |
| 9 | SML | 11453 | 20939 | 32392 | 14565 | 16602 | 33230 | 6300 | 70697 | 103089 |
| 10 | SRM | 17217 | 33827 | 51044 | 20214 | 23518 | 40608 | 9338 | 93678 | 144722 |
| 11 | SLN | 9326 | 14065 | 23391 | 9330 | 14197 | 12673 | 1513 | 37713 | 61104 |
| 12 | UNA | 1530 | 872 | 2402 | 2936 | 5123 | 2821 | 287 | 11167 | 13569 |
| Total | | 132251 | 177681 | 309932 | 176689 | 235931 | 327016 | 69923 | 809559 | 1119491 |

Table VIII-contd.

Details of Pigs by age and sex in Rural and Urban Combined For Exotic Crossbred

| S. No. | District | Exotic/ Crossbred Pigs | | | | | | Total Exotic/ Crossbred Pigs |
|--------------|----------|------------------------|-------------------|-------------|----------------|-------------------|------------|------------------------------|
| | | Male | | | Female | | | |
| | | Under 6 Months | 6 Month and Above | Total | Under 6 Months | 6 Month and Above | Total | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | BLS | 15 | 15 | 30 | 11 | 18 | 29 | 59 |
| 2 | CHM | 97 | 138 | 235 | 92 | 84 | 176 | 411 |
| 3 | HMR | 45 | 29 | 74 | 55 | 41 | 96 | 170 |
| 4 | KGR | 50 | 41 | 91 | 57 | 57 | 114 | 205 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 2 | 6 | 8 | 14 | 30 | 44 | 52 |
| 7 | LSP | 0 | 1 | 1 | 1 | 1 | 2 | 3 |
| 8 | MND | 30 | 56 | 86 | 35 | 117 | 152 | 238 |
| 9 | SML | 5 | 174 | 179 | 12 | 11 | 23 | 202 |
| 10 | SRM | 90 | 146 | 236 | 71 | 91 | 162 | 398 |
| 11 | SLN | 2 | 67 | 69 | 0 | 53 | 53 | 122 |
| 12 | UNA | 46 | 14 | 60 | 12 | 11 | 23 | 83 |
| Total | | 382 | 687 | 1069 | 360 | 514 | 874 | 1943 |

Table VIII-contd.

Details of Pigs by age and sex in Rural and Urban Combined For Indigenous

| S. No. | District | Indigenous Pigs | | | | | | Total Indigenous pigs | Total Pigs |
|--------------|----------|-----------------|-------------------|-------------|----------------|--------------------|------------|-----------------------|-------------|
| | | Male | | | Female | | | | |
| | | Under 6 Months | 6 month and above | Total | Under 6 months | 6 months and above | Total | | |
| | 1 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 1 | BLS | 38 | 45 | 83 | 43 | 49 | 92 | 175 | 234 |
| 2 | CHM | 235 | 462 | 697 | 0 | 6 | 6 | 703 | 1114 |
| 3 | HMR | 29 | 9 | 38 | 5 | 15 | 20 | 58 | 228 |
| 4 | KGR | 70 | 168 | 238 | 56 | 138 | 194 | 432 | 637 |
| 5 | KNR | 10 | 9 | 19 | 9 | 7 | 16 | 35 | 35 |
| 6 | KLU | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 52 |
| 7 | LSP | 3 | 0 | 3 | 0 | 0 | 0 | 3 | 6 |
| 8 | MND | 123 | 93 | 216 | 48 | 66 | 114 | 330 | 568 |
| 9 | SML | 44 | 186 | 230 | 23 | 90 | 113 | 343 | 545 |
| 10 | SRM | 218 | 377 | 595 | 96 | 125 | 221 | 816 | 1214 |
| 11 | SLN | 55 | 37 | 92 | 45 | 46 | 91 | 183 | 305 |
| 12 | UNA | 6 | 6 | 12 | 0 | 0 | 0 | 12 | 95 |
| Total | | 831 | 1392 | 2223 | 325 | 542 | 867 | 3090 | 5033 |

Table VIII-contd.

Details of Horses & Ponies by Age, Sex and Use in Rural and Urban Combined

| S. No. | District | Male | | | Female | | | Total Horses and ponies | |
|--------------|----------|---------------|----------------------------|----------------|-------------|---------------|-------------------|-------------------------|--------------|
| | | Under 3 Years | 3 Yrears and above | | Total | Under 3 Years | 3 Years and above | | Total |
| | | | Used for Cart and Carriage | Used for Sport | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 1 | BLS | 22 | 43 | 12 | 77 | 4 | 20 | 24 | 101 |
| 2 | CHM | 127 | 927 | 73 | 1127 | 62 | 407 | 469 | 1596 |
| 3 | HMR | 15 | 82 | 0 | 97 | 3 | 107 | 110 | 207 |
| 4 | KGR | 454 | 1593 | 48 | 2095 | 319 | 1367 | 1686 | 3781 |
| 5 | KNR | 89 | 133 | 2 | 224 | 74 | 284 | 358 | 582 |
| 6 | KLU | 297 | 883 | 210 | 1390 | 183 | 570 | 753 | 2143 |
| 7 | LSP | 136 | 235 | 14 | 385 | 115 | 528 | 643 | 1028 |
| 8 | MND | 226 | 1135 | 12 | 1373 | 181 | 724 | 905 | 2278 |
| 9 | SML | 106 | 1478 | 38 | 1622 | 42 | 295 | 337 | 1959 |
| 10 | SRM | 61 | 557 | 28 | 646 | 22 | 194 | 216 | 862 |
| 11 | SLN | 12 | 143 | 8 | 163 | 10 | 104 | 114 | 277 |
| 12 | UNA | 35 | 126 | 24 | 185 | 20 | 62 | 82 | 267 |
| Total | | 1580 | 7335 | 469 | 9384 | 1035 | 4662 | 5697 | 15081 |

Table VIII-contd.

Details of Mules and Donkeys by age and sex in Rural and Urban Combined Areas

| S. No. | District | Mules | | | Donkeys | | | | | | |
|--------------|----------|--------------|------------------|--------------|---------------|-------------------|-------------|---------------|-------------------|-------------|---------------|
| | | Under 3 Year | 3 Year and above | Total Mules | Male | | | Female | | | Total Donkeys |
| | | | | | Under 3 Years | 3 Years and Above | Total | Under 3 Years | 3 Years and Above | Total | |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 1 | BLS | 158 | 615 | 773 | 4 | 66 | 70 | 16 | 100 | 116 | 186 |
| 2 | CHM | 621 | 4797 | 5418 | 44 | 85 | 129 | 16 | 134 | 150 | 279 |
| 3 | HMR | 129 | 705 | 834 | 92 | 62 | 154 | 7 | 84 | 91 | 245 |
| 4 | KGR | 518 | 3550 | 4068 | 55 | 189 | 244 | 39 | 107 | 146 | 390 |
| 5 | KNR | 38 | 582 | 620 | 198 | 1662 | 1860 | 255 | 803 | 1058 | 2918 |
| 6 | KLU | 83 | 772 | 855 | 4 | 18 | 22 | 5 | 13 | 18 | 40 |
| 7 | LSP | 2 | 12 | 14 | 121 | 874 | 995 | 168 | 640 | 808 | 1803 |
| 8 | MND | 745 | 4369 | 5114 | 39 | 59 | 98 | 12 | 73 | 85 | 183 |
| 9 | SML | 70 | 2716 | 2786 | 72 | 405 | 477 | 37 | 233 | 270 | 747 |
| 10 | SRM | 122 | 1660 | 1782 | 43 | 67 | 110 | 23 | 152 | 175 | 285 |
| 11 | SLN | 110 | 872 | 982 | 61 | 43 | 104 | 3 | 75 | 78 | 182 |
| 12 | UNA | 5 | 64 | 69 | 64 | 17 | 81 | 4 | 6 | 10 | 91 |
| Total | | 2601 | 20714 | 23315 | 797 | 3547 | 4344 | 585 | 2420 | 3005 | 7349 |

Table VIII-contd.

Details of Camels by Age and Sex in Rural and Urban Combined

| S. No. | District | Male | | | Female | | | Total Camel |
|--------------|----------|---------------|-------------------|------------|---------------|-------------------|-----------|-------------|
| | | Under 4 Years | 4 Years and Above | Total | Under 4 Years | 4 Years and Above | Total | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | BLS | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | CHM | 10 | 0 | 10 | 0 | 0 | 0 | 10 |
| 3 | HMR | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | KGR | 9 | 7 | 16 | 0 | 0 | 0 | 16 |
| 5 | KNR | 12 | 0 | 12 | 0 | 0 | 0 | 12 |
| 6 | KLU | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | LSP | 50 | 0 | 50 | 0 | 0 | 0 | 50 |
| 8 | MND | 2 | 0 | 2 | 11 | 0 | 11 | 13 |
| 9 | SML | 15 | 0 | 15 | 1 | 0 | 1 | 16 |
| 10 | SRM | 0 | 42 | 42 | 4 | 0 | 4 | 46 |
| 11 | SLN | 0 | 0 | 0 | 0 | 2 | 2 | 2 |
| 12 | UNA | 6 | 4 | 10 | 1 | 1 | 2 | 12 |
| Total | | 104 | 53 | 157 | 17 | 3 | 20 | 177 |

Table VIII-contd.

Details of Dogs, Rabbits and Elephants in Rural and Urban Combined

| S. No. | District | Dogs | | | Rabbits | | | Elephants | | |
|--------------|----------|---------------|--------------|---------------|-------------|-------------|-------------|-----------|------------|------------|
| | | Male | Female | Total | Male | Female | Total | Male | Female | Total |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 1 | BLS | 7676 | 1055 | 8731 | 17 | 20 | 37 | 0 | 0 | 0 |
| 2 | CHM | 13243 | 2029 | 15272 | 58 | 51 | 109 | 1 | 89 | 90 |
| 3 | HMR | 9158 | 1060 | 10218 | 23 | 16 | 39 | 0 | 0 | 0 |
| 4 | KGR | 36485 | 4480 | 40965 | 251 | 267 | 518 | 14 | 10 | 24 |
| 5 | KNR | 2707 | 503 | 3210 | 11 | 18 | 29 | 0 | 0 | 0 |
| 6 | KLU | 5774 | 951 | 6725 | 746 | 1262 | 2008 | 4 | 0 | 4 |
| 7 | LSP | 155 | 53 | 208 | 2 | 4 | 6 | 0 | 0 | 0 |
| 8 | MND | 10973 | 1779 | 12752 | 889 | 1233 | 2122 | 3 | 0 | 3 |
| 9 | SML | 20321 | 2537 | 22858 | 114 | 161 | 275 | 0 | 0 | 0 |
| 10 | SRM | 15459 | 4303 | 19762 | 155 | 296 | 451 | 0 | 0 | 0 |
| 11 | SLN | 13186 | 2104 | 15290 | 13 | 5 | 18 | 0 | 0 | 0 |
| 12 | UNA | 17358 | 1659 | 19017 | 215 | 15 | 230 | 0 | 1 | 1 |
| Total | | 152495 | 22513 | 175008 | 2494 | 3348 | 5842 | 22 | 100 | 122 |

Table VIII-contd.

Details of Backyard Poultry in Rural and Urban Combined For Fowls

| S. No. | District | Fowls | | | | | |
|--------|----------|-------|----------|-------|-------|----------|-------|
| | | Cocks | | | Hens | | |
| | | Desi | Improved | Total | Desi | Improved | Total |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | BLS | 1625 | 2806 | 4431 | 2904 | 3810 | 6714 |
| 2 | CHM | 8919 | 3222 | 12141 | 16336 | 5320 | 21656 |
| 3 | HMR | 957 | 2209 | 3166 | 1964 | 2784 | 4748 |
| 4 | KGR | 11017 | 5732 | 16749 | 23064 | 8710 | 31774 |
| 5 | KNR | 302 | 475 | 777 | 718 | 1171 | 1889 |
| 6 | KLU | 1053 | 2830 | 3883 | 2573 | 5513 | 8086 |
| 7 | LSP | 288 | 107 | 395 | 750 | 241 | 991 |
| 8 | MND | 4788 | 4529 | 9317 | 8834 | 6785 | 15619 |
| 9 | SML | 3010 | 1947 | 4957 | 6480 | 4473 | 10953 |
| 10 | SRM | 1671 | 1559 | 3230 | 2527 | 1775 | 4302 |
| 11 | SLN | 1184 | 2282 | 3466 | 1979 | 2849 | 4828 |
| 12 | UNA | 589 | 1203 | 1792 | 1036 | 2006 | 3042 |

| | | | | | | |
|--------------|--------------|--------------|--------------|--------------|--------------|---------------|
| Total | 35403 | 28901 | 64304 | 69165 | 45437 | 114602 |
|--------------|--------------|--------------|--------------|--------------|--------------|---------------|

Table VIII-contd.

Details of Backyard Poultry in Rural and Urban Combined For Fowls under Chickens below 5 Months

| S. No. | District | Fowls | | | |
|--------|----------|-------------------------|----------|-------|-------------|
| | | Chickens Below 5 Months | | | Total Fowls |
| | | Desi | Improved | Total | |
| | 1 | 8 | 9 | 10 | 11 |
| 1 | BLS | 884 | 9085 | 9969 | 21114 |
| 2 | CHM | 3515 | 5858 | 9373 | 43170 |
| 3 | HMR | 262 | 2288 | 2550 | 10464 |
| 4 | KGR | 4290 | 5419 | 9709 | 58232 |
| 5 | KNR | 1078 | 5404 | 6482 | 9148 |
| 6 | KLU | 170 | 1495 | 1665 | 13634 |
| 7 | LSP | 333 | 131 | 464 | 1850 |
| 8 | MND | 3362 | 7717 | 11079 | 36015 |
| 9 | SML | 3794 | 8028 | 11822 | 27732 |
| 10 | SRM | 1227 | 2097 | 3324 | 10856 |
| 11 | SLN | 1208 | 5925 | 7133 | 15427 |
| 12 | UNA | 87 | 1099 | 1186 | 6020 |

| | | | | |
|--------------|--------------|--------------|--------------|---------------|
| Total | 20210 | 54546 | 74756 | 253662 |
|--------------|--------------|--------------|--------------|---------------|

Table VIII-contd.

Details of Backyard Poultry in Rural and Urban Combined For Ducks

| S. No. | District | Ducks | | | | | |
|--------------|----------|----------|-----------|-----------|------------|------------|------------|
| | | Drakes | | | Ducks | | |
| | | Desi | Improved | Total | Desi | Improved | Total |
| | 1 | 12 | 13 | 14 | 15 | 16 | 17 |
| 1 | BLS | 0 | 0 | 0 | 23 | 6 | 29 |
| 2 | CHM | 0 | 0 | 0 | 310 | 95 | 405 |
| 3 | HMR | 0 | 0 | 0 | 0 | 2 | 2 |
| 4 | KGR | 6 | 16 | 22 | 53 | 21 | 74 |
| 5 | KNR | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | KLU | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | LSP | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | MND | 1 | 0 | 1 | 9 | 37 | 46 |
| 9 | SML | 0 | 0 | 0 | 46 | 0 | 46 |
| 10 | SRM | 0 | 0 | 0 | 4 | 0 | 4 |
| 11 | SLN | 0 | 0 | 0 | 0 | 24 | 24 |
| 12 | UNA | 0 | 3 | 3 | 5 | 7 | 12 |
| Total | | 7 | 19 | 26 | 450 | 192 | 642 |

Table VIII-contd.

Details of Backyard Poultry in Rural and Urban Combined For Ducks under Duckling below 6 Months

| S. No. | District | Ducks | | | |
|--------------|----------|------------------------|----------|-----------|-------------|
| | | Ducking Below 6 Months | | | Total Ducks |
| | | Desi | Improved | Total | |
| | | 18 | 19 | 20 | 21 |
| 1 | BLS | 0 | 0 | 0 | 29 |
| 2 | CHM | 0 | 0 | 0 | 405 |
| 3 | HMR | 0 | 0 | 0 | 2 |
| 4 | KGR | 5 | 7 | 12 | 108 |
| 5 | KNR | 0 | 0 | 0 | 0 |
| 6 | KLU | 0 | 0 | 0 | 0 |
| 7 | LSP | 0 | 0 | 0 | 0 |
| 8 | MND | 0 | 0 | 0 | 47 |
| 9 | SML | 0 | 0 | 0 | 46 |
| 10 | SRM | 0 | 0 | 0 | 4 |
| 11 | SLN | 0 | 0 | 0 | 24 |
| 12 | UNA | 0 | 0 | 0 | 15 |
| Total | | 5 | 7 | 12 | 680 |

Table VIII-contd.

Details of Backyard Poultry in Rural and Urban Combined For Turkeys

| S. No. | District | Turkey | | | Quails | Other Poltry Birds | Total Poultry Birds |
|--------------|----------|----------|----------|-----------|----------|--------------------|---------------------|
| | | Male | Female | Total | | | |
| | | 22 | 23 | 24 | 25 | 26 | 27 |
| 1 | BLS | 0 | 0 | 0 | 0 | 0 | 21143 |
| 2 | CHM | 0 | 0 | 0 | 0 | 1 | 43576 |
| 3 | HMR | 0 | 0 | 0 | 0 | 26 | 10492 |
| 4 | KGR | 5 | 5 | 10 | 5 | 64 | 58419 |
| 5 | KNR | 1 | 0 | 1 | 0 | 0 | 9149 |
| 6 | KLU | 0 | 0 | 0 | 0 | 0 | 13634 |
| 7 | LSP | 0 | 0 | 0 | 0 | 4 | 1854 |
| 8 | MND | 0 | 0 | 0 | 0 | 39 | 36101 |
| 9 | SML | 0 | 0 | 0 | 0 | 0 | 27778 |
| 10 | SRM | 0 | 0 | 0 | 0 | 0 | 10860 |
| 11 | SLN | 0 | 0 | 0 | 0 | 0 | 15451 |
| 12 | UNA | 3 | 3 | 6 | 0 | 0 | 6041 |
| Total | | 9 | 8 | 17 | 5 | 134 | 254498 |

Table VIII-contd.

Details of Poultry Birds in Farms / Hatcheries in Rural and Urban Combined

| S. No. | District | Numbers of Birds in Farms/ Hatcheries | | | |
|--------------|----------|---------------------------------------|---------------|-----------|---------------|
| | | Layer | Broiler | Duck | Others* |
| | | 2 | 3 | 4 | 5 |
| 1 | BLS | 37155 | 37585 | 0 | 134 |
| 2 | CHM | 0 | 3500 | 0 | 0 |
| 3 | HMR | 1064 | 29465 | 0 | 2052 |
| 4 | KGR | 50085 | 257442 | 2 | 348 |
| 5 | KNR | 0 | 0 | 11 | 230 |
| 6 | KLU | 0 | 0 | 0 | 0 |
| 7 | LSP | 0 | 172 | 0 | 0 |
| 8 | MND | 14470 | 15754 | 0 | 1030 |
| 9 | SML | 400 | 8600 | 0 | 0 |
| 10 | SRM | 0 | 90431 | 0 | 136 |
| 11 | SLN | 72017 | 29499 | 0 | 131002 |
| 12 | UNA | 44877 | 22342 | 2 | 173 |
| Total | | 220068 | 494790 | 15 | 135105 |

* Others include Turkey, Emu, Ostrich etc

Table VIII-contd.

Number of Equipments Used in Livestock Sector Rural and Urban Combined

| S.No. | District | Milking Machine | Mechanized Fodder cutter | Chopper & Baler | Dung Collection & Disposal Equipment |
|--------------|----------|-----------------|--------------------------|-----------------|--------------------------------------|
| 1 | BLS | 4 | 17655 | 245 | 1196 |
| 2 | CHM | 0 | 274 | 14 | 0 |
| 3 | HMR | 15 | 20087 | 807 | 87 |
| 4 | KGR | 6 | 26949 | 1274 | 2643 |
| 5 | KNR | 0 | 178 | 13 | 20 |
| 6 | KLU | 0 | 170 | 27 | 0 |
| 7 | LSP | 0 | 7 | 0 | 0 |
| 8 | MND | 14 | 6090 | 73 | 2525 |
| 9 | SML | 12 | 492 | 26 | 50 |
| 10 | SRM | 22 | 10846 | 68 | 37 |
| 11 | SLN | 6 | 20714 | 41 | 419 |
| 12 | UNA | 1 | 49549 | 5 | 9688 |
| Total | | 80 | 153011 | 2593 | 16665 |

Table VIII-contd.

Number Of Households And Households Enterprises Owning Animals/Poultry Birds in Rural and Urban Combined

| S. No. | District | Number of households and Households Enterprises Having | | | | | | |
|--------------|----------|--|---------------|---------------|--------------|-------------|-------------------|-----------------------------|
| | | Cattle | Buffaloes | Goats | Sheep | Pigs | Backyards Poultry | Poultry Farm and Hatcheries |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | BLS | 21444 | 48092 | 20933 | 914 | 52 | 1237 | 405 |
| 2 | CHM | 99250 | 13918 | 16935 | 19798 | 42 | 5533 | 1 |
| 3 | HMR | 15113 | 60475 | 10340 | 4002 | 14 | 678 | 234 |
| 4 | KGR | 155800 | 72973 | 37676 | 10305 | 47 | 9517 | 5228 |
| 5 | KNR | 8181 | 0 | 1846 | 4353 | 5 | 514 | 79 |
| 6 | KLU | 60841 | 91 | 2673 | 7448 | 3 | 1078 | 0 |
| 7 | LSP | 4089 | 214 | 1406 | 2948 | 1 | 238 | 1 |
| 8 | MND | 145034 | 40967 | 26413 | 17442 | 95 | 4610 | 5088 |
| 9 | SML | 93446 | 5150 | 7930 | 6515 | 359 | 2404 | 7 |
| 10 | SRM | 64320 | 18615 | 21529 | 3095 | 453 | 1473 | 8 |
| 11 | SLN | 47315 | 34268 | 13896 | 883 | 56 | 1085 | 752 |
| 12 | UNA | 23872 | 51687 | 4026 | 42 | 24 | 574 | 27 |
| Total | | 738705 | 346450 | 165603 | 77745 | 1151 | 28941 | 11830 |

Table VIII-contd.

Number Of Non Households Enterprises and Institutions Owning Animals/Poultry Birds in Rural and Urban Combined

| S. No. | District | Number of Non Households Enterprises and Institutions Having | | | | | |
|--------------|----------|--|-----------|-----------|-----------|----------|---------------------------|
| | | Cattle | Buffaloes | Goats | Sheep | Pigs | Poultry Farm & Hatcheries |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | BLS | 6 | 3 | 1 | 0 | 0 | 1 |
| 2 | CHM | 7 | 8 | 3 | 1 | 0 | 51 |
| 3 | HMR | 23 | 13 | 5 | 2 | 2 | 166 |
| 4 | KGR | 69 | 9 | 11 | 1 | 2 | 117 |
| 5 | KNR | 5 | 0 | 3 | 45 | 0 | 1 |
| 6 | KLU | 10 | 0 | 0 | 1 | 0 | 0 |
| 7 | LSP | 42 | 0 | 3 | 3 | 0 | 0 |
| 8 | MND | 20 | 0 | 12 | 25 | 1 | 131 |
| 9 | SML | 145 | 8 | 28 | 4 | 0 | 2 |
| 10 | SRM | 24 | 7 | 10 | 0 | 0 | 11 |
| 11 | SLN | 32 | 7 | 1 | 0 | 0 | 230 |
| 12 | UNA | 45 | 9 | 3 | 0 | 0 | 10 |
| Total | | 428 | 64 | 80 | 82 | 5 | 720 |

Table VIII-contd.

Number Of Stray Cattle and Dogs

| S.No. | District | Stay Cattle | Stray Dogs |
|--------------|----------|--------------|--------------|
| | 1 | 2 | 3 |
| 1 | BLS | 1609 | 6406 |
| 2 | CHM | 244 | 3702 |
| 3 | HMR | 2317 | 5653 |
| 4 | KGR | 10791 | 18118 |
| 5 | KNR | 915 | 1608 |
| 6 | KLU | 3401 | 3115 |
| 7 | LSP | 13 | 1503 |
| 8 | MND | 2593 | 4996 |
| 9 | SML | 5091 | 6734 |
| 10 | SRM | 404 | 2353 |
| 11 | SLN | 2690 | 6621 |
| 12 | UNA | 2092 | 4411 |
| Total | | 32160 | 65220 |

Table VIII-contd.

Number Of Cattle, Buffaloes, Sheep, Goats and Pigs Per Thousand Households in Rural and Urban Combined

| S. No. | District | Number of Households | Number of Animals per 1000 Households | | | | |
|--------------|----------|----------------------|---------------------------------------|------------|------------|------------|----------|
| | | | Cattle | Buffaloes | Sheep | Goat | Pigs |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | BLS | 92667 | 517 | 1085 | 15 | 639 | 3 |
| 2 | CHM | 155989 | 2008 | 2008 | 1634 | 1311 | 7 |
| 3 | HMR | 111738 | 244 | 967 | 80 | 221 | 2 |
| 4 | KGR | 350318 | 1025 | 427 | 242 | 579 | 2 |
| 5 | KNR | 21687 | 994 | 0 | 3071 | 1532 | 2 |
| 6 | KLU | 92774 | 1883 | 8 | 1333 | 743 | 1 |
| 7 | LSP | 5201 | 2537 | 1 | 6924 | 1576 | 1 |
| 8 | MND | 218545 | 2012 | 317 | 521 | 894 | 3 |
| 9 | SML | 209258 | 1323 | 44 | 485 | 493 | 3 |
| 10 | SRM | 89855 | 3106 | 478 | 126 | 1611 | 14 |
| 11 | SLN | 112473 | 1290 | 711 | 15 | 543 | 3 |
| 12 | UNA | 111562 | 462 | 1103 | 1 | 122 | 1 |
| Total | | 1572067 | 1367 | 455 | 512 | 712 | 3 |

AGRICULTURAL CENSUS-2015-16

Table IX

Number and Area of operational holding by size classes and type of holding for all social groups

(Area in hectares)

| Sr · No · | Size Class (in hactare) | Individual holding | | Joint holding | | Total (indiv.+Joint holdings) | | Institutional holding | | Total holding | |
|--------------------|-----------------------------------|-----------------------|---------------|---------------|-----------|-------------------------------------|---------------|--------------------------|-------------|---------------|---------------|
| | | Numbe r | Area | Num ber | Area | Number | Area | Numb er | Area | Number | Area |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 1 | Below 0.0- 0.5 | 482508 | 120085 | 38 | 9 | 482546 | 120094 | 288 | 73 | 482834 | 120167 |
| 2 | 0.5-1.0 | 229216 | 165151 | 27 | 19 | 229243 | 165170 | 127 | 91 | 229370 | 165261 |
| | Marginal (1+2) | 711724 | 285236 | 65 | 28 | 711789 | 285264 | 415 | 164 | 712204 | 285428 |
| 3 | 1.0-2.0 | 173350 | 242155 | 15 | 20 | 173365 | 242175 | 91 | 138 | 173456 | 242313 |
| | Small | 173350 | 242155 | 15 | 20 | 173365 | 242175 | 91 | 138 | 173456 | 242313 |
| 4 | 2.0-3.0 | 58315 | 141018 | 7 | 17 | 58322 | 141035 | 65 | 155 | 58387 | 141190 |
| 5 | 3.0-4.0 | 23834 | 82003 | 2 | 7 | 23836 | 82010 | 42 | 143 | 23878 | 82153 |
| | Semi- Medium (4+5) | 82149 | 223021 | 9 | 24 | 82158 | 223045 | 107 | 298 | 82265 | 223343 |
| 6 | 4.0-5.0 | 11608 | 51405 | 2 | 10 | 11610 | 51414 | 37 | 166 | 11647 | 51580 |
| 7 | 5.0-7.5 | 10607 | 63645 | 0 | 0 | 10607 | 63645 | 54 | 321 | 10661 | 63966 |
| 8 | 7.5-10.0 | 3578 | 30320 | 0 | 0 | 3578 | 30320 | 34 | 290 | 3612 | 30610 |
| | Medium (6+7+8) | 25793 | 145370 | 2 | 10 | 25795 | 145379 | 125 | 777 | 25920 | 146156 |
| 9 | 10.0-20.0 | 2553 | 32876 | 0 | 0 | 2553 | 32876 | 53 | 684 | 2606 | 33560 |
| 10 | 20.0-& above | 320 | 9985 | 0 | 0 | 320 | 9985 | 38 | 3441 | 358 | 13426 |
| 11 | Large (9+10) | 2873 | 42861 | 0 | 0 | 2873 | 42861 | 91 | 4125 | 2964 | 46986 |
| All Size | | 995889 | 938643 | 91 | 82 | 995980 | 938724 | 829 | 5502 | 996809 | 944226 |

Table IX contd.

Number and Area of operational holding by size classes and type of holding for Scheduled Caste

(Area in hectares)

| Sr. No. | Size Class (in hectare) | Individual holding | | Joint holding | | Total holding | |
|-----------------|--------------------------|--------------------|---------------|---------------|----------|---------------|---------------|
| | | Number | Area | Number | Area | Number | Area |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Below0.0-0.5 | 138104 | 34821 | 0 | 0 | 138104 | 34821 |
| 2 | 0.5-1.0 | 47906 | 34012 | 0 | 0 | 47906 | 34012 |
| | Marginal (1+2) | 186010 | 68833 | 0 | 0 | 186010 | 68833 |
| 3 | 1.0-2.0 | 24273 | 33469 | 0 | 0 | 24273 | 33469 |
| | Small | 24273 | 33469 | 0 | 0 | 24273 | 33469 |
| 4 | 2.0-3.0 | 5569 | 13414 | 0 | 0 | 5569 | 13414 |
| 5 | 3.0-4.0 | 1776 | 6113 | 0 | 0 | 1776 | 6113 |
| | Semi-Medium (4+5) | 7345 | 19527 | 0 | 0 | 7345 | 19527 |
| 6 | 4.0-5.0 | 746 | 3324 | 0 | 0 | 746 | 3324 |
| 7 | 5.0-7.5 | 542 | 3263 | 0 | 0 | 542 | 3263 |
| 8 | 7.5-10.0 | 165 | 1396 | 0 | 0 | 165 | 1396 |
| | Medium (6+7+8) | 1453 | 7983 | 0 | 0 | 1453 | 7983 |
| 9 | 10.0-20.0 | 89 | 1121 | 0 | 0 | 89 | 1121 |
| 10 | 20.0-& above | 6 | 145 | 0 | 0 | 6 | 145 |
| 11 | Large (9+10) | 95 | 1266 | 0 | 0 | 95 | 1266 |
| All Size | | 219176 | 131078 | 0 | 0 | 219176 | 131078 |

Table IX contd.

Number and Area of operational holding by size classes and type of holding for Scheduled Tribe

(Area in hectares)

| Sr. No. | Size Class (in hectare) | Individual holding | | Joint holding | | Total holding | |
|-----------------|--------------------------|--------------------|--------------|---------------|----------|---------------|--------------|
| | | Number | Area | Number | Area | Number | Area |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Below0.0-0.5 | 27862 | 6855 | 0 | 0 | 27862 | 6855 |
| 2 | 0.5-1.0 | 13731 | 9812 | 0 | 0 | 13731 | 9812 |
| | Marginal (1+2) | 41593 | 16667 | 0 | 0 | 41593 | 16667 |
| 3 | 1.0-2.0 | 10190 | 14263 | 0 | 0 | 10190 | 14263 |
| | Small | 10190 | 14263 | 0 | 0 | 10190 | 14263 |
| 4 | 2.0-3.0 | 3207 | 7745 | 0 | 0 | 3207 | 7745 |
| 5 | 3.0-4.0 | 1174 | 4023 | 0 | 0 | 1174 | 4023 |
| | Semi-Medium (4+5) | 4381 | 11768 | 0 | 0 | 4381 | 11768 |
| 6 | 4.0-5.0 | 489 | 2162 | 0 | 0 | 489 | 2162 |
| 7 | 5.0-7.5 | 360 | 2143 | 0 | 0 | 360 | 2143 |
| 8 | 7.5-10.0 | 93 | 787 | 0 | 0 | 93 | 787 |
| | Medium (6+7+8) | 942 | 5092 | 0 | 0 | 942 | 5092 |
| 9 | 10.0-20.0 | 58 | 729 | 0 | 0 | 58 | 729 |
| 10 | 20.0-& above | 12 | 519 | 0 | 0 | 12 | 519 |
| 11 | Large (9+10) | 70 | 1248 | 0 | 0 | 70 | 1248 |
| All Size | | 57176 | 49038 | 0 | 0 | 57176 | 49038 |

Table IX contd.

Number and Area of operational holding by size classes and type of holding for Institutional

(Area in hectares)

| Sr. No. | Size Class (in hactare) | Individual holding | | Joint holding | | Total holding | |
|-----------------|--------------------------|--------------------|----------|---------------|----------|---------------|-------------|
| | | Number | Area | Number | Area | Number | Area |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Below0.0-0.5 | 0 | 0 | 0 | 0 | 288 | 73 |
| 2 | 0.5-1.0 | 0 | 0 | 0 | 0 | 127 | 91 |
| | Marginal (1+2) | 0 | 0 | 0 | 0 | 415 | 164 |
| 3 | 1.0-2.0 | 0 | 0 | 0 | 0 | 91 | 138 |
| | Small | 0 | 0 | 0 | 0 | 91 | 138 |
| 4 | 2.0-3.0 | 0 | 0 | 0 | 0 | 65 | 155 |
| 5 | 3.0-4.0 | 0 | 0 | 0 | 0 | 42 | 143 |
| | Semi-Medium (4+5) | 0 | 0 | 0 | 0 | 107 | 298 |
| 6 | 4.0-5.0 | 0 | 0 | 0 | 0 | 37 | 166 |
| 7 | 5.0-7.5 | 0 | 0 | 0 | 0 | 54 | 321 |
| 8 | 7.5-10.0 | 0 | 0 | 0 | 0 | 34 | 290 |
| | Medium (6+7+8) | 0 | 0 | 0 | 0 | 125 | 777 |
| 9 | 10.0-20.0 | 0 | 0 | 0 | 0 | 53 | 684 |
| 10 | 20.0-& above | 0 | 0 | 0 | 0 | 38 | 3441 |
| 11 | Large (9+10) | 0 | 0 | 0 | 0 | 91 | 4125 |
| All Size | | 0 | 0 | 0 | 0 | 829 | 5502 |

Table IX contd.

Average Size of Holding by size classes for All Social Group

(Area in hectares)

| Sr. No. | Size Class (in hactare) | Individual holding | Joint holding | Total (indiv.+Joint holdings) | Institutional holding | Total holding |
|-----------------|-------------------------|--------------------|---------------|-------------------------------|-----------------------|---------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | Below0.0-0.5 | 0.25 | 0.24 | 0.25 | 0.25 | 0.25 |
| 2 | 0.5-1.0 | 0.72 | 0.70 | 0.72 | 0.71 | 0.72 |
| | Marginal | 0.40 | 0.43 | 0.40 | 0.39 | 0.40 |
| 3 | 1.0-2.0 | 1.40 | 1.36 | 1.40 | 1.51 | 1.40 |
| | Small | 1.40 | 1.36 | 1.40 | 1.51 | 1.40 |
| 4 | 2.0-3.0 | 2.42 | 2.40 | 2.42 | 2.39 | 2.42 |
| 5 | 3.0-4.0 | 3.44 | 3.44 | 3.44 | 3.41 | 3.44 |
| | Semi-Medium | 2.71 | 2.63 | 2.71 | 2.79 | 2.71 |
| 6 | 4.0-5.0 | 4.43 | 4.75 | 4.43 | 4.48 | 4.43 |
| 7 | 5.0-7.5 | 6.00 | 0.00 | 6.00 | 5.95 | 6.00 |
| 8 | 7.5-10.0 | 8.47 | 0.00 | 8.47 | 8.54 | 8.47 |
| | Medium | 5.64 | 4.75 | 5.64 | 6.22 | 5.64 |
| 9 | 10.0-20.0 | 12.88 | 0.00 | 12.88 | 12.90 | 12.88 |
| 10 | 20.0-& above | 31.20 | 0.00 | 31.20 | 90.56 | 37.50 |
| 11 | Large | 14.92 | 0.00 | 14.92 | 45.33 | 15.85 |
| All Size | | 0.94 | 0.90 | 0.94 | 6.64 | 0.95 |

Table IX contd.

Average Size of Holding by size classes for Scheduled Caste

(Area in hectares)

| Sr. No. | Size Class (in hactare) | Individual holding | Joint holding | Total holding |
|-----------------|-------------------------|--------------------|---------------|---------------|
| 1 | 2 | 3 | 4 | 5 |
| 1 | Below0.0-0.5 | 0.25 | 0.00 | 0.25 |
| 2 | 0.5-1.0 | 0.71 | 0.00 | 0.71 |
| | Marginal | 0.37 | 0.00 | 0.37 |
| 3 | 1.0-2.0 | 1.38 | 0.00 | 1.38 |
| | Small | 1.38 | 0.00 | 1.38 |
| 4 | 2.0-3.0 | 2.41 | 0.00 | 2.41 |
| 5 | 3.0-4.0 | 3.44 | 0.00 | 3.44 |
| | Semi-Medium | 2.66 | 0.00 | 2.66 |
| 6 | 4.0-5.0 | 4.46 | 0.00 | 4.46 |
| 7 | 5.0-7.5 | 6.02 | 0.00 | 6.02 |
| 8 | 7.5-10.0 | 8.46 | 0.00 | 8.46 |
| | Medium | 5.49 | 0.00 | 5.49 |
| 9 | 10.0-20.0 | 12.59 | 0.00 | 12.59 |
| 10 | 20.0-& above | 24.24 | 0.00 | 24.24 |
| 11 | Large | 13.33 | 0.00 | 13.33 |
| All Size | | 0.60 | 0.00 | 0.60 |

Table IX contd.

Average Size of Holding by size classes for Scheduled Tribe

(Area in hectares)

| Sr. No. | Size Class (in hectare) | Individual holding | Joint holding | Total holding |
|-----------------|-------------------------|--------------------|---------------|---------------|
| 1 | 2 | 3 | 4 | 5 |
| 1 | Below0.0-0.5 | 0.25 | 0.00 | 0.25 |
| 2 | 0.5-1.0 | 0.71 | 0.00 | 0.71 |
| | Marginal | 40.00 | 0.00 | 0.40 |
| 3 | 1.0-2.0 | 1.40 | 0.00 | 1.38 |
| | Small | 1.40 | 0.00 | 1.40 |
| 4 | 2.0-3.0 | 2.42 | 0.00 | 2.41 |
| 5 | 3.0-4.0 | 3.43 | 0.00 | 3.44 |
| | Semi-Medium | 2.69 | 0.00 | 2.69 |
| 6 | 4.0-5.0 | 4.42 | 0.00 | 4.46 |
| 7 | 5.0-7.5 | 5.95 | 0.00 | 6.02 |
| 8 | 7.5-10.0 | 8.46 | 0.00 | 8.46 |
| | Medium | 5.41 | 0.00 | 5.41 |
| 9 | 10.0-20.0 | 12.57 | 0.00 | 12.59 |
| 10 | 20.0-& above | 43.27 | 0.00 | 24.24 |
| 11 | Large | 17.83 | 0.00 | 17.83 |
| All Size | | 0.86 | 0.00 | 0.86 |

Table IX contd.

Average Size of Holding by size classes for Others

(Area in hectares)

| Sr. No. | Size Class (in hectare) | Individual holding | Joint holding | Total holding |
|-----------------|-------------------------|--------------------|---------------|---------------|
| 1 | 2 | 3 | 4 | 5 |
| 1 | Below0.0-0.5 | 0.25 | 0.24 | 0.25 |
| 2 | 0.5-1.0 | 0.72 | 0.70 | 0.71 |
| | Marginal | 0.41 | 0.43 | 0.41 |
| 3 | 1.0-2.0 | 1.40 | 1.36 | 1.38 |
| | Small | 1.40 | 1.36 | 1.40 |
| 4 | 2.0-3.0 | 2.42 | 2.40 | 2.41 |
| 5 | 3.0-4.0 | 3.44 | 3.44 | 3.44 |
| | Semi-Medium | 2.72 | 2.63 | 2.72 |
| 6 | 4.0-5.0 | 4.43 | 4.75 | 4.46 |
| 7 | 5.0-7.5 | 6.00 | 0.00 | 6.02 |
| 8 | 7.5-10.0 | 8.47 | 0.00 | 8.46 |
| | Medium | 5.65 | 4.75 | 5.65 |
| 9 | 10.0-20.0 | 12.90 | 0.00 | 12.59 |
| 10 | 20.0-& above | 30.86 | 0.00 | 24.24 |
| 11 | Large | 14.90 | 0.00 | 14.90 |
| All Size | | 1.05 | 0.90 | 1.05 |

Table IX contd.

Average Size of Holding by size classes for Institutional

(Area in hectares)

| Sr. No. | Size Class (in hectare) | Individual holding | Joint holding | Total holding |
|-----------------|-------------------------|--------------------|---------------|---------------|
| 1 | 2 | 3 | 4 | 5 |
| 1 | Below0.0-0.5 | 0.00 | 0.00 | 0.25 |
| 2 | 0.5-1.0 | 0.00 | 0.00 | 0.71 |
| | Marginal | 0.00 | 0.00 | 0.39 |
| 3 | 1.0-2.0 | 0.00 | 0.00 | 1.51 |
| | Small | 0.00 | 0.00 | 1.51 |
| 4 | 2.0-3.0 | 0.00 | 0.00 | 2.39 |
| 5 | 3.0-4.0 | 0.00 | 0.00 | 3.41 |
| | Semi-Medium | 0.00 | 0.00 | 2.79 |
| 6 | 4.0-5.0 | 0.00 | 0.00 | 4.48 |
| 7 | 5.0-7.5 | 0.00 | 0.00 | 5.95 |
| 8 | 7.5-10.0 | 0.00 | 0.00 | 8.54 |
| | Medium | 0.00 | 0.00 | 6.22 |
| 9 | 10.0-20.0 | 0.00 | 0.00 | 12.90 |
| 10 | 20.0-& above | 0.00 | 0.00 | 90.56 |
| 11 | Large | 0.00 | 0.00 | 45.33 |
| All Size | | 0.00 | 0.00 | 6.64 |

Instructions and Explanations for filling up the Tables

Summary Tables

The summary Tables are to be extracted from the detailed tables which follow. They are intended for people interested only in state figures and the agricultural trends in the state.

The summary tables should, therefore, give the state figures for the current year and to facilitate comparison, the corresponding figures for the preceding four years with the exception of table G and H where comparative figures are to be given for the previous year and the last two census respectively.

The summary tables should cover all the tables given in the report except rainfall since the average rainfall for a State is rather a vague concept and may be misleading.

The relationship of the summary tables to the main tables is shown below;—

| <i>Summary Tables</i> | <i>Main Table(s) to which it relates</i> |
|-----------------------|--|
| A | Table II |
| B | Table IIIA |
| C | Table IIIB |
| D | Table IV A, IV B & IV C |
| E | Table V A & V B |
| F | Table VI |
| G | Table VII |
| H | Table VIII |

1. Rainfall (Table I)

1.1 The rainfall statement should give the amount of rainfall received in each month of the different season by the different districts of the State. The rainfall for the district will be the average rainfall of all the rain recording stations situated in the district.

1.2 The total number of rainy days in the season will give an indication of the spread of rainfall.

1.3 The number of season into which the year may be divided will depend upon the local rainfall conditions, and the recognised seasons may be adopted for this purpose. It may, therefore, not be possible to prescribe any rigid season for all the states. However, the following divisions may suit to the states with the exception of a few who, because of different climatic conditions in their regions, may give rainfall figures for other recognised rainfall seasons :—

1. Ist June to 30th September (Monsoon).
2. Ist October to 30th December (Post-monsoon).

3. Ist January to 28/29 Feb. (Winter).
4. Ist March to 31st May (Pre-monsoon).

2. Classification of Area (Table II)

2.1 This table is in conformity with the revised classification agreed to by all the States for Table II of the Indian Agricultural Statistics. It is intended to indicate broadly the utilization of land.

3. Sources of Water Supply, Area Irrigated there-from and Irrigated Area Under Crops (Tables III A & B)

3.1 The information required to be given under this head is of two types viz.

- (i) The size of each of the different types of sources of water supply and
- (ii) The areas irrigated by each of them separately.

3.2 Irrigation plays such an important part in agriculture that it is absolutely essential for all the State to keep a detailed record of the available sources of irrigation and the areas irrigated by them. With this end in view it is now proposed that as regards item No. (i) above, all the states reports should show:—

(a) The number of Government canals.

(b) The number of tube-wells, Government and Private, the number of wells in use for irrigation purposes only, the number of wells used for domestic purposes only, and the number of wells not in use. The second category is further divided and sub-divided into the following categories;—

(i) Government—Masonry and non-masonry.

(ii) Private—Masonry and non-masonry.

(c) The number of reservoirs.

(d) The number of tanks divided into three parts viz.:

(i) With ayacut less than 100 hect :

(ii) With ayacut 100 hect. or more :

(iii) Total: and

(e) The number of oil-engines.

3.3 As regards item (ii) above viz. classification of the total irrigated area according to the sources of irrigation the classification given here is identical with that in the Indian Agricultural Statistics.

3.4 Other miscellaneous details like the number of wells having independent ayacuts, number of wells supplementing recognised sources of irrigation and percentage of area irrigated by wells having independent ayacuts to the total area irrigated etc., may also be shown in this table where available.

3.5 Table III B shows the total irrigated (Gross) acreage under each crop in each district/tehsil. This information is essential since the normal rates of outturn for irrigated and unirrigated tracts under

any crop differ widely from each other and it is essential for forming a correct estimate of the total outturn to know separately the irrigated and unirrigated areas under all the crops.

4. Total Area Under Specified Crops (Tables IV A, Band C)

4.1 The purpose of table IV is to show area sown in different crops. For this table the crops are first divided into two classes *i.e.*, under food and non-food crops. Each of these are further sub-divided into various groups. To have detailed information regarding the utilization of area under the different groups, the list of crops in the manual has been made very comprehensive. Where the crops given in the manual are not grown, they may be omitted from the list. With a view to make the table less unwidely, the table has been split up into two (Tables IV A & IV B) giving the areas under food and non-food crops respectively.

4.2 The normal figures are to be given in all cases, normal area under any crop taken to be the average of the area under the crop in the previous five years. In addition to table IV A & IV B, another table IVC may be given in all the Season and Crop Reports showing the gross cropped area in the year sub-divided according to the two (or more) main agricultural seasons *viz.* Kharif and Rabi (District having agricultural seasons other than Kharif and Rabi may give figures for their own seasons) the area cropped more than once and the net cropped area.

4.3 The total matured and failed cropped area of the final forecast report is to be given in this table. Area shown under the various crops in this table is the aggregate of the matured and failed area. Area shown under each crop represents the area actually sown, irrespective of whether the crop reaches maturity or not except in cases where the land after the failure of the first crop is devoted to another crop.

4.4 To have an idea of the extent to which mixed sowings take place for major crops, the gross unadjusted acreage under the various major crop-mixtures may also be shown for which columns have been provided in this table.

5. Out-turn of crops (Table V A & B)

5.1 Under this head information is required on the following points:—

(a) The standard yield per hectare, the seasonal factor, and the yield per hectares attained in year under report.

The standard or normal yield represents the average outturn on an average soil in a year of average character. The estimates of production are obtained as a product of 'Area' multiply by 'Normal Yield' and again multiply by 'Condition Factor'. The revision of normal yield is ordinarily made once in five years.